# RESEARCH Open Access



# Global cross-sectional student survey on Al in medical, dental, and veterinary education and practice at 192 faculties

Felix Busch<sup>1,4\*</sup>, Lena Hoffmann<sup>1</sup>, Daniel Truhn<sup>2</sup>, Esteban Ortiz-Prado<sup>3</sup>, Marcus R. Makowski<sup>4</sup>, Keno K. Bressem<sup>5†</sup>, Lisa C. Adams<sup>4†</sup> and COMFORT Consortium

# **Abstract**

**Background** The successful integration of artificial intelligence (AI) in healthcare depends on the global perspectives of all stakeholders. This study aims to answer the research question: What are the attitudes of medical, dental, and veterinary students towards AI in education and practice, and what are the regional differences in these perceptions?

**Methods** An anonymous online survey was developed based on a literature review and expert panel discussions. The survey assessed students' Al knowledge, attitudes towards Al in healthcare, current state of Al education, and preferences for Al teaching. It consisted of 16 multiple-choice items, eight demographic queries, and one free-field comment section. Medical, dental, and veterinary students from various countries were invited to participate via faculty newsletters and courses. The survey measured technological literacy, Al knowledge, current state of Al education, preferences for Al teaching, and attitudes towards Al in healthcare using Likert scales. Data were analyzed using descriptive statistics, Mann–Whitney U-test, Kruskal–Wallis test, and Dunn-Bonferroni post hoc test.

**Results** The survey included 4313 medical, 205 dentistry, and 78 veterinary students from 192 faculties and 48 countries. Most participants were from Europe (51.1%), followed by North/South America (23.3%) and Asia (21.3%). Students reported positive attitudes towards AI in healthcare (median: 4, IQR: 3–4) and a desire for more AI teaching (median: 4, IQR: 4–5). However, they had limited AI knowledge (median: 2, IQR: 2–2), lack of AI courses (76.3%), and felt unprepared to use AI in their careers (median: 2, IQR: 1–3). Subgroup analyses revealed significant differences between the Global North and South (r=0.025 to 0.185, all P<.001) and across continents (r=0.301 to 0.531, all P<.001), with generally small effect sizes.

**Conclusions** This large-scale international survey highlights medical, dental, and veterinary students' positive perceptions of Al in healthcare, their strong desire for Al education, and the current lack of Al teaching in medical curricula worldwide. The study identifies a need for integrating Al education into medical curricula, considering regional differences in perceptions and educational needs.

**Trial registration** Not applicable (no clinical trial).

<sup>†</sup>Keno K. Bressem and Lisa C. Adams contributed equally to this work and are joint senior authors.

\*Correspondence:

Felix Busch

felix.busch@charite.de

Full list of author information is available at the end of the article



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

**Keywords** Artificial intelligence, Students, Medical, Education, Medical, Cross-sectional studies, Curriculum, Surveys and guestionnaires

# **Background**

The popularity of artificial intelligence (AI) in healthcare has exponentially risen in recent years, attracting the attention of professionals and students alike [1, 2]. The emergence of large language models like ChatGPT has further expanded AI's potential in medicine, offering new possibilities for clinical applications and medical training [3, 4]. AI has demonstrated expert-level performance in various medical domains, including breast cancer screening, chest radiograph interpretation, and prediction of treatment outcomes [5–8].

The increasing prevalence of AI in healthcare necessitates its incorporation into medical education. AI offers numerous potential benefits for medical training, such as enhancing understanding of complex concepts, providing personalized learning experiences, and simulating clinical scenarios [9–12]. Moreover, familiarizing medical students with AI tools and technologies prepares them for the realities of their future professional lives [13, 14]. However, the integration of AI also raises significant ethical challenges, including concerns about patient autonomy, beneficence, non-maleficence, and justice [9, 15, 16].

Existing literature has primarily focused on the technical aspects of AI in medicine or its potential applications in specific medical specialties [17]. Other studies have explored healthcare professionals' perceptions of AI, but these have been limited by small sample sizes and lack of geographic diversity [17]. This gap in the literature precludes a comprehensive understanding of how future healthcare professionals across different regions perceive and prepare for AI integration in their fields.

This multicenter study addresses this gap by investigating the perspectives of medical, dental, and veterinary students on AI in their education and future practice across multiple countries. Specifically, we examine: 1) students' technological literacy and AI knowledge, 2) the current state of AI in their curricula, 3) their preferences for AI education, and 4) their attitudes towards AI's role in their fields. By exploring regional differences on a large, international scale, this study offers a unique comparative overview of students' perceptions worldwide.

# **Methods**

This multicenter cross-sectional study was conducted in accordance with the Strengthening the reporting of observational studies in epidemiology (STROBE) statement and received ethical approval from the Institutional Review Board at Charité – University Medicine Berlin (EA4/213/22), serving as the principal institution, in compliance with the Declaration of Helsinki and its later amendments [18, 19]. To ensure participant anonymity, the necessity for informed consent was waived.

# Instrument development and design

Following the Association for Medical Education in Europe (AMEE) guide, this study aimed to develop an anonymous online survey to assess: 1) the technological literacy and knowledge of informatics and AI, 2) the current state of AI in their respective curricula and preferences for AI education, and 3) the perspectives towards AI in the medical profession among international medicine, dentistry, and veterinary medicine students [20]. To inform instrument development, a literature review of existing publications on the attitudes of medical students towards AI in medicine was independently performed by four reviewers (FB, LH, KKB, LCA), leveraging MED-LINE, Scopus, and Google Scholar databases in December 2022. Studies were selected for review based on the following criteria: 1) the publications were original research articles, 2) the scope aligned with our research objectives and targeted medical students, 3) the survey was conducted in English language, 4) the items were publicly accessible, 5) the measurement of perspectives towards AI was not restricted to a particular medical subfield. Following these criteria, five articles comprising a total of 96 items were identified as relevant to the research scope [21-25]. After a consensus-based discussion, items that did not match our research objectives or overlapped in content were excluded, resulting in 23 remaining items. These items were subsequently tailored to fit the context of medical education and the medical profession.

A review cycle was undertaken with a focus group of medical AI researchers and students, as well as an expert panel including physicians, medical faculty members and educators, AI researchers and developers, and biomedical statisticians (FB, LH, DT, MRM, KKB, LCA, AB, RC, GDV, AH, LJ, AL, PS, LX). The finalized survey consisted of 16 multiple-choice items, eight demographic queries, and one free-field comment section. These items were further refined based on content-based domain samples, and responses were standardized using a four- or five-point Likert scale where applicable.

The preliminary assessment was conducted through cognitive interviews with ten medical students at Charité – University Medicine Berlin to evaluate the scale's comprehensiveness and overall length. The feedback resulted in two rewordings and one item removal,

finalizing the survey with 15 multiple-choice items and eight demographic queries supported by one free-field comment section. The final questionnaire items and response options can be viewed in Table 1.

**Table 1** Questionnaire items and response options

Items	Response options
University or College	[Free text field]
Country	[Free text field]
Gender:	Male / Female / Diverse / Prefer not to disclose
Age:	Years
Current course of study:	(Human) Medicine / Dentistry / Veterinary Medicine / Other
Current academic year:	Years
Total academic years:	Years
Which of these technical devices do you use at least once a week?	Smartphone / PC/laptop / Game console (e.g., PlayStation, Switch) / Tablet (e.g., iPad) / E-reader / Smartwatch / None
Have you already programmed code?	Yes / No
In which language(s) have you programmed code?	[Free text field]
How would you rate your general knowledge of artificial intelligence (AI)?	No knowledge (never heard of AI) / Little knowledge (e.g., documentary seen on TV) / Good knowledge (e.g., read several journal articles on AI) / Expert (e.g., involved in AI research/development)
What is your current general attitude toward your medical studies?	Extremely negative / Rather negative / Neutral / Rather positive / Extremely positive
What is your general attitude toward the application of artificial intelligence (AI) in medicine?	Extremely negative / Rather negative / Neutral / Rather positive / Extremely positive
As part of my studies, there are curricular events on artificial intelligence (AI) in medicine	No /Yes; 1–5 h in total /Yes; > 5–10 h in total /Yes; > 10–20 h in total /Yes; > 20 h in total
I would like to have more teaching on artificial intelligence (AI) in medicine as part of my studies	Completely disagree / Rather disagree / Neutral / Rather agree / Completely agree
What would you like to learn about artificial intelligence (AI) as part of your medical curriculum?	Theory and background (e.g., mathematical basics) / Practical skills (e.g., learning programming languages; solving medical problems with Al) / History and development / Legal and ethical aspects / Future perspectives of Al in medicine / No preference / Other / Nothing
What other things would you like to learn about artificial intelligence (AI) as part of your medical curriculum?	[Free text field]
What is your view on the influence of artificial intelligence (Al) on the profession of physicians? Al will affect the everyday life of physicians in a way that is	Extremely negative / Rather negative / Neutral / Rather positive / Extremely positive
How would you rate artificial intelligence (AI) software being available to physicians as a second opinion on medical issues?	Extremely negative / Rather negative / Neutral / Rather positive / Extremely positive
Suppose an artificial intelligence (AI) makes a diagnosis. What would you prefer?	The decision path is presented clearly and comprehensibly (explainable Al), and the accuracy is high. / The decision path is not presented (black box), but the accuracy is higher
Suppose an artificial intelligence (AI) makes a diagnosis. What would you prefer?	The AI misses almost no diagnosis, but often gives a false alarm (i.e., a high sensitivity). / The AI almost never gives a false alarm, but sometimes misses a diagnosis (i.e., a high specificity). / The AI gives a false alarm about as often as it misses a diagnosis
How do you estimate the effect of artificial intelligence (Al) on the efficiency of healthcare processes in the next 10 years?	Great deterioration / Moderate deterioration / No effect / Moderate improvement / Great improvement
The use of artificial intelligence (AI) in medicine will increasingly lead to legal and ethical conflicts	Completely disagree / Rather disagree / Neutral / Rather agree / Completely agree
I think working with artificial intelligence (AI) as a physician is necessary to stay competitive	Completely disagree / Rather disagree / Neutral / Rather agree / Completely agree
With my current knowledge, I feel sufficiently prepared to work with artificial intelligence (AI) in my future profession as a physician	Completely disagree / Rather disagree / Neutral / Rather agree / Completely agree

Using REDCap (Research Electronic Data Capture) hosted at Charité - University Medicine Berlin, the English survey was subsequently disseminated through the medical student newsletter at Charité and deactivated after receiving responses from 50 medical students who served as the pilot study group and were not included in the final participant pool [26, 27]. After psychometric validation, participating sites distributed the REDCap online survey among medical, dental, and veterinary students at their faculty. Due to the large number of Spanish-speaking sites, a separate Spanish online version of the survey was employed using paired forward and backward translation with reconciliation by two bilingual medical professionals (LG, JSPO). Depending on their faculty location, participating sites distributed either the English or Spanish online survey via their faculty newsletters and courses using a QR code or the direct website link (non-probability convenience sampling). The survey was available for participation from April to October 2023.

Our data collection methodology was designed to mitigate several risks related to privacy, confidentiality, consent, transparency of recruitment, and minimization of harm, as highlighted before [28]. By using faculty newsletters and course distributions, we reduced the exposure of personal information on social media platforms, thereby maintaining a higher level of privacy. This method ensured that our participants' identities and responses were not publicly available or exposed to wider online networks. To further secure the data, the survey platform used was selected for its robust security features, including data encryption and secure storage. We explicitly informed participants about how their data would be used and protected, ensuring transparency and building trust.

Distributing the survey through official academic channels, such as faculty newsletters, implied a degree of formality and oversight, increasing the likelihood that participants were adequately informed of the study's intentions. By detailing the purpose of the study, the use of data and participants' rights on the first page of the survey, participants had to indicate their understanding and agreement by ticking an 'I agree' box before proceeding.

Using institutional channels for distribution provided a transparent and credible recruitment process that was likely to reach a relevant and engaged audience. We ensured that participants were aware that their participation was completely voluntary and that they could withdraw from the study at any time without penalty. We also provided contact details for participants to ask questions about the study, promoting openness and trust.

By avoiding the use of social media for recruitment, we eliminated the risk of participants' responses being exposed to their social networks, thereby protecting their privacy and reducing potential social risks. The content of the survey was carefully reviewed to ensure that no questions could cause distress or harm to participants. Participants were informed that they could skip any questions they felt uncomfortable answering, ensuring their well-being and autonomy throughout the survey process.

# Inclusion and exclusion criteria

Inclusion criteria consisted of students at least 18 years of age, actively enrolled in a (human) medicine, dentistry, or veterinary medicine degree program, who responded to the survey during its open period and were proficient in either English or Spanish, depending on their faculty location. Participants had to confirm their enrollment in a relevant program and input their age to verify they were above 18 years old. Only those meeting these criteria could proceed with the survey. Respondents who started the survey but did not answer any multiple-choice items were excluded from the analysis. Partial missing responses to survey items resulted in exclusion from each subanalysis.

## Statistical analysis

Statistical analyses were performed with SPSS Statistics 25 (version 28.0.1.0) and R (version 4.2.1), using the "tidyverse", "rnaturalearth", and "sf" packages [29–32]. The Kolmogorov-Smirnov test was used to test for normal distribution. Categorical and ordinal data were reported as frequencies with percentages. Medians and interquartile ranges (IQR) were reported for nonparametric continuous data. Variances were reported for items in Likert scale format. The response rate was derived from the overall student enrollment numbers at each faculty according to the faculty websites or the Times Higher Education World University Rankings 2024 due to the unavailability of official data on enrolled medical, dentistry, or veterinary students. In the pilot study group, item reliability was measured using Cronbach's α, with values above 0.7 interpreted as acceptable internal consistency. Explanatory factor analysis was used to examine the structure and subscales of the instrument, using an eigenvalue cutoff of 1 for item extraction. Items with factor loadings of 0.4 or higher were retained. Data suitability for structural evaluation was assessed using the Kaiser-Meyer-Olkin measure and Bartlett's test of sphericity. For geographical subgroup analysis, respondents were categorized based on their faculty location (Global North versus Global South) according to the United Nations' Finance Center for South-South Cooperation [33]. Additionally, participants were grouped into

continents based on the United Nations geoscheme [34]. Due to the substantial number of European participants, students in North/West and South/East Europe were analyzed separately. Further subgroup analyses based on gender, age, academic year, technological literacy, self-reported AI knowledge, and previous curricular AI events can be found in the appendix (see Supplementary Tables 1–7). The Mann–Whitney U-test was employed for subgroup analyses of two independent non-parametric samples. For continental comparison, the Kruskal-Wallis one-way analysis of variance and Dunn-Bonferroni post hoc test were performed. To estimate effect size, we calculated r, with 0.5 indicating a large effect, 0.3 a medium effect, and 0.1 a small effect [35]. An asymptotic two-sided P-value below 0.05 was considered statistically significant.

## Results

# Pilot study

The median age of the pilot study group was 24 years (IQR: 21-26 years). 58% of participants identified as female (n=29), 38% as male (n=19), and 4% (n=2) did not report their gender. The median current academic year was 2 (IQR: 2–4 years) out of 6 total academic years. Internal consistency for our scale's dimensions ranged from acceptable to good, as indicated by Cronbach's a. The section on "Technological literacy and knowledge of informatics and AI" registered an α of 0.718, while the section "Current state of AI in the curriculum and preferences for AI education" scored an  $\alpha$  of 0.726, both displaying acceptable internal consistency. A Cronbach's α value of 0.825 for the "Perspectives towards AI in the medical profession" section denoted good internal consistency. The Kaiser-Meyer-Olkin measure for sampling adequacy was 0.801, confirming the sample's representational validity. Bartlett's test of sphericity returned a *P*-value of less than 0.001, validating the chosen method for factor analysis. Factor analysis yielded a structure comprising 15 items across three dimensions, collectively explaining 54% of the total variance. Factor loadings for individual items ranged from 0.495 for "Which of these technical devices do you use at least once a week?" to 0.888 for "What is your general attitude toward the application of artificial intelligence (AI) in medicine?".

Page 5 of 20

# Study cohort

Between the first of April and the first of October 2023, 4900 responses were recorded, of which 4345 (88.7%) were collected via the English survey and 555 (11.3%) via the Spanish survey version. Of these, 283 (5.8%) respondents reported degrees other than medicine, dentistry, or veterinary medicine or indicated that they had completed their studies, while 21 (0.4%) did not respond to any multiple-choice item or did not indicate their degree. The final study cohort comprised 4596 participants from 192 faculty and 48 countries, of whom 4313 (93.8%) were medical, 205 (4.5%) dentistry, and 78 (1.7%) veterinary medicine students. Of 5,575,307 enrolled students from all degrees at the 183 (95.3%) participating faculties in which the total enrollment number was publicly available, the survey achieved an average response rate of 0.2% (standard deviation: 0.4%). Most respondents studied in Southern/Eastern European (n = 1240, 27%) countries, followed by Northern/Western Europe (n = 1110, 24.2%), Asia (n=944, 20.5%), South America (n=555, 12.1%), North America (n=515, 11.2%), Africa (n=125, 2.7%), and Australia (n = 104, 2.3%). Please refer to Fig. 1 to view the distribution of participating institutions in relation to the number of participants on a world map. A detailed




Fig. 1 The world map displays the geographical distribution of participating institutions (blue dots) in relation to the number of respondents per institution

list of survey participants divided by country, faculty, city, degree, number of enrolled students, and response rate is provided in the appendix (see Supplementary Table 8). The median age of the study population was 22 years (IQR: 20-24 years). 56.6% of the participants were female (n=2600) and 42.4% male (n=1946), with a median academic year of 3 (IQR: 2-5 years). Full descriptive data, including items on technological literacy and preferences for AI teaching in the medical curriculum, are displayed in Table 2. Any free field comments of the survey participants are listed in the appendix (see Supplementary Table 9), with selected comments highlighted in Fig. 2.

## Collective perceptions towards artificial intelligence

Table 3 displays the survey results for Likert scale items. Students generally reported a rather or extremely positive attitude towards the application of AI in medicine (3091, 67.6%). The highest positive attitude towards AI in the medical profession was recorded for the item "How do you estimate the effect of artificial intelligence (AI) on the efficiency of healthcare processes in the next 10 years?" with 4042 respondents (88.4%) estimating a moderate or great improvement. Contrarily, 3171 students (69.4%) rather or completely agreed with the item "The use of artificial intelligence (AI) in medicine will increasingly lead to legal and ethical conflicts.". Regarding AI education and knowledge, 3451 students (75.3%) reported no or little knowledge of AI, and 3474 (76.1%) rather or completely agreed that they would like to have more teaching on AI in medicine as part of their curricula. On the other hand, 3497 (76.3%) students responded that they did not have any curricular events on AI as part of their degree, as illustrated on the country level in Fig. 3. Variability in responses was observed, ranging from 0.279 for the item "How would you rate your general knowledge of artificial intelligence (AI)?" —measured on a four-point Likert scale— to 1.372 for "With my current knowledge, I feel sufficiently prepared to work with artificial intelligence (AI) in my future profession as a physician.". Notably, the items capturing the trade-offs in medical AI diagnostics revealed that most students preferred AI explainability (n=3659, 80.2%) over a higher accuracy (n=902, 19.8%)and higher sensitivity (n = 2906, 63.9%) over higher specificity (n = 1118, 24.6%) or equal sensitivity/specificity (n = 524, 11.5%), as visualized in Fig. 4.

# **Regional comparisons**

Please refer to Table 4 to view the results of the comparison of responses from the Global North and South for Likert scale format items. Perceptions between the Global North and South differed significantly for nine Likert scale format items. The highest effect size was observed for the item on AI increasing ethical and legal

conflicts, with respondents from the Global North indicating a higher agreement (median: 4, IQR: 3–5) compared to those from the Global South (median: 4, IQR: 3–4; r=0.185; P<0.001). Notably, Global South students felt more prepared to use AI in their future practice (median: 3, IQR: 2–4) compared to their Global North counterparts (median: 2, IQR: 1–3; r=0.162; P<0.001) and reported longer AI-related curricular events (median: 1, IQR: 1–2; Global North: median: 1, IQR: 1–1; r=0.090; P<0.001). Conversely, Global North students rated their AI knowledge higher (median: 2, IQR: 2–3; Global South: median: 2, IQR: 2–2; r=0.025; P<0.001).

For continental comparison, the Kruskal-Wallis oneway analysis of variance revealed significantly different Likert scale responses across all survey items (see Table 5). Subsequent Dunn-Bonferroni post hoc analysis displayed various significant differences in Likert scale responses for pairwise regional comparisons, while median and IQR remained largely consistent. Considering only medium to large effect sizes, the item "The use of artificial intelligence (AI) in medicine will increasingly lead to legal and ethical conflicts." yielded an r of 0.301 when comparing Northern/Western European (median: 4, IQR: 4-5) and South American participants (median: 4, IQR: 3–4; P<0.001), and an r of 0.311 between South American and Australian participants (median: 4, IQR: 4–5; P<0.001). Similarly, the statement "With my current knowledge, I feel sufficiently prepared to work with artificial intelligence (AI) in my future profession as a physician." displayed strong effect sizes in comparisons between North/West Europe (median: 2, IQR: 1-2) and Asia (median: 3, IQR: 2-4; r=0.531; P<0.001), South/ East Europe (median: 2, IQR: 2–3) and Asia (r=0.342; P<0.001), and South America (median: 2, IQR: 2–3) and Asia (r = 0.398; P < 0.001).

# **Discussion**

Our multicenter study of 4596 medical, dental, and veterinary students from 192 faculties in 48 countries provides crucial insights into the global landscape of AI perception and education in healthcare curricula. The findings reveal a nuanced picture: while students generally express optimism about AI's role in future healthcare practice, this is tempered by significant concerns and a striking lack of preparedness.

The educational basis of our study lies in addressing a critical gap in AI education within medical curricula, exploring how this deficiency varies across different regions, particularly between continents and the Global North and South. As AI rapidly advances and promises to reshape healthcare, the need for future physicians to be adequately prepared through comprehensive AI education becomes increasingly urgent. Our study goes beyond

**Table 2** Descriptive data of the study population and results of the questions about tech-savviness and topic preferences for Al teaching

ltem	Value (N = 4596
Condon	
Gender  Respondents, n (% of N)	4594 (99.96)
•	2600 (56.6)
Female, n (% of respondents)	• •
Male, n (% of respondents)	1946 (42.36)
Diverse, n (% of respondents)	25 (0.54)
Prefer not to disclose, n (% of respondents)	23 (0.5)
Age	
Respondents, n (% of N)	4571 (99.46)
Years, median (IQR)	22 (20–24)
Current academic year	
Respondents, n (% of N)	4473 (97.32)
Years, median (IQR)	3 (2–5)
Total academic years	
Respondents, n (% of N)	4315 (93.89)
Years, median (IQR)	6 (6–6)
Which of these technical devices do you use at least once a week?	
Respondents, n (% of N)	4596 (100)
Smartphone, n (% of respondents)	4406 (95.87)
PC/laptop, n (% of respondents)	4020 (87.47)
Game console (e.g., PlayStation, Switch), n (% of respondents)	511 (11.12)
Tablet (e.g., iPad), n (% of respondents)	2172 (47.26)
E-reader, n (% of respondents)	325 (7.07)
Smartwatch, n (% of respondents)	1033 (22.48)
None, n (% of respondents)	9 (0.2)
Have you already programmed code?a	
Respondents, n (% of N)	4585 (99.76%)
Yes, n (% of respondents)	912 (19.89)
C, n (% of respondents)	85 (1.85)
C++, n (% of respondents)	155 (3.38)
C#, n (% of respondents)	37 (0.81)
CSS, n (% of respondents)	32 (0.7)
HTML, n (% of respondents)	107 (2.33)
Java, n (% of respondents)	166 (3.62)
JavaScript, n (% of respondents)	91 (1.98)
MATLAB, n (% of respondents)	35 (0.76)
Pascal, n (% of respondents)	17 (0.37)
PHP, n (% of respondents)	24 (0.52)
Python, n (% of respondents)	382 (8.33)
R, n (% of respondents)	284 (6.19)
SQL, n (% of respondents)	11 (0.24)
Visual Basic, n (% of respondents)	14 (0.31)
No, n (% of respondents)	3673 (80.11)
What would you like to learn about artificial intelligence (AI) as part of your medical curriculum?	30,3 (00.11)
Respondents, n (% of N)	4596 (100)
Theory and background (e.g., mathematical basics), n (% of respondents)	1549 (33.7)
Practical skills (e.g., learning programming languages; solving medical problems with Al), n (% of respondents)	3515 (76.48)
	827 (17.99)
History and development, n (% of respondents)	
Legal and ethical aspects, n (% of respondents)	2518 (54.79)
Future perspectives of Al in medicine, n (% of respondents)  No preference, n (% of respondents)	3278 (71.32)
	162 (3.52)

<sup>&</sup>lt;sup>a</sup> To enhance data presentation, programming languages with a sample size of fewer than 10 respondents were omitted Abbreviation: *IQR*, Interquartile range

Busch et al. BMC Medical Education (2024) 24:1066 Page 8 of 20



Al is on the rise, without a doubt. What worries me is that our empathy and focus on the patient is currently getting worse - we are understaffed and are so busy with other things that patient care is often secondary. I am worried that with Al doing a certain part of our job, such as triage, we will lose even more patient contact and that everything will be dehumanized - like a factory! [...]

A medical student from Switzerland

My problem with quality healthcare in Africa, particularly in Sub-Saharan Africa, is that it's too expensive, and it's only affordable by the elites, leaving the poor masses almost completely out. Won't Albe for just the rich?



A medical student from Nigeria



[...] Would our 10-year training have that much value, or would it be easy to replace a doctor with some two-month trained personnel as the accuracy of the programs increases? I feel we, as students, are confused about our future role when AI is introduced.

A medical student from India.

Even though AI seems scary in some ways, we cannot withdraw developments that have already happened. Thus, we must know about its drawbacks as much as about its benefits. [...]







Al should be a tool as much as a stethoscope is a tool in medicine. It should guide diagnosis and management without ever making the final call. A stethoscope never makes the diagnosis of a heart murmur; neither should Al. It is important that a human remains the final decision maker, as it is impossible to hold a machine accountable.

A medical student from Canada.

Al should be seen as a tool and not a substitute for physicians. In the end, it will be a human doctor to make a decision. You can never remove the human aspect of medicine.

A medical student from Portugal



**Fig. 2** Diverse perspectives from medical students on the integration of artificial intelligence (AI) in healthcare education and practice. The selected quotes reflect a range of sentiments, from concerns about dehumanization and potential challenges in low-resource settings to viewing AI as a beneficial tool that complements rather than replaces the human touch in medicine

merely asserting the necessity of AI education by elucidating regional differences in perceptions and experiences related to AI among healthcare students.

Our findings extend previous research highlighting inadequacies in AI education in medical schools globally. Kolachalama and Garg [36] noted that AI is not widely taught in medical schools, with most curricula lacking substantial AI training modules. Chan and Zary [37] reinforced this, emphasizing the gap between recognizing AI's potential benefits and actually integrating AI education into medical programs. Our study confirms these deficiencies on a larger, international scale, revealing that over three-quarters of students reported no AI-related events in their curriculum, despite strong interest

in such education. Importantly, our research uncovers regional disparities in AI education and perception.

Students from the Global South were generally less likely to report having AI incorporated into their curricula compared to their counterparts in the Global North. This discrepancy underscores the need for tailored educational strategies that consider these regional differences to ensure equitable preparation for an AI-enhanced medical landscape. The observed differences in perceived preparedness for working with AI, particularly among Asian students, may reflect varying national AI policies, educational strategies, and macroeconomic factors [38, 39].

Depending on the study and item design, self-reported AI knowledge in the literature ranges from 2.8% of 2981

Busch et al. BMC Medical Education (2024) 24:1066 Page 9 of 20

**Table 3** Survey results of Likert scale format items on attitudes towards the medical degree, AI in the medical profession, AI education and knowledge

Item	n (N=4596)	Variance
What is your current general attitude toward your medical studies?		
Respondents (% of N)	4579 (99.63)	
Extremely negative (% of respondents)	48 (1.05)	0.638
Rather negative (% of respondents)	216 (4.72)	
Neutral (% of respondents)	899 (19.63)	
Rather positive (% of respondents)	2597 (56.72)	
Extremely positive (% of respondents)	819 (17.89)	
What is your general attitude toward the application of artificial intelligence (AI) in mo	edicine?	
Respondents (% of N)	4576 (99.56)	
Extremely negative (% of respondents)	60 (1.31)	0.748
Rather negative (% of respondents)	307 (6.71)	
Neutral (% of respondents)	1118 (24.43)	
Rather positive (% of respondents)	2286 (49.96)	
Extremely positive (% of respondents)	805 (17.59)	
How do you estimate the effect of artificial intelligence (AI) on the efficiency of health	care processes in the next 10 years?	
Respondents (% of N)	4570 (99.43)	
Great deterioration (% of respondents)	48 (1.05)	0.610
Moderate deterioration (% of respondents)	194 (4.25)	
No effect (% of respondents)	286 (6.26)	
Moderate improvement (% of respondents)	2687 (58.8)	
Great improvement (% of respondents)	1355 (29.65)	
The use of artificial intelligence (AI) in medicine will increasingly lead to legal and eth	ical conflicts	
Respondents (% of N)	4575 (99.54)	
Completely disagree (% of respondents)	73 (1.6)	0.944
Rather disagree (% of respondents)	370 (8.09)	
Neutral (% of respondents)	961 (21.01)	
Rather agree (% of respondents)	1869 (40.85)	
Completely agree (% of respondents)	1302 (28.46)	
What is your view on the influence of artificial intelligence (AI) on the profession of phin a way that is	nysicians? AI will affect the everyday life of ph	ysicians
Respondents (% of N)	4571 (99.56)	
Extremely negative (% of respondents)	50 (1.09)	0.630
Rather negative (% of respondents)	323 (7.07)	
Neutral (% of respondents)	1027 (22.47)	
Rather positive (% of respondents)	2676 (58.54)	
Extremely positive (% of respondents)	495 (10.83)	
How would you rate artificial intelligence (AI) software being available to physicians a		
Respondents (% of N)	4565 (99.33)	
Extremely negative (% of respondents)	89 (1.95)	0.842
Rather negative (% of respondents)	428 (9.38)	
Neutral (% of respondents)	1026 (22.48)	
Rather positive (% of respondents)	2281 (49.97)	
Extremely positive (% of respondents)	741 (16.23)	
I think working with artificial intelligence (AI) as a physician is necessary to stay comp		
Respondents (% of N)	4576 (99.56)	

Busch et al. BMC Medical Education (2024) 24:1066 Page 10 of 20

Table 3 (continued)


Item	n ( <i>N</i> = 4596)	Variance
Completely disagree (% of respondents)	135 (2.95)	0.998
Rather disagree (% of respondents)	523 (11.43)	
Neutral (% of respondents)	1115 (24.37)	
Rather agree (% of respondents)	1988 (43.44)	
Completely agree (% of respondents)	815 (17.81)	
With my current knowledge, I feel sufficiently prepared to work with artificial intelligence (AI) in my future profession as a physician		
Respondents (% of N)	4577 (99.59)	
Completely disagree (% of respondents)	1003 (21.91)	1.372
Rather disagree (% of respondents)	1649 (36.03)	
Neutral (% of respondents)	910 (19.88)	
Rather agree (% of respondents)	740 (16.17)	
Completely agree (% of respondents)	275 (6.01)	
I would like to have more teaching on artificial intelligence (AI) in medicine as part of my studies		
Respondents (% of N)	4565 (99.33)	
Completely disagree (% of respondents)	86 (1.88)	0.831
Rather disagree (% of respondents)	191 (4.18)	
Neutral (% of respondents)	814 (17.83)	
Rather agree (% of respondents)	2033 (44.53)	
Completely agree (% of respondents)	1441 (31.57)	
As part of my studies, there are curricular events on artificial intelligence (AI) in medicine		
Respondents (% of N)	4581 (99.67)	
No (% of respondents)	3497 (76.34)	0.458
Yes; 1–5 h in total (% of respondents)	820 (17.9)	
Yes;>5–10 h in total (% of respondents)	178 (3.89)	
Yes;>10-20 h in total (% of respondents)	48 (1.05)	
Yes;> 20 h in total (% of respondents)	38 (0.83)	
How would you rate your general knowledge of artificial intelligence (AI)?		
Respondents (% of N)	4585 (99.76)	
No knowledge (never heard of Al). (% of respondents)	170 (3.71)	0.279
Little knowledge (e.g., documentary seen on TV). (% of respondents)	3281 (71.56)	
Good knowledge (e.g., read several journal articles on Al). (% of respondents)	1064 (23.21)	
Expert (e.g., involved in AI research/development). (% of respondents)	70 (1.53)	

medical students in Turkey in 2022 who reported feeling informed about the use of AI in medicine to 51.8% of 900 medical students in Jordan in 2021 who indicated having read articles about AI or machine learning in the past two years [21, 40–44]. On the other hand, the reported prevalence of AI training in the medical curriculum ranges, for instance, from 9.2% in a 2020 survey of 484 medical students in the United Kingdom up to 24.4% in a 2022 study among 2981 medical students in Turkey, although variations in item designs and demographic contexts hinder a comprehensive longitudinal analysis [22, 40, 42, 43, 45]. In our study, less than 18% (n=5) of countries with a sample size of 50 or more participants had a higher or

equal proportion of students reporting any duration of AI teaching, pointing to a persistent deficit in medical AI education across various demographic landscapes. Overall, the incorporation of AI into medical education on a broader national or international scale is limited, and the adoption of frameworks, certification programs, interdisciplinary collaborations, modules, and formal lectures seems still to be at an early stage [14, 46–48, 49].


While our study design and varying sample sizes across regions complicate causal analysis, the fact that three of four countries with over 50% of students reporting AI training were in Asia suggests a potential link between educational exposure and perceived readiness.

Busch et al. BMC Medical Education (2024) 24:1066 Page 11 of 20



**Fig. 3** Pie charts illustrating student responses at the country level for the item "As part of my studies, there are curricular events on artificial intelligence (AI) in medicine.". A more filled, darker red chart indicates a higher proportion of students reporting no AI events, while a less filled, greener chart indicates fewer students reporting the absence of AI events. The missing portion of each chart displays the proportion of students who reported AI events, regardless of the duration. An all-white pie chart indicates that all students reported AI events in the medical curriculum. The absolute number of responses per country is shown above each chart. Analysis of the pie charts from countries with a representative sample of at least 50 respondents reveals that, among 28 nations, only four (Indonesia, Switzerland, Vietnam, and China) exhibited over 50% of students reporting the inclusion of AI events within their medical curriculum. Data from the USA displayed an equal proportion of students reporting the presence or absence of AI events in their curriculum (50% each). The residual 23 countries, encompassing Germany, Portugal, Mexico, Brazil, Poland, UAE, Austria, Italy, India, Argentina, Macedonia, Canada, Slovenia, Ecuador, Australia, Azerbaijan, Japan, Spain, Chile, Moldova, South Africa, Nepal, and Nigeria, had a lower proportion of students reporting the integration of AI in the medical curriculum. Abbreviations: UAE, United Arab Emirates; USA, United States of America

Busch et al. BMC Medical Education (2024) 24:1066 Page 12 of 20



**Fig. 4** Gantt diagrams depicting medical students' preferences in Al diagnostics. **a** Al explainability (n = 3659, 80.2%) versus higher accuracy (n = 902, 19.8%) and **b**) higher sensitivity (n = 2906, 63.9%) versus higher specificity (n = 1118, 24.6%) or equal sensitivity and specificity (n = 524, 11.5%)

Despite the overall positive outlook, our study reveals a pronounced concern among students about the ethical and legal challenges posed by AI integration in health-care. This echoes findings from Mehta et al. and Civaner et al. [40, 50], highlighting the critical need for AI education to address not only technical skills but also ethical, legal, and societal implications.

In terms of educational preferences, most of the participants in our study indicated their interest in learning practical skills, followed by future perspectives and legal and ethical aspects of medical AI. This underscores the great potential of AI education to not only improve medical students' oversight, knowledge, and practical skills in using AI but also to educate about ethical, legal, and societal implications — topics that are also addressed in other AI education frameworks, such as the United Nations Educational, Scientific and Cultural Organization K-12 AI curricula report [51].

In our subgroup analysis of respondents across continents, two items displayed moderate to large effect sizes. First, participants from South America were less likely to agree that the use of medical AI will increase ethical and legal conflicts compared to participants from Northern/Western Europe and Australia. Yet, students' median responses in these regions were identical. Thus, the level of effect size primarily reflects outliers rather than a uniform regional disparity in opinion. Second, Asian students reported being better prepared to work with AI in their future careers. Although these differences in perceived preparedness could be driven by different national AI policies and educational strategies as well as

macroeconomic factors, our study design and varying sample sizes across regions complicate a causal analysis [38, 39].

Finally, the strong preference for explainable AI systems over highly accurate but opaque ones underscores the growing emphasis on 'Explainable AI' in medicine, underlining the importance of transparency in fostering trust and acceptance among future healthcare professionals [52–54, 55].

This study has limitations. First, the uneven regional distribution of participants potentially biased results in favor of overrepresented regions. In addition, the online design and language availability in either English or Spanish, as well as the non-probability convenience sampling method, may have introduced selection bias by excluding students without internet access, students who were not proficient in either language, or students who did not wish to participate. Another potential source of selection bias could be that respondents with a specific interest in or experience with AI were more likely to participate in the survey. Furthermore, the calculated response rate appeared to be rather low due to the lack of data on the number of students enrolled in each medical discipline for most participating institutions. Consequently, we derived the response rate using the total student enrollment numbers, which significantly underestimated the true rate of participation among medical students as it assumes that all students within each faculty received an invitation to participate. Moreover, the presence of 20 institutions with fewer than 50 student respondents has skewed the response rate further downward.

Busch et al. BMC Medical Education (2024) 24:1066 Page 13 of 20

**Table 4** Regional comparison of respondents from the Global North and South for Likert scale format items

Item n (% of N = 4596) Median (IQR)  $P^{a}$ Q1 Global North 3162 (68.8) 4 (4-4) < .001 .095 Global South 1417 (30.83) 4 (3-4) Q2 Global North 3164 (68.84) 4 (3-4) .71 .006 Global South 1412 (30.72) 4(3-4)Q3 4 (4-5) Global North 3155 (68.85) < .001 061 Global South 1415 (30.79) 4 (4-5) 04 Global North 3159 (68.73) 4 (3-5) <.001 .185 Global South 1416 (30.81) 4 (3-4) 05 Global North 3157 (68.69) 4 (3-4) .002 .046 Global South 1414 (30.77) 4 (3-4) Q6 Global North 4 (3-4) .02 .035 3155 (68.65) Global South 1410 (30.68) 4 (3-4) Q7 <.001 Global North 3160 (68.76) 4 (3-4) .049 Global South 1416 (30.81) 4 (3-4) 08 Global North 3161 (68.78) 2(1-3)< .001 .162 Global South 1416 (30.81) 3 (2-4) Q9 Global North 3155 (68.65) 4 (4-5) .11 .024 Global South 1410 (30.68) 4 (3-5) Q10

1(1-1)

1(1-2)

2 (2-3)

2(2-2)

< .001

< .001

.090

.025

3165 (68.86)

1416 (30.81)

3167 (68.91)

1418 (30.85)

Global North

Global South

Global North

Global South

Q11

Abbreviations IQR Interguartile range, Q1, What is your current general attitude toward your medical studies?; Q2, What is your general attitude toward the application of artificial intelligence (AI) in medicine?; Q3, How do you estimate the effect of artificial intelligence (AI) on the efficiency of healthcare processes in the next 10 years?; Q4, The use of artificial intelligence (AI) in medicine will increasingly lead to legal and ethical conflicts.; Q5, What is your view on the influence of artificial intelligence (AI) on the profession of physicians? AI will affect the everyday life of physicians in a way that is...; Q6, How would you rate artificial intelligence (AI) software being available to physicians as a second opinion on medical issues?; Q7, I think working with artificial intelligence (AI) as a physician is necessary to stay competitive.; Q8, With my current knowledge, I feel sufficiently prepared to work with artificial intelligence (AI) in my future profession as a physician.; Q9, I would like to have more teaching on artificial intelligence (AI) in medicine as part of my studies.; Q10, As part of my studies, there are curricular events on artificial intelligence (AI) in medicine.; Q11, How would you rate your general knowledge of artificial intelligence (AI)?

**Table 5** Regional comparison of Likert scale format items on the continental level

Item	n (% of <i>N</i> = 4596)	Median (IQR)	<b>P</b> <sup>a</sup>
Q1			
North/Western Europe	1108 (24.11)	4 (4–4)	<.001 <sup>b</sup>
South/Eastern Europe	1230 (26.76)	4 (4–4)	
Asia	941 (20.47)	4 (3-4)	
North America	514 (11.18)	4 (4-4)	
South America	555 (12.08)	4 (3-4)	
Africa	124 (2.7)	4 (4-5)	
Australia	104 (2.26)	4 (4-4)	
Q2			
North/Western Europe	1109 (24.13)	4 (3-4)	<.001°
South/Eastern Europe	1231 (26.78)	4 (3-4)	
Asia	937 (20.39)	4 (3-4)	
North America	514 (11.18)	4 (3-4)	
South America	554 (12.05)	4 (4-4)	
Africa	124 (2.7)	4 (3-4)	
Australia	104 (2.26)	4 (3-4)	
Q3			
North/Western Europe	1107 (24.09)	4 (4-5)	.001 <sup>d</sup>
South/Eastern Europe	1223 (26.61)	4 (4-5)	
Asia	939 (20.43)	4 (4-5)	
North America	515 (11.21)	4 (4-5)	
South America	555 (12.08)	4 (4-5)	
Africa	124 (2.7)	4 (4-5)	
Australia	104 (2.26)	4 (4-4)	
Q4			
North/Western Europe	1108 (24.11)	4 (4–5)	<.001 <sup>e</sup>
South/Eastern Europe	1227 (26.7)	4 (4–5)	
Asia	941 (20.47)	4 (3-4)	
North America	515 (11.21)	4 (3-4)	
South America	554 (12.05)	4 (3-4)	
Africa	124 (2.7)	4 (3-5)	
Australia	103 (2.24)	4 (4–5)	
Q5			
North/Western Europe	1109 (24.13)	4 (3-4)	<.001 <sup>f</sup>
South/Eastern Europe	1225 (26.65)	4 (3-4)	
Asia	940 (20.45)	4 (3-4)	
North America	515 (11.21)	4 (3-4)	
South America	553 (12.03)	4 (4–4)	
Africa	124 (2.7)	4 (3-4)	
Australia	104 (2.26)	4 (3-4)	
Q6			
North/Western Europe	1108 (24.11)	4 (3-4)	<.001 <sup>g</sup>
South/Eastern Europe	1226 (26.68)	4 (3-4)	
Asia	936 (20.37)	4 (3-4)	
North America	513 (11.16)	4 (3-4)	
South America	553 (12.03)	4 (4–4)	
Africa	124 (2.7)	4 (3–4)	
Australia	103 (2.24)	4 (3-4)	

<sup>&</sup>lt;sup>a</sup> Compares student responses in the Global North and South using the Mann–Whitney U-test

Busch et al. BMC Medical Education (2024) 24:1066 Page 14 of 20

**Table 5** (continued)

Item	n (% of N=4596)	Median (IQR)	<b>P</b> <sup>a</sup>
Q7			
North/Western Europe	1108 (24.11)	4 (3–4)	<.001 h

# **Conclusions**

In conclusion, our study -the currently largest survey of medical students' perceptions towards AI in health-care education and practice- reveals a broadly optimistic view of AI's role in healthcare. It draws on insights from students with diverse geographical, sociodemographic, and cultural backgrounds, underlining the critical need for AI education in medical curricula around the world and identifying a universal challenge and opportunity: to adeptly prepare healthcare students for a future that integrates AI into healthcare practice.

#### Abbreviations

Abbieviati	10113	
Al	Artificial intelligence	
AMEE	Association for Medical Education in Europe	
ChatGPT	Chat Generative Pre-trained Transformers	
IQR	Interquartile range	
LLM	Large language model	
REDCap	Research Electronic Data Capture	
STROBE	Strengthening the reporting of observational studies i epidemiology	n
USMLE	United States Medical Licensing Examination	

# **Supplementary Information**

The online version contains supplementary material available at https://doi.org/10.1186/s12909-024-06035-4.

Supplementary Material 1.
Supplementary Material 2.

## Acknowledgements

Members of the COMFORT consortium (alphabetically listed by surname):

First name, middle initials (if applicable), last name	Affiliation	ORCID
Nitamar, Abdala	Department of Radiology, Federal University of São Paulo, São Paulo, Brazil	0000-0002-0421-0959
Álvaro, Aceña Navarro	Department of Cardiology, Hospital Universitario Fundación Jiménez Díaz, Madrid, Spain; Department of Medicine, Universidad Autónoma de Madrid, Madrid, Spain	0000-0002-5975-5761

First name, middle initials (if applicable), last name	Affiliation	ORCID
Hugo, J.W.L, Aerts	Artificial Intelligence in Medicine (AIM) Program, Mass General Brigham, Harvard Medical School, Boston, MA, USA; Department of Radiation Oncology and Radiology, Dana-Farber Cancer Institute and Brigham and Women's Hospital, Boston, MA, USA; Radiology and Nuclear Medicine, CARIM & GROW, Maastricht University, Maastricht, The Netherlands	0000-0002-2122-2003
Catarina, Águas	Radiology Department, University of Algarve, Faro, Portugal	0000-0002-1575-6367
Martina, Aineseder	Radiology Department, Hospital Italiano de Buenos Aires, Ciudad Autónoma de Buenos Aires, Argentina	0000-0002-8733-856
Muaed, Alomar	Department of Clinical Sciences, College of Pharmacy and Health Sciences, Ajman University, Ajman, UAE	0000-0001-6526-2253
Salita, Angkurawaranon	Department of Radiology, Faculty of Medicine, Chiang Mai University, Chiang Mai, Thailand	0000-0001-6211-5717
Zachary, G., Angus	Centre for Eye Research Australia, Royal Victorian Eye and Ear Hospital, Melbourne, Australia, Faculty of Medicine, Nursing and Health Sciences, Monash Univer- sity, Melbourne, Australia	0000-0003-3117-6116
Eirini, Asouchidou	Anatomy Laboratory, Aristotle University of Thessaloniki, Greece	-
Sameer, Bakhshi	Department of Medical Oncology, Dr. B.R.A. Institute Rotary Cancer Hospital, All India Institute of Medical Sciences, New Delhi, India	0000-0001-9367-4407
Panagiotis, D., Bamidis	Lab of Medical Physics & Digital Innovation, School of Medicine, Aristotle University of Thessaloniki, Thes- saloniki, Greece	0000-0002-9936-5805
Paula, N.V.P., Barbosa	Department of Imaging A.C.Camargo Cancer Center, São Paulo, Brazil	0000-0002-3231-5328
Nuru, Y., Bayramov	Department of I Surgical Diseases, Azerbaijan Medical University, Baku, Azerbaijan	0000-0001-6958-5412

Busch et al. BMC Medical Education (2024) 24:1066 Page 15 of 20

First name, middle initials (if applicable), last name	Affiliation	ORCID	First name, middle initials (if applicable), last name	Affiliation	ORCID
Antonios, Billis	Lab of Medical Physics & Digital Innovation, School of Medicine, Aristotle University of Thessaloniki, Thes-	0000-0002-1854-7560	Paulo, J., de Medeiros	Department of Integrated Medicine, Federal University of Rio Grande do Norte, Natal-RN, Brazil	0000-0002-2409-9944
Almir, G.V., Bitencourt	saloniki, Greece Department of Imaging, A.C.Camargo Cancer Center, São Paulo, Brazil	0000-0003-0192-9885	Guillermo, de Velasco 92–9885	Department of Biochemistry and Molecular Biology, School of Biology, Complutense University, Madrid, Spain; Instituto	0000-0002-1994-2386
Antonio, J., Bollas Becerra	Department of Cardiol- ogy, Hospital Universi- tario Fundación Jiménez	0000-0003-4612-3949		de Investigaciones Sani- tarias San Carlos (IdISSC), Madrid, Spain	
Fabrice, Busomoke	Díaz, Madrid, Spain Ministry of Health— Byumba Hospital, Byumba, Rwanda	0009-0002-2520-2488	Vijay, B., Desai	Department of Clinical Sciences, College of Den- tistry, Ajman University, Ajman, UAE	0000-0003-3256-4778
Andreia, Capela	Medical Oncology Department, Centro Hospitalar Vila Nova de	0000-0002-7576-6938	Ajaya, K., Dhakal	Department of Pediatrics, KIST Medical College and Teaching Hospital, Kathmandu, Nepal	0000-0002-2881-655X
	Gaia-Espinho, Vila Nova de Gaia, Portugal; Asso- ciação de Investigação de Cuidados de Suporte		Virginia, Dignum	Department of Comput- ing Science, Umeå Uni- versity, Umeå, Sweden	0000-0001-7409-5813
	em Oncologia (AICSO), Vila Nova de Gaia, Portugal		Izabela, Domitrz	Department of Neurology, Faculty of Medicine and Dentistry, Medical	0000-0003-3130-1036
Riccardo, Cau	Department of Radiology, Azienda Ospedaliero Universitaria (A.O.U.), di	0000-0002-7910-1087		University of Warsaw, Warsaw, Poland; Bielanski Hospital, Warsaw, Poland	
	Cagliari—Polo di Mon- serrato s.s. 554 Monser- rato, Cagliari, Italy		Carlos, Ferrarotti	tti Department of Diag- nostic Imaging, Centro de Educación Médica e	-
Warren, Clements	Department of Radiology, Alfred Health, Melbourne, Australia; Department of Surgery, Monash University	0000-0003-1859-5850		Investigaciones Clínicas "Norberto Quirno" (CEMIC), Autonomous City of Buenos Aires, Argentina	
	Central Clinical School, Melbourne, Australia; National Trauma Research Institute, Mel- bourne, Australia		Katarzyna, Fułek	Department of Otolaryn- gology, Head and Neck Surgery, Wroclaw Medi- cal University, Wroclaw Poland	0000-0002-1147-774X
Alexandru, Corlateanu	Department of Res- piratory Medicine and Allergology, Nicolae Testemiţanu State University of Medicine and Pharmacy, Chişinău, Republic of Moldova	0000-0002-3278-436X	Shuvadeep, Ganguly	Department of Medi- cal Oncology, Dr. B.R.A. Institute Rotary Cancer Hospital, All India Insti- tute of Medical Sciences, New Delhi, India	0000-0002-7296-6088
Renato, Cuocolo	Department of Medicine, Surgery and Dentistry, University of Salerno, Baronissi, Italy	0000-0002-1452-1574	Ignacio, García-Juárez	Department of Gastroen- terology and Unit of Liver Transplantation, Instituto Nacional de Ciencias Médicas y Nutrición	0000-0003-2400-1887
Nguy <b>ễ</b> n, N., C <b>ươ</b> ng	Radiology Center Hanoi, Medical University Hospital Hanoi, Hanoi,	0000 0001 8809 9583		Salvador Zubirán, Mexico City, Mexico University Clinic	0000-0002-2328-4873
Zenewton, Gama	Vietnam  Department of Collective Health, Federal University of Rio Grande do Norte, Natal, Brazil	0000-0003-0818-9680	Cvetanka, Gjerakaroska Savevska	for Physical Medicine and Rehabilitation, Ss Cyril and Methodius Uni- versity, Skopje, Republic of North Macedonia	0000-0002-2326-48/3

Busch et al. BMC Medical Education (2024) 24:1066 Page 16 of 20

First name, middle initials (if applicable), last name	Affiliation	ORCID	First name, middle initials (if applicable), last name	Affiliation	ORCID
Marija, Gjerakaroska Radovikj	University Clinic for State Cardiac Surgery, Ss Cyril and Methodius Univer- sity, Skopje, Republic of North Macedonia	0000-0003-4916-6178	Pedro, Iturralde Torres	Subdirección de Diag- nóstico y Tratamiento, Instituto Nacional de Cardiología—Ignacio Chávez, Mexico City, Mexico	-
Natalia, Gorelik	Department of Radiology, McGill University Health Center, Montreal, Canada	0000-0001-9672-6807	Nevena, G., Ivanova	Department of Urology and General Medicine, Medical University	0000-0002-4213-8142
Valérie, Gorelik	Dawson College, Mon- treal, Canada	0009-0004-0184-2231		of Plovdiv, Plovdiv, Bulgaria; Department	
Luis, Gorospe	Department of Radiol- ogy, Ramón y Cajal University Hospital,	0000-0002-2305-7064		of Cardiology, Karidad Medical Health Center, Plovdiv, Bulgaria	0000 0003 1170 0546
lan, Griffin	Madrid, Spain  Department of Radiology, University of Florida, Florida, USA	0009-0006-6565-4971	Juan, S., Izquierdo-Condoy	One Health Research Group, Universidad de Las Américas, Quito, Ecuador	0000-0002-1178-0546
Andrzej, Grzybowski	Institute for Research in Ophthalmology, Foundation for Ophthal- mology Development, Poznań, Poland	0000-0002-3724-2391	Aidan, B., Jackson	Centre for Eye Research Australia, Royal Victorian Eye and Ear Hospital, Melbourne, Australia, St Vincent's Hospital Melbourne, Fitzroy 3065,	0000-0002-3809-8301
Alessa, Hering	Department of Radiology and Nuclear Medicine, Radboud University Med- ical Center, Nijmegen, The Netherlands; Fraun- hofer MEVIS, Institute for Digital Medicine, Bremen, Germany	0000-0002-7602-803X	Ashish, K., Jha	Fitzroy, Australia  Department of Nuclear  Medicine, Tata Memorial  Hospital, Mumbai, India,  Homi Bhabha National  Institute—Deemed University, Anushaktinagar,  Mumbai, India	0000-0001-5998-3206
Michihiro, Hide	Department of Dermatology, Hiroshima City Hiroshima Citizens Hospital, Hiroshima, Japan	0000-0002-1569-6034	Nisha, Jha	Clinical Pharmacology and Therapeutics, KIST Medical College and Teaching Hospital,	0000-0003-1089-6042
Bruno, Hochhegger	Department of Radiology, University of Florida, Florida, USA	0000-0003-1984-4636	Lili, Jiang	Kathmandu, Nepal  Department of Comput- ing Science, Umeå Uni-	0000-0002-7788-3986
Jochen, G., Hofstaetter	Michael Ogon Labora- tory for Orthopaedic Research, Orthopaedic Hospital Vienna-Speising, Vienna, Austria; 2nd Department, Orthopae-	0000-0001-7741-7187	Rawen, Kader	versity, Umeå, Sweden Division of Surgery and Interventional Sci- ences, University College London, London, United Kingdom	0000-0001-9133-0838
Mehriban, R., Huseynova	dic Hospital Vienna-Spei- sing, Vienna, Austria Department of I Surgical Diseases, Azerbaijan Medical University, Baku, Azerbaijan	0000-0002-4040-5868	Padma, Kaul	Department of Medicine, University of Alberta, Edmonton, Alberta, Canada, Canadian VIG- OUR Centre, University of Alberta, Edmonton,	0000-0003-2239-3944
Oana-Simina, laconi	Research Cooperation Unit within the Research Department, National Institute of Research in Medicine and Health,	0009-0003-3139-7004	Gürsan, Kaya	Alberta, Canada Department of Nuclear Medicine, Hacettepe Uni- versity, Faculty of Medi- cine, Ankara, Turkey	0000-0003-3157-5782
	Nicolae Testemiţanu State University of Medi- cine and Pharmacy, Chişinău, Republic of Moldova		Katarzyna, Kępczyńska	Department of Neurology, Faculty of Medicine and Dentistry, Medical University of Warsaw, Warsaw, Poland	-

Busch et al. BMC Medical Education (2024) 24:1066 Page 17 of 20

First name, middle initials (if applicable), last name	Affiliation	ORCID	First name, middle initials (if applicable), last name	Affiliation	ORCID
Israel, K., Kolawole	Department of Anaes- thesia, University of Ilorin/Teaching Hospi- tal, Ilorin, Nigeria	0000-0001-5823-8685	Wipawee, Morakote	Department of Radiology, Faculty of Medicine, Chiang Mai University, Chiang Mai, Thailand	0000-0002-8670-7386
George, Kolostoumpis	European Cancer Patient Coalition (ECPC), Brussels, Belgium	0000-0001-9768-9526	Issa, Ngabonziza	Ministry of Health— Byumba Hospital, Byumba, Rwanda	0000-0001-6092-166X
Abraham, Koshy	Department of Gastro- enterology, Lakeshore Hospital, Kochi, India	0000-0002-9997-6569	Trung, Q., Ngo	Department of Urology and Renal Transplanta- tion, People's Hospital	0000-0001-8044-6376
Nicholas, A., Kruger	Orthopaedic Depart- ment, University of Cape Town, Cape Town, South	0000-0002-8543-5745	Thanh, T., Nguyen	115, Ho Chi Minh City, Vietnam Department of Radiol-	0000-0001-9379-6359
Alexander, Loeser	Africa Berlin University of Applied Sciences	0000-0002-4440-3261		ogy, University of Medi- cine and Pharmacy, Hue University, Hue, Vietnam	
Marko, Lucijanic	and Technology (BHT), Berlin, Germany Department of Hematol-	0000-0002-1372-2040	Marc, Nortje	Orthopaedic Depart- ment, University of Cape Town, Cape Town, South	0000-0002-7737-409X
	ogy, Clinical Hospital Dubrava, Zagreb, Croatia, Department of Inter- nal Medicine, School of Medicine University of Zagreb, Zagreb,		Subish, Palaian	Africa Department of Clinical Sciences, College of Pharmacy and Health Sciences, Ajman University, Ajman, UAE	0000-0002-9323-3940
Stefani, Maihoub	Croatia  Department of Otorhinolaryngology, Head and Neck Surgery, Semmelweis University, Budapest, Hungary	0000-0002-3024-6197	Rui, P., Pereira de Almeida	Radiology Department, University of Algarve, Faro, Portugal; Compre- hensive Health Research Center, University of Évora, Évora, Portugal	0000-0001-7524-9669
Sonyia, McFadden	School of Health Sci- ences, Londonderry, Northern Ireland	0000-0002-4001-7769	69 Barbara, Perić	Department of Surgi- cal Oncology, Institute of Oncology Ljubljana,	0000-0001-7228-8267
Maria, C., Mendez Avila	Department of Imaging, University of Costa Rica, San Jose, Costa Rica	0009-0000-7124-2662		Ljubljana, Slovenia; Faculty of Medicine, University of Ljubljana, Ljubljana, Slovenia	
Matúš, Mihalčin	Department of Infectious Diseases, Faculty of Medicine, Masaryk University, Brno, Czech Republic; Department of Infectious Diseases, University Hospital Brno, Brno, Czech Republic	0000-0002-2946-658X	Gašper, Pilko	Department of Surgi- cal Oncology, Institute of Oncology Ljubljana, Ljubljana, Slovenia; Faculty of Medicine, University of Ljubljana, Ljubljana, Slovenia	0009-0003-0470-2034
Masahiro, Miyake	Department of Oph- thalmology and Visual Sciences, Kyoto Univer- sity Graduate School of Medicine, Kyoto, Japan	0000-0001-7410-3764	Monserrat, L., Puntunet Bates	Unidad de Calidad, Instituto Nacional de Cardiología—Ignacio Chávez, Mexico City, Mexico	-
Roberto, Mogami	Departamento de Medicina Interna, Faculdade de Ciências Médicas da Universidade do Estado do Rio de	0000-0002-7610-2404	Mitayani, Purwoko	Medical Biology, Faculty of Medicine Universi- tas Muhammadiyah Palembang, Palembang, Indonesia	0000-0002-3936-3883
András, Molnár	Janeiro, Rio de Janeiro, Brazil Department of Otorhi-	0000-0002-4417-5166	Clare, Rainey	School of Health Sci- ences, Londonderry, Northern Ireland	0000-0003-0449-8646
	nolaryngology, Head and Neck Surgery, Semmelweis University, Budapest, Hungary		João, C., Ribeiro	Coimbra University and Medical School, Coimbra, Portugal	0000-0002-1039-6358

Busch et al. BMC Medical Education (2024) 24:1066 Page 18 of 20

First name, middle initials (if applicable), last name	Affiliation	ORCID	First name, middle initials (if applicable), last name	Affiliation	ORCID
Gaston, A., Rodriguez-Granillo	Centro de Educación Médica e Investigaciones Clínicas "Norberto Quirno" (CEMIC), Autono- mous City of Buenos Aires, Argentina	0000-0003-0820-2611	Satoru, Tanioka	Department of Neuro- surgery, Mie University Graduate School of Medicine, Tsu, Japan; Charité Lab for Artificial Intelligence in Medicine, Corporate Member of Freie Universität Berlin, Charité—University Medicine Berlin, Berlin,	0000-0002-4678-6163
Nicolás, Rozo Agudelo	Instituto Global de Excelencia Clínica, Bogotá D.C, Colombia	0000-0003-0409-2515			
Luca, Saba	Department of Radiology, Azienda Ospedaliero Universitaria (A.O.U.), di Cagliari—Polo di Monserrato s.s. 554 Monserrato, Cagliari, Italy	0000-0003-2870-3771	Hans, O., Thulesius	Germany Research and Devel- opment Department Region Kronoberg, Växjö, Sweden; Department	0000-0002-3785-5630
Shine, Sadasivan	Department of Gastroen- terology, Amrita Institute of Medical Sciences &	0000-0001-5676-5000		of Medicine and Optometry, Linnaeus University, Kalmar, Sweden	
Keina, Sado	Research Centre, Kochi, India Department of Oph-	0009-0002-7596-4325	Liz, N., Toapanta-Yanchapaxi	Department of Neurology, Instituto Nacional de Ciencias Médicas y Nutrición Salvador Zubirán, Mexico City, Mexico Department of Urology and Renal Transplantation, People's Hospital 115, Ho Chi Minh City, Vietnam; Department of Nephro-Urology and Andrology, Pham Ngoc Thach University	-
	thalmology and Visual Sciences, Kyoto Univer- sity Graduate School		Minh, H., Truong		
Julia, M., Saidman	of Medicine, Kyoto, Japan Radiology Department, Hospital Italiano de Buenos Aires, Ciudad Autónoma de Buenos Aires, Argentina	0000-0002-7626-7356			
Pedro, J., Saturno-Hernandez	AXA Chair in Healthcare Quality, CIEE, National Institute of Public Health,	0000-0002-4991-5805	Murat. Tuncel	of Medicine, Ho Chi Minh City, Vietnam  Murat, Tuncel  Department of Nuclear Medicine, Hacettepe University, Faculty of Medicine, Ankara, Turkey	0000-0003-2352-3587
Gilbert, M., Schwarz	Cuernavaca, Mexico Department of Orthopedics and Trauma Surgery, Medical University	0000-0001-6434-0520			
Sergio, M., Solis-Barquero	of Vienna, Vienna, Austria Department of Imaging, University of Costa Rica, San Jose, Costa Rica	0000-0002-2513-0747	Elon, H.C., van Dijk	Department of Oph- thalmology, Leiden Uni- versity Medical Center, Leiden, The Netherlands; Department of Oph-	0000-0002-6351-7942
Javier, Soto Pérez-Olivares	ogy, Ramón y Cajal University Hospital,	0000-0002-0858-1394	thalmolo Hospital	thalmology, Alrijne Hospital, Leiderdorp, The Netherlands	
Petros, Sountoulides	Madrid, Spain Urology Department, Aristotle University of Thessaloniki, Thes- saloniki, Greece	0000-0003-2671-571X	Peter, van Wijngaarden	Australia, Royal Victorian Eye and Ear Hospital, Melbourne, Australia; Ophthalmology, Department of Surgery, University of Melbourne, Melbourne, Australia	0000-0002-8800-7834
Arnaldo, Stanzione	Department of Advanced Biomedical Sciences, University of Naples "Fed-	0000-0002-7905-5789			
Nikoleta, G., Tabakova	erico II", Naples, İtaly Medical University of Varna, Varna, Bulgaria	0000-0003-4177-3897	Lina, Xu	Department of Radiology, Charité – Universitätsmedizin Berlin, Corporate Member of Freie Universität Berlin and Humboldt Universität zu Berlin, Berlin, Germany	0009-0007-4119-1033
Konagi, Takeda	Department of Radiology, Hiroshima City Hiroshima Citizens Hospital, Hiroshima, Japan	0009-0004-3763-5701			

Busch et al. BMC Medical Education (2024) 24:1066 Page 19 of 20

First name, middle initials (if applicable), last name	Affiliation	ORCID
Tomasz, Zatoński	Department of Otolaryn- gology, Head and Neck Surgery, Wroclaw Medi- cal University, Wroclaw, Poland	0000-0003-3043-4806
Longjiang, Zhang	Department of Radiology, Jinling Hospital, Medical School of Nan- jing University, Nanjing, China	0000-0002-6664-7224

The authors want to thank Jaime Moujir-López, Javier Blázquez-Sánchez (Department of Radiology, Ramón y Cajal University Hospital, Madrid, Spain), Rubens Chojniak (Department of Imaging, A.C.Camargo Cancer Center, São Paulo, Brazil), and Dania Saad Rammal, Aya Mutasem Baradie, and Farrah Emad Elsubeihi (College of Pharmacy and Health Sciences, Ajman University, Ajman, United Arab Emirates) for supporting the data collection at their institutions. The authors acknowledge financial support from the Open Access Publication Fund of Charité—Universitätsmedizin Berlin.

#### Authors' contributions

Conceptualization: FB, LH, DT, MRM, KKB, LCA, AB, RC, GdV, LG, AH, LJ, AL, JSPO, PS, LX; Project administration: FB, LH, KKB, LCA; Resources: FB, KKB, LCA, COMFORT consortium; Software: FB, LH, KKB, LCA; Data curation: FB, LH, KKB, LCA; Formal analysis: FB, LH, KKB, LCA, COMFORT consortium; Funding acquisition: FB, MRM, KKB, LCA, PDB, AB, RC, GdV, VD, AH, LJ, GK, AL, PS; Investigation: FB, LH, KKB, LCA; Methodology: FB, LH, DT, KKB, LCA; Supervision: FB, KKB; Validation: FB, LH, DT, EOP, MRM, KKB, LCA, COMFORT consortium; Visualization: FB, EOP, KKB; Writing – original draft preparation: FB, KKB, LCA; Writing – review & editing: FB, LH, DT, EOP, MRM, KKB, LCA, COMFORT consortium. All COMFORT consortia authors equally contributed to the data collection at their institutions, critically revised the final version of the manuscript for intellectual content, gave their final approval of the version to be published, and agreed to be accountable for all aspects of the work in ensuring that questions related to the accuracy or integrity of any part of the work are appropriately investigated and resolved.

## Funding

Open Access funding enabled and organized by Projekt DEAL. This research is funded by the European Union (COMFORT (Computational Models FOR patienT stratification in urologic cancers – Creating robust and trustworthy multimodal Al for health care), project number: 101079894, authors involved: FB, MRM, LCA, PDB, AB, RC, GDV, VD, AH, LJ, GK, AL, PS, principal investigator: KKB, sponsors' website: <a href="https://www.comfort-ai.eu">https://www.comfort-ai.eu</a>). Views and opinions expressed are, however, those of the authors only and do not necessarily reflect those of the European Union. The European Union cannot be held responsible for them. The funding had no role in the study design, data collection and analysis, manuscript preparation, or decision to publish.

# Availability of data and materials

All data collected and analyzed as part of this study is available at figshare at: https://doi.org/10.6084/m9.figshare.24422422.

## **Declarations**

## Ethics approval and consent to participate

Ethical approval was obtained from the Institutional Review Board at Charité – University Medicine Berlin (EA4/213/22) in compliance with the Declaration of Helsinki and its later amendments. To ensure participant anonymity, the necessity for informed consent was waived.

# Consent for publication

Not applicable.

### **Competing interests**

KKB reports grants from the Wilhelm Sander Foundation and receives speaker fees from Canon Medical Systems Corporation. KKB is a member of the advisory board of the EU Horizon 2020 LifeChamps project (875329) and the EU IHI project IMAGIO (101112053). MA reports consultant fees from Segmed, Inc. The competing interests had no role in the study design, data collection and analysis, manuscript preparation, or decision to publish. All other authors declare no financial or non-financial competing interests.

#### **Author details**

<sup>1</sup>Department of Neuroradiology, Charité – Universitätsmedizin Berlin, Corporate Member of Freie Universität Berlin and Humboldt Universität Zu Berlin, Luisenstraße 7, 10117 Berlin, Germany. <sup>2</sup>Department of Diagnostic and Interventional Radiology, University Hospital Aachen, Aachen, Germany. <sup>3</sup>One Health Research Group, Universidad de Las Américas, Quito, Ecuador. <sup>4</sup>School of Medicine and Health, Department of Diagnostic and Interventional Radiology, Klinikum rechts der Isar, TUM University Hospital, Technical University of Munich, Munich, Germany. <sup>5</sup>School of Medicine and Health, Institute for Cardiovascular Radiology and Nuclear Medicine, German Heart Center Munich, TUM University Hospital, Technical University of Munich, Munich, Germany.

Received: 12 February 2024 Accepted: 17 September 2024 Published online: 28 September 2024

#### References

- Davenport T, Kalakota R. The potential for artificial intelligence in healthcare. Future Healthc J. 2019;6(2):94–8. https://doi.org/10.7861/futurehosp.6-2-94.
- Chen M, Zhang B, Cai Z, Seery S, Gonzalez MJ, Ali NM, et al. Acceptance of clinical artificial intelligence among physicians and medical students: A systematic review with cross-sectional survey. Front Med. 2022;9. https:// doi.org/10.3389/fmed.2022.990604.
- Milmo D. ChatGPT reaches 100 million users two months after launch. In: The Guardian. 2023. https://www.theguardian.com/technology/2023/feb/02/chatgpt-100-million-users-open-ai-fastest-growing-app. Accessed 17 Oct 2023.
- OpenAI. GPT-4 Technical Report. arXiv. 2023;arXiv:2303.08774. https://doi. org/10.48550/arXiv.2303.08774.
- Qu J, Zhao X, Chen P, Wang Z, Liu Z, Yang B, et al. Deep learning on digital mammography for expert-level diagnosis accuracy in breast cancer detection. Multimed Syst. 2022;28(4):1263–74. https://doi.org/10.1007/ s00530-021-00823-4.
- Tiu E, Talius E, Patel P, Langlotz CP, Ng AY, Rajpurkar P. Expert-level detection of pathologies from unannotated chest X-ray images via self-supervised learning. Nat Biomed Eng. 2022;6(12):1399–406. https://doi.org/10.1038/s41551-022-00936-9.
- Cygu S, Seow H, Dushoff J, Bolker BM. Comparing machine learning approaches to incorporate time-varying covariates in predicting cancer survival time. Sci Rep. 2023;13(1):1370. https://doi.org/10.1038/s41598-023-28393-7.
- Huang C, Clayton EA, Matyunina LV, McDonald LD, Benigno BB, Vannberg F, et al. Machine learning predicts individual cancer patient responses to therapeutic drugs with high accuracy. Sci Rep. 2018;8(1):16444. https:// doi.org/10.1038/s41598-018-34753-5.
- Chan KS, Zary N. Applications and challenges of implementing artificial intelligence in medical education: integrative review. JMIR Med Educ. 2019;5(1):e13930. https://doi.org/10.2196/13930.
- Li YS, Lam CSN, See C. Using a machine learning architecture to create an ai-powered chatbot for anatomy education. Med Sci Educ. 2021;31(6):1729–30. https://doi.org/10.1007/s40670-021-01405-9.
- Nagy M, Radakovich N, Nazha A. Why machine learning should be taught in medical schools. Med Sci Educ. 2022;32(2):529–32. https://doi.org/10. 1007/s40670-022-01502-3.
- 12. Fernández-Alemán JL, López-González L, González-Sequeros O, Jayne C, López-Jiménez JJ, Toval A. The evaluation of i-SIDRA a tool for intelligent feedback in a course on the anatomy of the locomotor system. Int J Med Inform. 2016;94:172–81. https://doi.org/10.1016/j.ijmedinf.2016.07.008.

- Jiang F, Jiang Y, Zhi H, Dong Y, Li H, Ma S, et al. Artificial intelligence in healthcare: past, present and future. Stroke Vasc Neurol. 2017;2(4):230–43. https://doi.org/10.1136/syn-2017-000101.
- Paranjape K, Schinkel M, Nannan Panday R, Car J, Nanayakkara P. Introducing Artificial Intelligence Training in Medical Education. JMIR Med Educ. 2019;5(2):e16048. https://doi.org/10.2196/16048.
- Beauchamp TL, Childress JF. Principles of Biomedical Ethics. 8th ed. Oxford: Oxford Publishing Press; 2019.
- Busch F, Adams LC, Bressem KK. Biomedical ethical aspects towards the implementation of artificial intelligence in medical education. Med Sci Educ. 2023;33(4):1007–12. https://doi.org/10.1007/s40670-023-01815-x.
- Mousavi Baigi SF, Sarbaz M, Ghaddaripouri K, Ghaddaripouri M, Mousavi AS, Kimiafar K. Attitudes, knowledge, and skills towards artificial intelligence among healthcare students: A systematic review. Health Sci Rep. 2023;6(3):e1138. https://doi.org/10.1002/hsr2.1138.
- Vandenbroucke JP, von Elm E, Altman DG, Gøtzsche PC, Mulrow CD, et al. Strengthening the Reporting of Observational Studies in Epidemiology (STROBE): Explanation and Elaboration. PLoS Med. 2007;4(10):e297. https://doi.org/10.1371/journal.pmed.0040297.
- World Medical Association. World Medical Association Declaration of Helsinki: ethical principles for medical research involving human subjects. JAMA. 2013;310(20):2191–4. https://doi.org/10.1001/jama.2013.281053.
- Artino AR, La Rochelle JS, Dezee KJ, Gehlbach H. Developing questionnaires for educational research: AMEE Guide No. 87. Med Teacher. 2014;36(6):463–74. https://doi.org/10.3109/0142159X.2014.889814.
- Bisdas S, Topriceanu C-C, Zakrzewska Z, Irimia A-V, Shakallis L, Subhash J, et al. Artificial Intelligence in Medicine: A Multinational Multi-Center Survey on the Medical and Dental Students' Perception. Front Public Health. 2021;9. https://doi.org/10.3389/fpubh.2021.795284.
- Sit C, Srinivasan R, Amlani A, Muthuswamy K, Azam A, Monzon L, et al. Attitudes and perceptions of UK medical students towards artificial intelligence and radiology: a multicentre survey. Insights Imaging. 2020;11(1):14. https://doi.org/10.1186/s13244-019-0830-7.
- Park CJ, Yi PH, Siegel EL. Medical Student Perspectives on the Impact of Artificial Intelligence on the Practice of Medicine. Curr Probl Diagn Radiol. 2021;50(5):614–9. https://doi.org/10.1067/j.cpradiol.2020.06.011.
- Ejaz H, McGrath H, Wong BL, Guise A, Vercauteren T, Shapey J. Artificial intelligence and medical education: A global mixed-methods study of medical students' perspectives. Digit Health. 2022;8:20552076221089100. https://doi.org/10.1177/20552076221089099.
- Blease C, Kharko A, Bernstein M, Bradley C, Houston M, Walsh I, et al. Machine learning in medical education: a survey of the experiences and opinions of medical students in Ireland. BMJ Health Care Inform. 2022;29(1). https://doi.org/10.1136/bmjhci-2021-100480.
- Harris PA, Taylor R, Thielke R, Payne J, Gonzalez N, Conde JG. Research electronic data capture (REDCap)—a metadata-driven methodology and workflow process for providing translational research informatics support. J Biomed Inform. 2009;42(2):377–81. https://doi.org/10.1016/j.jbi. 2008.08.010.
- Harris PA, Taylor R, Minor BL, Elliott V, Fernandez M, O'Neal L, et al. The REDCap consortium: Building an international community of software platform partners. J Biomed Inform. 2019;95:103208. https://doi.org/10. 1016/i.jbi.2019.103208.
- 28. Azer SA. Social media channels in health care research and rising ethical issues. AMA J Ethics. 2017;19(11):1061–9.
- R Core Team. R: A language and environment for statistical computing. 2023. https://www.R-project.org/. Accessed 17 Oct 2023.
- Wickham H, Averick M, Bryan J, Chang W, McGowan L, François R, et al. Welcome to the Tidyverse. J Open Source Softw. 2019;4:1686. https://doi. org/10.21105/joss.01686.
- 31. Pebesma E. Simple Features for R: Standardized Support for Spatial Vector Data. R Journal. 2018;10:439–46. https://doi.org/10.32614/RJ-2018-009.
- Pebesma E, Bivand R. Spatial Data Science: With Applications in R. 1st ed. New York: Chapman and Hall/CRC; 2023. https://doi.org/10.1201/97804 29459016.
- The Finance Center for South-South Cooperation. Global South Countries (Group of 77 and China). 2015. http://www.fc-ssc.org/en/partnership\_ program/south\_south\_countries. Accessed 18 Oct 2023.
- United Nations, Statistics Division. Methodology Standard country or area codes for statistical use. 1999. Available from: https://unstats.un.org/ unsd/methodology/m49/. Accessed 18 Oct 2023.

- Cohen J. Statistical Power Analysis for the Behavioral Sciences. 2nd ed. Hillsdale, NJ: Erlbaum; 1988.
- Kolachalama VB, Garg PS. Machine learning and medical education. NPJ Dig Med. 2018;1(1):54.
- Chan KS, Zary N. Applications and challenges of implementing artificial intelligence in medical education: integrative review. JMIR Med Educ. 2019;5(1):e13930.
- Groth OJ, Nitzberg M, Zehr D. Comparison of National Strategies to Promote Artificial Intelligence. 1st ed. Sankt Augustin; Berlin: Konrad-Adenauer Foundation e.V.; 2019.
- Zhang W, Cai M, Lee HJ, Evans R, Zhu C, Ming C. Al in Medical Education: Global situation, effects and challenges. Educ Inf Technol. 2023. https://doi.org/10.1007/s10639-023-12009-8.
- Civaner MM, Uncu Y, Bulut F, Chalil EG, Tatli A. Artificial intelligence in medical education: a cross-sectional needs assessment. BMC Med Educ. 2022;22(1):772. https://doi.org/10.1186/s12909-022-03852-3.
- 41. Yüzbaşıoğlu E. Attitudes and perceptions of dental students towards artificial intelligence. J Dent Educ. 2021;85(1):60–8. https://doi.org/10. 1002/jdd.12385.
- Swed S, Alibrahim H, Elkalagi NKH, Nasif MN, Rais MA, Nashwan AJ, et al. Knowledge, attitude, and practice of artificial intelligence among doctors and medical students in Syria: A cross-sectional online survey. Front Artif Intell. 2022;5:1011524. https://doi.org/10.3389/frai.2022.1011524.
- Al Saad MM, Shehadeh A, Alanazi S, Alenezi M, Eid H, Alfaouri MS, et al. Medical students' knowledge and attitude towards artificial intelligence: An online survey. Open Public Health J. 2022;15(1). https://doi.org/10. 2174/18749445-v15-e2203290.
- Teng M, Singla R, Yau O, Lamoureux D, Gupta A, Hu Z, et al. Health Care Students' Perspectives on Artificial Intelligence: Countrywide Survey in Canada. JMIR Med Educ. 2022;8(1):e33390. https://doi.org/10.2196/33390.
- Stewart J, Lu J, Gahungu N, Goudie A, Fegan PG, Bennamoun M, et al. Western Australian medical students' attitudes towards artificial intelligence in healthcare. PLoS ONE. 2023;18(8):e0290642. https://doi.org/10.1371/journal.pone.0290642.
- Thongprasit J, Wannapiroon P. Framework of Artificial Intelligence Learning Platform for Education. Int Educ Stud. 2022;15:76. https://doi.org/10.5539/ies.v15n1p76.
- McCoy LG, Nagaraj S, Morgado F, Harish V, Das S, Celi LA. What do medical students actually need to know about artificial intelligence? NPJ digital medicine. 2020;3(1):86. https://doi.org/10.1038/s41746-020-0294-7.
- Schinkel K, Nannan M, Panday R, Car J. Introducing Artificial Intelligence Training in Medical Education. JMIR Med Educ. 2019;5(2):e16048. https://doi.org/10.2196/16048.
- Ngo B, Nguyen D, van Sonnenberg E. The Cases for and against Artificial Intelligence in the Medical School Curriculum. Radiol Artif Intell. 2022;4(5):e220074. https://doi.org/10.1148/ryai.220074.
- Mehta N, Harish V, Bilimoria K, Morgado F, Ginsburg S, Law M, et al. Knowledge and Attitudes on Artificial Intelligence in Healthcare: A Provincial Survey Study of Medical Students [version 1]. MedEdPublish. 2021. https://doi.org/10.15694/mep.2021.000075.1.
- United Nations Educational, Scientific and Cultural Organization. K-12 Al curricula: a mapping of government-endorsed Al curricula. 2022. https:// unesdoc.unesco.org/ark:/48223/pf0000380602. Accessed 19 Oct 2023.
- Kundu S. Al in medicine must be explainable. Nat Med. 2021;27(8):1328. https://doi.org/10.1038/s41591-021-01461-z.
- Bienefeld N, Boss JM, Lüthy R, Brodbeck D, Azzati J, Blaser M, et al. Solving the explainable Al conundrum by bridging clinicians' needs and developers' goals. NPJ Digit Med. 2023;6(1):94. https://doi.org/10.1038/s41746-023-00837-4.
- Ribeiro MT, Singh S, Guestrin C. "Why Should I Trust You?" Explaining the Predictions of Any Classifier. Proceedings of the 2016 Conference of the North American Chapter of the Association for Computational Linguistics: Demonstrations. 2016; 97–101. https://doi.org/10.18653/v1/N16-3020.
- Lundberg SM, Lee S-I. A unified approach to interpreting model predictions. Adv Neural Inf Process Syst. 2017;30:4768–77.

# **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.