Search for Gravitational-lensing Signatures in the Full Third Observing Run of the LIGO–Virgo Network

R. Abbott[1], H. Abe[2], F. Acernese[3,4], K. Ackley[5], S. Adhicary[6], N. Adhikari[7], R. X. Adhikari[1], V. K. Adkins[8], V. B. Adya[9], C. Affeldt[10,11], D. Agarwal[12], M. Agathos[13,14], O. D. Aguiar[15], L. Aiello[16], A. Ain[17], P. Ajith[18], T. Akutsu[19,20], S. Albanesi[21,22], R. A. Alfaidi[23], C. Allené[24], A. Allocca[4,25], P. A. Altin[9], A. Amato[26,27], S. Anand[1], A. Ananyeva[1], S. B. Anderson[1], W. G. Anderson[1], M. Ando[28,29], T. Andrade[30], N. Andres[24], M. Andrés-Carcasona[31], T. Andrić[32], S. Ansoldi[33,34], J. M. Antelis[35], S. Antier[36,37], T. Apostolatos[38], E. Z. Appavuravther[39,40], S. Appert[1], S. K. Apple[41], K. Arai[1], A. Araya[42], M. C. Araya[1], J. S. Areeda[43], M. Arène[44], N. Aritomi[19], N. Arnaud[45,46], M. Arogeti[47], S. M. Aronson[8], H. Asada[48], G. Ashton[49], Y. Aso[50,51], M. Assiduo[52,53], S. Assis de Souza Melo[46], S. M. Aston[54], P. Astone[55], F. Aubin[53], K. AultONeal[35], S. Babak[44], F. Badaracco[56], C. Badger[57], S. Bae[58], Y. Bae[59], S. Bagnasco[22], Y. Bai[1], J. G. Baier[60], J. Baird[44], R. Bajpai[61], T. Baka[62], M. Ball[63], G. Ballardin[46], S. W. Ballmer[64], G. Baltus[65], S. Banagiri[66], B. Banerjee[32], D. Bankar[12], J. C. Barayoga[1], B. C. Barish[1], D. Barker[67], P. Barneo[30], F. Barone[4,68], B. Barr[23], L. Barsotti[69], M. Barsuglia[44], D. Barta[70], J. Bartlett[67], M. A. Barton[23], I. Bartos[71], S. Basak[18], R. Bassiri[72], A. Basti[17,73], M. Bawaj[39,74], J. C. Bayley[23], M. Bazzan[75,76], B. Bécsy[77], V. M. Bedakihale[78], F. Beirnaert[79], M. Bejger[80], I. Belahcene[45], A. S. Bell[23], V. Benedetto[81], D. Beniwal[82], W. Benoit[83], J. D. Bentley[84], M. BenYaala[85], S. Bera[86], M. Berbel[87], F. Bergamin[10,11], B. K. Berger[72], S. Bernuzzi[14], M. Beroiz[1], C. P. L. Berry[23], D. Bersanetti[88], A. Bertolini[27], J. Betzwieser[54], D. Beveridge[89], R. Bhandare[90], A. V. Bhandari[12], U. Bhardwaj[27,37], R. Bhatt[1], D. Bhattacharjee[60,91], S. Bhaumik[71], A. Bianchi[27,92], I. A. Bilenko[93], M. Bilicki[94], G. Billingsley[1], S. Bini[95,96], O. Birnholtz[97], S. Biscans[1,69], M. Bischi[52,53], S. Biscoveanu[69], A. Bisht[10,11], B. Biswas[12], M. Bitossi[17,46], M.-A. Bizouard[36], J. K. Blackburn[1], C. D. Blair[54,89], D. G. Blair[89], R. M. Blair[67], F. Bobba[98,99], N. Bode[10,11], M. Boër[36], G. Bogaert[36], M. Boldrini[55,100], G. N. Bolingbroke[82], L. D. Bonavena[75], R. Bondarescu[30], F. Bondu[101], E. Bonilla[72], R. Bonnand[24], P. Booker[10,11], R. Bork[1], V. Boschi[17], N. Bose[102], S. Bose[12], V. Bossilkov[89], V. Boudart[65], Y. Bouffanais[75,76], A. Bozzi[46], C. Bradaschia[17], P. R. Brady[7], A. Bramley[54], A. Branch[54], M. Branchesi[32,103], J. E. Brau[63], M. Breschi[14], T. Briant[104], J. H. Briggs[23], A. Brillet[36], M. Brinkmann[10,11], P. Brockill[7], A. F. Brooks[1], J. Brooks[46], D. D. Brown[82], S. Brunett[1], G. Bruno[56], R. Bruntz[105], J. Bryant[106], F. Bucci[53], J. Buchanan[105], T. Bulik[107], H. J. Bulten[27], A. Buonanno[108,109], K. Burtnyk[67], R. Buscicchio[106,110,111], D. Buskulic[24], C. Buy[112], R. L. Byer[72], G. S. Cabourn Davies[113], G. Cabras[33,34], R. Cabrita[56], L. Cadonati[47], G. Cagnoli[114], C. Cahillane[67], J. Calderón Bustillo[115], J. D. Callaghan[23], T. A. Callister[116,117], E. Calloni[4,25], J. B. Camp[118], M. Canepa[88,119], G. Caneva[31], M. Cannavacciuolo[98], K. C. Cannon[29], H. Cao[82], Z. Cao[120], L. A. Capistran[121], E. Capocasa[19,44], E. Capote[64], G. Carapella[98,99], F. Carbognani[46], M. Carlassara[10,11], J. B. Carlin[122], M. Carpinelli[46,123,124], G. Carrillo[63], J. J. Carter[10,11], G. Carullo[17,73], J. Casanueva Diaz[46], C. Casentini[125,126], G. Castaldi[127], S. Caudill[27,62], M. Cavaglià[91], F. Cavalier[45], R. Cavalieri[46], G. Cella[17], P. Cerdá-Durán[128], E. Cesarini[126], W. Chaibi[36], W. Chakalis[116,117], S. Chalathadka Subrahmanya[84], E. Champion[129], C.-H. Chan[130], C. Chan[29], C. L. Chan[131], K. Chan[131], M. Chan[132], K. Chandra[102], I. P. Chang[130], W. Chang[130], P. Chanial[44,46], S. Chao[130], C. Chapman-Bird[23], P. Charlton[133], E. Chassande-Mottin[44], C. Chatterjee[89], Debarati Chatterjee[12], Deep Chatterjee[7], M. Chaturvedi[90], S. Chaty[44], K. Chatziioannou[1], C. Chen[130,134], D. Chen[50], H. Y. Chen[69], J. Chen[69], K. Chen[135], X. Chen[89], Y.-B. Chen[136], Y.-R. Chen[130], Y. Chen[136], H. Cheng[71], P. Chessa[17,73], H. Y. Cheung[131], H. Y. Chia[71], F. Chiadini[99,137], C-Y. Chiang[138], G. Chiarini[76], R. Chierici[139], A. Chincarini[88], M. L. Chiofalo[17,73], A. Chiummo[46], R. K. Choudhary[89], S. Choudhary[12], N. Christensen[36], Q. Chu[89], Y-K. Chu[138], S. S. Y. Chua[9], K. W. Chung[57], G. Ciani[75,76], P. Ciecielag[80], M. Cieślar[80], M. Cifaldi[125,126], A. A. Ciobanu[82], R. Ciolfi[76,140], F. Clara[67], J. A. Clark[1], T. A. Clarke[5], P. Clearwater[141], S. Clesse[142], F. Cleva[36], E. Coccia[32,103], E. Codazzo[32], P.-F. Cohadon[104], D. E. Cohen[45], M. Colleoni[86], C. G. Collette[142], A. Colombo[110,111], M. Colpi[110,111], C. M. Compton[67], L. Conti[76], S. J. Cooper[106], P. Corban[54], T. R. Corbitt[8], I. Cordero-Carrión[143], S. Corezzi[39,74], N. J. Cornish[77], A. Corsi[144], S. Cortese[46], A. C. Coschizza[145], R. Cotesta[109], R. Cottingham[54], M. W. Coughlin[83], J.-P. Coulon[36], S. T. Countryman[146], B. Cousins[6], P. Couvares[1], D. M. Coward[89], M. J. Cowart[54], D. C. Coyne[1], R. Coyne[147], K. Craig[85], J. D. E. Creighton[7], T. D. Creighton[148], A. W. Criswell[83], M. Croquette[104], S. G. Crowder[149], J. R. Cudell[65], T. J. Cullen[8], A. Cumming[23], R. Cummings[23], E. Cuoco[17,46,150], M. Curyło[107], P. Dabadie[114], T. Dal Canton[45], S. Dall'Osso[55], G. Dálya[79,151], A. Dana[72], B. D'Angelo[88,119], S. Danilishin[26,27], S. D'Antonio[126], K. Danzmann[10,11], C. Darsow-Fromm[84], A. Dasgupta[78], L. E. H. Datrier[23], Sayak Datta[12], Sayantani Datta[152], V. Dattilo[46], I. Dave[90], M. Davier[45], D. Davis[1], M. C. Davis[153], E. J. Daw[154], M. Dax[109], D. DeBra[72,295], M. Deenadayalan[12], J. Degallaix[155], M. De Laurentis[4,25], S. Deléglise[104], V. Del Favero[129], F. De Lillo[56], N. De Lillo[23], D. Dell'Aquila[123,124], W. Del Pozzo[17,73], F. De Matteis[125,126], V. D'Emilio[16], N. Demos[69], T. Dent[115], A. Depasse[56], R. De Pietri[156,157], R. De Rosa[4,25], C. De Rossi[46], R. DeSalvo[127,158], R. De Simone[137], S. Dhurandhar[12], R. Diab[71], M. C. Díaz[148], N. A. Didio[64], T. Dietrich[109], L. Di Fiore[4], C. Di Fronzo[106], C. Di Giorgio[98,99], F. Di Giovanni[128], M. Di Giovanni[32], T. Di Girolamo[4,25], D. Diksha[26,27], A. Di Lieto[17,73], A. Di Michele[74],

S. Di Pace[55,100] , I. Di Palma[55,100] , F. Di Renzo[17,73] , A. K. Divakarla[71] , A. Dmitriev[106] , Z. Doctor[66] , P. P. Doleva[105] ,
L. Donahue[159] , L. D'Onofrio[4,25] , F. Donovan[69] , K. L. Dooley[16] , T. Dooney[62] , S. Doravari[12] , O. Dorosh[160] , M. Drago[55,100] ,
J. C. Driggers[67] , Y. Drori[1] , J.-G. Ducoin[44,161] , L. Dunn[122] , U. Dupletsa[32] , O. Durante[98,99] , D. D'Urso[123,124] ,
P.-A. Duverne[45] , S. E. Dwyer[67] , C. Eassa[67] , P. J. Easter[5] , M. Ebersold[162] , T. Eckhardt[84] , G. Eddolls[23] , B. Edelman[63] ,
T. B. Edo[1] , O. Edy[113] , A. Effler[54] , S. Eguchi[132] , J. Eichholz[9] , S. S. Eikenberry[71] , M. Eisenmann[19,24] , R. A. Eisenstein[69] ,
A. Ejlli[16] , E. Engelby[43] , Y. Enomoto[28] , L. Errico[4,25] , R. C. Essick[163] , H. Estellés[86] , D. Estevez[164] , T. Etzel[1] ,
M. Evans[69] , T. M. Evans[54] , T. Evstafyeva[13] , B. E. Ewing[6] , J. M. Ezquiaga[165] , F. Fabrizi[52,53] , F. Faedi[53] , V. Fafone[32,125,126] ,
H. Fair[64] , S. Fairhurst[16] , P. C. Fan[159] , A. M. Farah[165] , B. Farr[63] , W. M. Farr[116,117] , G. Favaro[75] , M. Favata[166] ,
M. Fays[65] , M. Fazio[167] , J. Feicht[1] , M. M. Fejer[72] , E. Fenyvesi[70,168] , D. L. Ferguson[169] , A. Fernandez-Galiana[69] ,
I. Ferrante[17,73] , T. A. Ferreira[15] , F. Fidecaro[17,73] , P. Figura[107] , A. Fiori[17,73] , I. Fiori[46] , M. Fishbach[66] , R. P. Fisher[105] ,
R. Fittipaldi[99,170] , V. Fiumara[99,171] , R. Flaminio[19,24] , E. Floden[83] , H. K. Fong[29] , J. A. Font[128,172] , B. Fornal[158] ,
P. W. F. Forsyth[9] , A. Franke[84] , S. Frasca[55,100] , F. Frasconi[17] , J. P. Freed[35] , Z. Frei[151] , A. Freise[27,92] , O. Freitas[173] ,
R. Frey[63] , P. Fritschel[69] , V. V. Frolov[54] , G. G. Fronzé[22] , Y. Fujii[174] , Y. Fujikawa[175] , Y. Fujimoto[176] , P. Fulda[71] , M. Fyffe[54] ,
H. A. Gabbard[23] , W. E. Gabella[177] , B. U. Gadre[62,109] , J. R. Gair[109] , J. Gais[131] , S. Galaudage[5] , R. Gamba[14] , D. Ganapathy[69] ,
A. Ganguly[12] , D.-F. Gao[178] , D. Gao[72] , S. G. Gaonkar[12] , B. Garaventa[88,119] , C. García-Núñez[179] , C. García-Quirós[10,11,86] ,
K. A. Gardner[145] , J. Gargiulo[46] , F. Garufi[4,25] , C. Gasbarra[125,126] , B. Gateley[67] , V. Gayathri[71] , G.-G. Ge[178] ,
G. Gemme[88] , A. Gennai[17] , J. George[90] , O. Gerberding[84] , L. Gergely[180] , S. Ghonge[47] , Abhirup Ghosh[109] ,
Archisman Ghosh[79] , Shaon Ghosh[166] , Shrobana Ghosh[16] , Tathagata Ghosh[12] , L. Giacoppo[55,100] , J. A. Giaime[8,54] ,
K. D. Giardina[54] , D. R. Gibson[179] , C. Gier[85] , P. Giri[17,73] , F. Gissi[81] , S. Gkaitatzis[46] , J. Glanzer[8] , A. E. Gleckl[43] , F. G. Godoy[47] ,
P. Godwin[6] , E. Goetz[145] , R. Goetz[71] , J. Golomb[1] , B. Goncharov[32] , G. González[8] , M. Gosselin[46] , R. Gouaty[24] ,
D. W. Gould[9] , S. Goyal[18] , B. Grace[9] , A. Grado[4,181] , V. Graham[23] , M. Granata[155] , V. Granata[98] , S. Gras[69] , P. Grassia[1] ,
C. Gray[67] , R. Gray[182] , G. Greco[39] , A. C. Green[71] , R. Green[16] , A. M. Gretarsson[35] , E. M. Gretarsson[35] , D. Griffith[1] ,
W. L. Griffiths[16] , H. L. Griggs[47] , G. Grignani[39,74] , A. Grimaldi[95,96] , S. J. Grimm[32,103] , H. Grote[16] , S. Grunewald[109] ,
A. S. Gruson[43] , D. Guerra[128] , G. M. Guidi[52,53] , A. R. Guimaraes[8] , H. K. Gulati[78] , F. Gulminelli[183] , A. M. Gunny[69] ,
H.-K. Guo[158] , Y. Guo[27] , Anchal Gupta[1] , Anuradha Gupta[184] , P. Gupta[27,62] , S. K. Gupta[102] , J. Gurs[84] , R. Gustafson[185] ,
N. Gutierrez[155] , F. Guzman[121] , S. Ha[186] , I. P. W. Hadiputrawan[135] , L. Haegel[44] , S. Haino[138] , O. Halim[34] , E. D. Hall[69] ,
E. Z. Hamilton[162] , G. Hammond[23] , W.-B. Han[187] , M. Haney[162] , J. Hanks[67] , C. Hanna[6] , M. D. Hannam[16] , O. Hannuksela[27,62] ,
H. Hansen[67] , J. Hanson[54] , R. Harada[188] , T. Harder[36] , K. Haris[27,62] , J. Harms[32,103] , G. M. Harry[41] , I. W. Harry[113] ,
D. Hartwig[84] , K. Hasegawa[189] , B. Haskell[80] , C.-J. Haster[69] , J. S. Hathaway[129] , K. Hattori[190] , K. Haughian[23] ,
H. Hayakawa[191] , K. Hayama[132] , F. J. Hayes[23] , J. Healy[129] , A. Heidmann[104] , A. Heidt[10,11] , M. C. Heintze[54] , J. Heinze[10,11] ,
J. Heinzel[69] , H. Heitmann[36] , F. Hellman[192] , P. Hello[45] , A. F. Helmling-Cornell[63] , G. Hemming[46] , M. Hendry[23] ,
I. S. Heng[23] , E. Hennes[27] , J.-S. Hennig[26,27] , M. Hennig[26,27] , C. Henshaw[47] , A. G. Hernandez[193] , F. Hernandez Vivanco[5] ,
M. Heurs[10,11] , A. L. Hewitt[194] , S. Higginbotham[16] , S. Hild[26,27] , P. Hill[85] , Y. Himemoto[195] , A. S. Hines[121] , N. Hirata[19] ,
C. Hirose[175] , T-C. Ho[135] , S. Hochheim[10,11] , D. Hofman[155] , J. N. Hohmann[84] , D. G. Holcomb[153] , N. A. Holland[27,92] ,
I. J. Hollows[154] , Z. J. Holmes[82] , K. Holt[54] , D. E. Holz[165] , Q. Hong[130] , J. Hough[23] , S. Hourihane[1] , D. Howell[116,117] ,
E. J. Howell[89] , C. G. Hoy[16] , D. Hoyland[106] , A. Hreibi[10,11] , B-H. Hsieh[189] , H-F. Hsieh[130] , C. Hsiung[134] , H-Y. Huang[138] ,
P. Huang[178] , Y-C. Huang[130] , Y.-J. Huang[138] , Y. Huang[69] , M. T. Hübner[5] , A. D. Huddart[196] , B. Hughey[35] ,
D. C. Y. Hui[197] , V. Hui[24] , S. Husa[86] , S. H. Huttner[23] , R. Huxford[6] , T. Huynh-Dinh[54] , J. Hyland[23] , G. A. Iandolo[26] ,
S. Ide[198] , B. Idzkowski[107] , A. Iess[17,150] , K. Inayoshi[199] , Y. Inoue[135] , P. Iosif[200] , J. Irwin[23] , Ish Gupta[6] ,
M. Isi[116,117] , K. Ito[201] , Y. Itoh[176,202] , B. R. Iyer[18] , V. JaberianHamedan[89] , T. Jacqmin[104] , P.-E. Jacquet[104] ,
S. J. Jadhav[203] , S. P. Jadhav[12] , T. Jain[13] , A. L. James[16] , A. Z. Jan[169] , K. Jani[177] , J. Janquart[27,62] , K. Janssens[36,204] ,
N. N. Janthalur[203] , P. Jaranowski[205] , D. Jariwala[71] , S. Jarov[145] , R. Jaume[86] , A. C. Jenkins[57] , K. Jenner[82] , C. Jeon[206] ,
W. Jia[69] , J. Jiang[71] , H.-B. Jin[207,208] , G. R. Johns[105] , R. Johnston[23] , N. Johny[10,11] , A. W. Jones[89] , D. I. Jones[209] , P. Jones[106] ,
R. Jones[23] , P. Joshi[6] , L. Ju[89] , K. Jung[186] , P. Jung[59] , J. Junker[10,11] , V. Juste[164] , K. Kaihotsu[201] , T. Kajita[189] ,
M. Kakizaki[190] , C. Kalaghatgi[27,62,210] , V. Kalogera[66] , B. Kamai[1] , M. Kamiizumi[191] , N. Kanda[176,202] ,
S. Kandhasamy[12] , G. Kang[211] , J. B. Kanner[1] , Y. Kao[130] , S. J. Kapadia[18] , D. P. Kapasi[9] , S. Karat[1] , C. Karathanasis[31] ,
S. Karki[91] , R. Kashyap[6] , M. Kasprzack[1] , W. Kastaun[10,11] , T. Kato[189] , S. Katsanevas[46] , E. Katsavounidis[69] , W. Katzman[54] ,
T. Kaur[89] , K. Kawabe[67] , K. Kawaguchi[189] , F. Kéfélian[36] , D. Keitel[86] , J. S. Key[212] , S. Khadka[72] , F. Y. Khalili[93] ,
S. Khan[16] , T. Khanam[144] , E. A. Khazanov[213] , N. Khetan[32,103] , M. Khursheed[90] , N. Kijbunchoo[9] , C. Kim[206] , J. C. Kim[214] ,
J. Kim[215] , K. Kim[206] , P. Kim[216] , W. S. Kim[59] , Y.-M. Kim[186] , C. Kimball[66] , N. Kimura[191] , B. King[217] ,
M. Kinley-Hanlon[23] , R. Kirchhoff[10,11] , J. S. Kissel[67] , S. Klimenko[71] , T. Klinger[16] , A. M. Knee[145] , N. Knust[10,11] ,
Y. Kobayashi[176] , P. Koch[10,11] , S. M. Koehlenbeck[10,11] , G. Koekoek[26,27] , K. Kohri[218] , K. Kokeyama[16] , S. Koley[32] ,
P. Kolitsidou[16] , M. Kolstein[31] , V. Kondrashov[1] , A. K. H. Kong[130] , A. Kontos[217] , M. Korobko[84] , R. V. Kossak[10,11] ,
M. Kovalam[89] , N. Koyama[175] , D. B. Kozak[1] , C. Kozakai[50] , L. Kranzhoff[10,11] , V. Kringel[10,11] , N. V. Krishnendu[10,11] ,
A. Królak[160,219] , G. Kuehn[10,11] , P. Kuijer[27] , S. Kulkarni[184] , A. Kumar[203] , Praveen Kumar[115] , Prayush Kumar[18] ,
Rahul Kumar[67] , Rakesh Kumar[78] , J. Kume[29] , K. Kuns[69] , Y. Kuromiya[201] , S. Kuroyanagi[220,221] , S. Kuwahara[188] ,
K. Kwak[186] , G. Lacaille[23] , P. Lagabbe[24] , D. Laghi[112] , E. Lalande[222] , M. Lalleman[204] , A. Lamberts[36,223] , M. Landry[67] ,

B. B. Lane[69], R. N. Lang[69], J. Lange[169], B. Lantz[72], I. La Rosa[24], A. Lartaux-Vollard[45], P. D. Lasky[5], J. Lawrence[144], M. Laxen[54], A. Lazzarini[1], C. Lazzaro[75,76], P. Leaci[55,100], S. Leavey[10,11], S. LeBohec[158], Y. K. Lecoeuche[145], E. Lee[189], H. M. Lee[224], K. Lee[216], R. Lee[130], I. N. Legred[1], J. Lehmann[10,11], A. Lemaître[225], M. Lenti[53,226], M. Leonardi[19], E. Leonova[37], N. Leroy[45], N. Letendre[24], C. Levesque[222], Y. Levin[5], J. N. Leviton[185], K. Leyde[44], A. K. Y. Li[1], B. Li[130], K. L. Li[227], P. Li[228], T. G. F. Li[131], X. Li[136], C-Y. Lin[229], E. T. Lin[130], F-K. Lin[138], F-L. Lin[230], H. L. Lin[135], L. C.-C. Lin[227], F. Linde[27,210], S. D. Linker[127,193], T. B. Littenberg[231], A. Liu[131], G. C. Liu[134], J. Liu[89], X. Liu[7], F. Llamas[148], R. K. L. Lo[1], T. Lo[130], L. T. London[37,69], A. Longo[232], D. Lopez[162], M. Lopez Portilla[62], M. Lorenzini[125,126], V. Loriette[233], M. Lormand[54], G. Losurdo[17], T. P. Lott[47], J. D. Lough[10,11], C. O. Lousto[129], G. Lovelace[43], M. J. Lowry[105], J. F. Lucaccioni[60], H. Lück[10,11], D. Lumaca[125,126], A. P. Lundgren[113], Y. Lung[131], L.-W. Luo[138], A. W. Lussier[222], J. E. Lynam[105], M. Ma'arif[135], R. Macas[113], M. MacInnis[69], D. M. Macleod[16], I. A. O. MacMillan[1], A. Macquet[31,36], I. Magaña Hernandez[7], C. Magazzù[17], R. M. Magee[1], R. Maggiore[27,92,106], M. Magnozzi[88,119], S. Mahesh[234], E. Majorana[55,100], C. N. Makarem[1], I. Maksimovic[233], S. Maliakal[1], A. Malik[90], N. Man[36], V. Mandic[83], V. Mangano[55,100], B. R. Mannix[63], G. L. Mansell[64,67,69], G. Mansingh[41], M. Manske[7], M. Mantovani[46], M. Mapelli[75,76], F. Marchesoni[39,40,235], D. Marín Pina[30], F. Marion[24], Z. Mark[136], S. Márka[146], Z. Márka[146], C. Markakis[182], A. S. Markosyan[72], A. Markowitz[1], E. Maros[1], A. Marquina[143], S. Marsat[112], F. Martelli[52,53], I. W. Martin[23], R. M. Martin[166], M. Martinez[31], V. A. Martinez[71], V. Martinez[114], K. Martinovic[57], D. V. Martynov[106], E. J. Marx[69], H. Masalehdan[84], K. Mason[69], A. Masserot[24], M. Masso-Reid[23], S. Mastrogiovanni[36,44], A. Matas[109], M. Mateu-Lucena[86], M. Matiushechkina[10,11], N. Mavalvala[69], J. J. McCann[89], R. McCarthy[67], D. E. McClelland[9], P. K. McClincy[6], S. McCormick[54], L. McCuller[1,69], G. I. McGhee[23], J. McGinn[23], S. C. McGuire[54], C. McIsaac[113], J. McIver[145], A. McLeod[89], T. McRae[9], S. T. McWilliams[234], D. Meacher[7], M. Mehmet[10,11], A. K. Mehta[109], Q. Meijer[62], A. Melatos[122], G. Mendell[67], A. Menendez-Vazquez[31], C. S. Menoni[167], R. A. Mercer[7], L. Mereni[155], K. Merfeld[63], E. L. Merilh[54], J. D. Merritt[63], M. Merzougui[36], C. Messenger[23], C. Messick[69], P. M. Meyers[136], F. Meylahn[10,11], A. Mhaske[12], A. Miani[95,96], H. Miao[236], I. Michaloliakos[71], C. Michel[155], Y. Michimura[28], H. Middleton[122], D. P. Mihaylov[109], A. Miller[193], A. L. Miller[56], B. Miller[27,37], M. Millhouse[122], J. C. Mills[16], E. Milotti[34,237], Y. Minenkov[126], N. Mio[238], Ll. M. Mir[31], M. Miravet-Tenés[128], A. Mishkin[71], A. Mishra[12], C. Mishra[239], T. Mishra[71], T. Mistry[154], A. L. Mitchell[27,92], S. Mitra[12], V. P. Mitrofanov[93], G. Mitselmakher[71], R. Mittleman[69], O. Miyakawa[191], K. Miyo[191], S. Miyoki[191], Geoffrey Mo[69], L. M. Modafferi[86], E. Moguel[60], K. Mogushi[91], S. R. P. Mohapatra[69], S. R. Mohite[7], M. Molina-Ruiz[192], C. Mondal[183], M. Mondin[193], M. Montani[52,53], C. J. Moore[106], J. Moragues[86], D. Moraru[67], F. Morawski[80], A. More[12], S. More[12], C. Moreno[35], G. Moreno[67], Y. Mori[201], S. Morisaki[7], N. Morisue[176], Y. Moriwaki[190], B. Mours[164], C. M. Mow-Lowry[27,92], S. Mozzon[113], F. Muciaccia[55,100], D. Mukherjee[231], Soma Mukherjee[148], Subroto Mukherjee[78], Suvodip Mukherjee[37,163], N. Mukund[10,11], A. Mullavey[54], J. Munch[82], E. A. Muñiz[64], P. G. Murray[23], S. Muusse[82], S. L. Nadji[10,11], K. Nagano[240], A. Nagar[22,241], T. Nagar[5], K. Nakamura[19], H. Nakano[242], M. Nakano[54,189], Y. Nakayama[201], V. Napolano[46], I. Nardecchia[125,126], H. Narola[62], L. Naticchioni[55], R. K. Nayak[243], B. F. Neil[89], J. Neilson[81,99], A. Nelson[121], T. J. N. Nelson[54], M. Nery[10,11], P. Neubauer[60], A. Neunzert[212], K. Y. Ng[69], S. W. S. Ng[82], C. Nguyen[44,244], P. Nguyen[63], T. Nguyen[69], L. Nguyen Quynh[245], J. Ni[83], W.-T. Ni[130,178,207], S. A. Nichols[8], G. Nieradka[80], T. Nishimoto[189], A. Nishizawa[29], S. Nissanke[27,37], E. Nitoglia[139], W. Niu[6], F. Nocera[46], M. Norman[16], C. North[16], J. Notte[166], J. Novak[244,246,247,248,249], S. Nozaki[190], G. Nurbek[148], L. K. Nuttall[113], Y. Obayashi[189], J. Oberling[67], B. D. O'Brien[71], J. O'Dell[196], E. Oelker[23], M. Oertel[244,246,247,248,249], W. Ogaki[189], G. Oganesyan[32,103], J. J. Oh[59], K. Oh[197], S. H. Oh[59], T. O'Hanlon[54], M. Ohashi[191], T. Ohashi[176], M. Ohkawa[175], F. Ohme[10,11], H. Ohta[29], Y. Okutani[198], R. Oliveri[250], C. Olivetto[246], K. Oohara[189,251], R. Oram[54], B. O'Reilly[54], R. G. Ormiston[83], N. D. Ormsby[105], M. Orselli[39,74], R. O'Shaughnessy[129], E. O'Shea[252], S. Oshino[191], S. Ossokine[109], C. Osthelder[1], S. Otabe[2], D. J. Ottaway[82], H. Overmier[54], A. E. Pace[6], G. Pagano[17,73], R. Pagano[8], G. Pagliaroli[32,103], A. Pai[102], S. A. Pai[90], S. Pal[243], J. R. Palamos[63], O. Palashov[213], C. Palomba[55], K.-C. Pan[130], P. K. Panda[203], P. T. H. Pang[27,62], F. Pannarale[55,100], B. C. Pant[90], F. H. Panther[89], F. Paoletti[17], A. Paoli[46], A. Paolone[55,253], G. Pappas[200], A. Parisi[17,134,150], J. Park[254], W. Parker[54], D. Pascucci[79], A. Pasqualetti[46], R. Passaquieti[17,73], D. Passuello[17], M. Patel[105], N. R. Patel[67], M. Pathak[82], B. Patricelli[17,73], A. S. Patron[8], S. Paul[63], E. Payne[1], M. Pedraza[1], R. Pedurand[99], R. Pegna[17,73], M. Pegoraro[76], A. Pele[54], F. E. Peña Arellano[191], S. Penano[72], S. Penn[255], A. Perego[95,96], A. Pereira[114], T. Pereira[256], C. J. Perez[67], C. Périgois[140], C. C. Perkins[71], A. Perreca[95,96], S. Perriès[139], J. W. Perry[27,92], D. Pesios[200], J. Petermann[84], H. P. Pfeiffer[109], H. Pham[54], K. A. Pham[83], K. S. Phukon[27,210], H. Phurailatpam[131], O. J. Piccinni[31,55], M. Pichot[36], M. Piendibene[17,73], F. Piergiovanni[52,53], L. Pierini[55,100], G. Pierra[139], V. Pierro[81,99], G. Pillant[46], M. Pillas[45], F. Pilo[17], L. Pinard[155], C. Pineda-Bosque[193], I. M. Pinto[25,81,99,257], M. Pinto[46], B. J. Piotrzkowski[7], K. Piotrzkowski[56], M. Pirello[67], M. D. Pitkin[194], A. Placidi[39,74], E. Placidi[55,100], M. L. Planas[86], W. Plastino[232,258], R. Poggiani[17,73], E. Polini[24], D. Y. T. Pong[131], S. Ponrathnam[12], E. K. Porter[44], C. Posnansky[6], R. Poulton[46], J. Powell[141], M. Pracchia[24], T. Pradier[164],

A. K. Prajapati[78], K. Prasai[72], R. Prasanna[203], G. Pratten[106], M. Principe[81,99,257], G. A. Prodi[96,259], L. Prokhorov[106], P. Prosposito[125,126], L. Prudenzi[109], A. Puecher[27,62], M. Punturo[39], F. Puosi[17,73], P. Puppo[55], M. Pürrer[109], H. Qi[16], N. Quartey[105], V. Quetschke[148], P. J. Quinonez[35], R. Quitzow-James[91], F. J. Raab[67], G. Raaijmakers[27,37], H. Radkins[67], N. Radulesco[36], P. Raffai[151], S. X. Rail[222], S. Raja[90], C. Rajan[90], K. E. Ramirez[54], T. D. Ramirez[43], A. Ramos-Buades[109], D. Rana[12], J. Rana[6], P. R. Rangnekar[72], P. Rapagnani[55,100], A. Ray[7], V. Raymond[16], N. Raza[145], M. Razzano[17,73], J. Read[43], T. Regimbau[24], L. Rei[88], S. Reid[85], S. W. Reid[105], M. Reinhard[71], D. H. Reitze[1], P. Relton[16], A. Renzini[1], P. Rettegno[21,22], B. Revenu[44], J. Reyes[166], A. Reza[27], M. Rezac[43], A. S. Rezaei[55,100], F. Ricci[55,100], D. Richards[196], J. W. Richardson[260], L. Richardson[121], K. Riles[185], S. Rinaldi[17,73], C. Robertson[196], N. A. Robertson[1], R. Robie[1], F. Robinet[45], A. Rocchi[126], S. Rodriguez[43], L. Rolland[24], J. G. Rollins[1], M. Romanelli[101], R. Romano[3,4], C. L. Romel[67], A. Romero[31], I. M. Romero-Shaw[5], J. H. Romie[54], S. Ronchini[32,103], T. J. Roocke[82], L. Rosa[4,25], C. A. Rose[7], D. Rosińska[107], M. P. Ross[261], M. Rossello[86], S. Rowan[23], S. J. Rowlinson[106], Santosh Roy[12], Soumen Roy[62], A. Royzman[158], D. Rozza[123,124], P. Ruggi[46], K. Ruiz-Rocha[177], K. Ryan[67], S. Sachdev[7], T. Sadecki[67], J. Sadiq[115], P. Saffarieh[27,92], S. Saha[130], Y. Saito[191], K. Sakai[262], M. Sakellariadou[57], S. Sakon[6], F. Salces-Carcoba[1], L. Salconi[46], M. Saleem[83], F. Salemi[95,96], M. Sallé[27], A. Samajdar[111], E. J. Sanchez[1], J. H. Sanchez[43], L. E. Sanchez[1], N. Sanchis-Gual[128,263], J. R. Sanders[264], A. Sanuy[30], T. R. Saravanan[12], N. Sarin[5], A. Sasli[200], B. Sassolas[155], H. Satari[89], B. S. Sathyaprakash[6,16], O. Sauter[71], R. L. Savage[67], V. Savant[12], T. Sawada[176], H. L. Sawant[12], S. Sayah[155], D. Schaetzl[1], M. Scheel[136], J. Scheuer[66], M. G. Schiworski[82], P. Schmidt[106], S. Schmidt[62], R. Schnabel[84], M. Schneewind[10,11], R. M. S. Schofield[63], A. Schönbeck[84], B. W. Schulte[10,11], B. F. Schutz[10,11,16], E. Schwartz[16], J. Scott[23], S. M. Scott[9], M. Seglar-Arroyo[24], Y. Sekiguchi[265], D. Sellers[54], A. S. Sengupta[266], D. Sentenac[46], E. G. Seo[131], V. Sequino[4,25], A. Sergeev[213], G. Servignat[247], Y. Setyawati[62], T. Shaffer[67], M. S. Shahriar[66], M. A. Shaikh[18], B. Shams[158], L. Shao[199], A. Sharma[32,103], P. Sharma[90], P. Shawhan[108], N. S. Shcheblanov[225], A. Sheela[239], E. Sheridan[177], Y. Shikano[267,268], M. Shikauchi[29], H. Shimizu[269], K. Shimode[191], H. Shinkai[270], T. Shishido[51], A. Shoda[19], D. H. Shoemaker[69], D. M. Shoemaker[169], S. ShyamSundar[90], M. Sieniawska[56], D. Sigg[67], L. Silenzi[39,40], L. P. Singer[118], D. Singh[6], M. K. Singh[18], N. Singh[107], A. Singha[26,27], A. M. Sintes[86], V. Sipala[123,124], V. Skliris[16], B. J. J. Slagmolen[9], T. J. Slaven-Blair[89], J. Smetana[106], J. R. Smith[43], L. Smith[23], R. J. E. Smith[5], J. Soldateschi[53,226,271], S. N. Somala[272], K. Somiya[2], I. Song[130], K. Soni[12], S. Soni[69], V. Sordini[139], F. Sorrentino[88], N. Sorrentino[17,73], R. Soulard[36], T. Souradeep[12,273], V. Spagnuolo[26,27], A. P. Spencer[23], M. Spera[75,76], P. Spinicelli[46], A. K. Srivastava[78], V. Srivastava[64], C. Stachie[36], F. Stachurski[23], D. A. Steer[44], J. Steinlechner[26,27], S. Steinlechner[26,27], N. Stergioulas[200], D. J. Stops[106], K. A. Strain[23], L. C. Strang[122], G. Stratta[55,274], M. D. Strong[8], A. Strunk[67], R. Sturani[256], A. L. Stuver[153], M. Suchenek[80], S. Sudhagar[12], R. Sugimoto[240,275], H. G. Suh[7], A. G. Sullivan[146], T. Z. Summerscales[276], L. Sun[9], S. Sunil[78], A. Sur[80], J. Suresh[29,56], P. J. Sutton[16], Takamasa Suzuki[175], Takanori Suzuki[2], Toshikazu Suzuki[189], B. L. Swinkels[27], A. Syx[164], M. J. Szczepańczyk[71], P. Szewczyk[107], M. Tacca[27], H. Tagoshi[189], S. C. Tait[23], H. Takahashi[277], R. Takahashi[19], S. Takano[28], H. Takeda[28], M. Takeda[176], C. J. Talbot[85], C. Talbot[69], N. Tamanini[112], K. Tanaka[278], Taiki Tanaka[189], Takahiro Tanaka[279], A. J. Tanasijczuk[56], S. Tanioka[191], D. B. Tanner[71], D. Tao[1], L. Tao[71], R. D. Tapia[6], E. N. Tapia San Martín[27], C. Taranto[125], A. Taruya[280], J. D. Tasson[159], R. Tenorio[86], J. E. S. Terhune[153], L. Terkowski[84], H. Themann[193], M. P. Thirugnanasambandam[12], M. Thomas[54], P. Thomas[67], S. Thomas[43], D. Thompson[159], E. E. Thompson[47], J. E. Thompson[16], S. R. Thondapu[90], K. A. Thorne[54], E. Thrane[5], Shubhanshu Tiwari[162], Srishti Tiwari[12], V. Tiwari[16], A. M. Toivonen[83], A. E. Tolley[113], T. Tomaru[19], T. Tomura[191], M. Tonelli[17,73], A. Torres-Forné[128], C. I. Torrie[1], I. Tosta e Melo[124], E. Tournefier[24], D. Töyrä[9], A. Trapananti[39,40], F. Travasso[39,40], G. Traylor[54], J. Trenado[30], M. Trevor[108], M. C. Tringali[46], A. Tripathee[185], L. Troiano[99,281], A. Trovato[34,237], L. Trozzo[4,191], R. J. Trudeau[1], D. Tsai[130], K. W. Tsang[27,62,282], T. Tsang[283], J-S. Tsao[230], M. Tse[69], R. Tso[136], S. Tsuchida[176], L. Tsukada[6], D. Tsuna[29], T. Tsutsui[29], K. Turbang[204,284], M. Turconi[36], C. Turski[79], D. Tuyenbayev[176], H. Ubach[30], A. S. Ubhi[106], T. Uchiyama[191], R. P. Udall[1], A. Ueda[285], T. Uehara[286,287], K. Ueno[29], G. Ueshima[288], C. S. Unnikrishnan[289], A. L. Urban[8], T. Ushiba[191], A. Utina[26,27], H. Vahlbruch[10,11], N. Vaidya[1], G. Vajente[1], A. Vajpeyi[5], G. Valdes[121], M. Valentini[95,96,184], S. Vallero[22], V. Valsan[7], N. van Bakel[27], M. van Beuzekom[27], M. van Dael[27,290], J. F. J. van den Brand[26,27,92], C. Van Den Broeck[27,62], D. C. Vander-Hyde[64], A. Van de Walle[45], J. van Dongen[27,92], H. van Haevermaet[204], J. V. van Heijningen[56], J. Vanosky[1], M. H. P. M. van Putten[291], Z. van Ranst[26], N. van Remortel[204], M. Vardaro[27,210], A. F. Vargas[122], V. Varma[109], M. Vasúth[70], A. Vecchio[106], G. Vedovato[76], J. Veitch[23], P. J. Veitch[82], J. Venneberg[10,11], G. Venugopalan[1], P. Verdier[139], D. Verkindt[24], P. Verma[160], Y. Verma[90], S. M. Vermeulen[16], D. Veske[146], F. Vetrano[52], A. Viceré[52,53], S. Vidyant[64], A. D. Viets[292],

A. Vijaykumar[18], V. Villa-Ortega[115], J.-Y. Vinet[36], A. Virtuoso[34,237], S. Vitale[69], H. Vocca[39,74], E. R. G. von Reis[67], J. S. A. von Wrangel[10,11], C. Vorvick[67], S. P. Vyatchanin[93], L. E. Wade[60], M. Wade[60], K. J. Wagner[129], R. C. Walet[27], M. Walker[105], G. S. Wallace[85], L. Wallace[1], J. Wang[178], J. Z. Wang[185], W. H. Wang[148], R. L. Ward[9], J. Warner[67], M. Was[24], T. Washimi[19], N. Y. Washington[1], K. Watada[105], D. Watarai[188], J. Watchi[142], K. E. Wayt[60], B. Weaver[67], C. R. Weaving[113], S. A. Webster[23], M. Weinert[10,11], A. J. Weinstein[1], R. Weiss[69], C. M. Weller[261], R. A. Weller[177], F. Wellmann[10,11], L. Wen[89], P. Weßels[10,11], K. Wette[9], J. T. Whelan[129], D. D. White[43], B. F. Whiting[71], C. Whittle[69], O. S. Wilk[60], D. Wilken[10,11,11], C. E. Williams[159], D. Williams[23], M. J. Williams[23], A. R. Williamson[113], J. L. Willis[1], B. Willke[10,11], C. C. Wipf[1], G. Woan[23], J. Woehler[10,11], J. K. Wofford[129], I. A. Wojtowicz[159], D. Wong[145], I. C. F. Wong[131], M. Wright[23], C. Wu[130], D. S. Wu[10,11], H. Wu[130], D. M. Wysocki[7], L. Xiao[1], N. Yadav[80], T. Yamada[269], H. Yamamoto[1], K. Yamamoto[190], T. Yamamoto[191], K. Yamashita[201], R. Yamazaki[198], F. W. Yang[158], K. Z. Yang[83], L. Yang[167], Y.-C. Yang[130], Y. Yang[293], Yang Yang[71], M. J. Yap[9], D. W. Yeeles[16], S.-W. Yeh[130], A. B. Yelikar[129], J. Yokoyama[28,29], T. Yokozawa[191], J. Yoo[252], T. Yoshioka[201], Hang Yu[136], Haocun Yu[69], H. Yuzurihara[189], A. Zadrożny[160], M. Zanolin[35], S. Zeidler[294], T. Zelenova[46], J.-P. Zendri[76], M. Zevin[165], M. Zhan[178], H. Zhang[230], J. Zhang[9], L. Zhang[1], R. Zhang[71], T. Zhang[106], Y. Zhang[121], C. Zhao[89], G. Zhao[142], Y. Zhao[19,189], Yue Zhao[158], Y. Zheng[91], R. Zhou[192], X. J. Zhu[5], Z.-H. Zhu[120,228], A. B. Zimmerman[169], M. E. Zucker[1,69], and J. Zweizig[1]

The LIGO Scientific Collaboration, the Virgo Collaboration, and the KAGRA Collaboration

[1] LIGO Laboratory, California Institute of Technology, Pasadena, CA 91125, USA
[2] Graduate School of Science, Tokyo Institute of Technology, Meguro-ku, Tokyo 152-8551, Japan
[3] Dipartimento di Farmacia, Università di Salerno, I-84084 Fisciano, Salerno, Italy
[4] INFN, Sezione di Napoli, I-80126 Napoli, Italy
[5] OzGrav, School of Physics & Astronomy, Monash University, Clayton 3800, Victoria, Australia
[6] The Pennsylvania State University, University Park, PA 16802, USA
[7] University of Wisconsin-Milwaukee, Milwaukee, WI 53201, USA
[8] Louisiana State University, Baton Rouge, LA 70803, USA
[9] OzGrav, Australian National University, Canberra, Australian Capital Territory 0200, Australia
[10] Max Planck Institute for Gravitational Physics (Albert Einstein Institute), D-30167 Hannover, Germany
[11] Leibniz Universität Hannover, D-30167 Hannover, Germany
[12] Inter-University Centre for Astronomy and Astrophysics, Pune 411007, India
[13] University of Cambridge, Cambridge CB2 1TN, UK
[14] Theoretisch-Physikalisches Institut, Friedrich-Schiller-Universität Jena, D-07743 Jena, Germany
[15] Instituto Nacional de Pesquisas Espaciais, 12227-010 São José dos Campos, São Paulo, Brazil
[16] Cardiff University, Cardiff CF24 3AA, UK
[17] INFN, Sezione di Pisa, I-56127 Pisa, Italy
[18] International Centre for Theoretical Sciences, Tata Institute of Fundamental Research, Bengaluru 560089, India
[19] Gravitational Wave Science Project, National Astronomical Observatory of Japan (NAOJ), Mitaka City, Tokyo 181-8588, Japan
[20] Advanced Technology Center, National Astronomical Observatory of Japan (NAOJ), Mitaka City, Tokyo 181-8588, Japan
[21] Dipartimento di Fisica, Università degli Studi di Torino, I-10125 Torino, Italy
[22] INFN Sezione di Torino, I-10125 Torino, Italy
[23] SUPA, University of Glasgow, Glasgow G12 8QQ, UK
[24] Université Savoie Mont Blanc, CNRS, Laboratoire d'Annecy de Physique des Particules—IN2P3, F-74000 Annecy, France
[25] Università di Napoli "Federico II," I-80126 Napoli, Italy
[26] Maastricht University, 6200 MD Maastricht, The Netherlands
[27] Nikhef, 1098 XG Amsterdam, The Netherlands
[28] Department of Physics, The University of Tokyo, Bunkyo-ku, Tokyo 113-0033, Japan
[29] Research Center for the Early Universe (RESCEU), The University of Tokyo, Bunkyo-ku, Tokyo 113-0033, Japan
[30] Institut de Ciències del Cosmos (ICCUB), Universitat de Barcelona, Barcelona, 08028, Spain
[31] Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, and ICREA, E-08193 Barcelona, Spain
[32] Gran Sasso Science Institute (GSSI), I-67100 L'Aquila, Italy
[33] Dipartimento di Scienze Matematiche, Informatiche e Fisiche, Università di Udine, I-33100 Udine, Italy
[34] INFN, Sezione di Trieste, I-34127 Trieste, Italy
[35] Embry-Riddle Aeronautical University, Prescott, AZ 86301, USA
[36] Artemis, Université Côte d'Azur, Observatoire de la Côte d'Azur, CNRS, F-06304 Nice, France
[37] GRAPPA, Anton Pannekoek Institute for Astronomy and Institute for High-Energy Physics, University of Amsterdam, 1098 XH Amsterdam, The Netherlands
[38] Department of Physics, National and Kapodistrian University of Athens, 15771 Ilissia, Greece
[39] INFN, Sezione di Perugia, I-06123 Perugia, Italy
[40] Università di Camerino, Dipartimento di Fisica, I-62032 Camerino, Italy
[41] American University, Washington, DC 20016, USA
[42] Earthquake Research Institute, The University of Tokyo, Bunkyo-ku, Tokyo 113-0032, Japan
[43] California State University Fullerton, Fullerton, CA 92831, USA
[44] Université de Paris, CNRS, Astroparticule et Cosmologie, F-75006 Paris, France
[45] Université Paris-Saclay, CNRS/IN2P3, IJCLab, 91405 Orsay, France
[46] European Gravitational Observatory (EGO), I-56021 Cascina, Pisa, Italy
[47] Georgia Institute of Technology, Atlanta, GA 30332, USA
[48] Department of Mathematics and Physics, Graduate School of Science and Technology, Hirosaki University, 3 Bunkyo-cho, Hirosaki, Aomori 036-8561, Japan
[49] Royal Holloway, University of London, London TW20 0EX, UK
[50] Kamioka Branch, National Astronomical Observatory of Japan (NAOJ), Kamioka-cho, Hida City, Gifu 506-1205, Japan
[51] The Graduate University for Advanced Studies (SOKENDAI), Mitaka City, Tokyo 181-8588, Japan
[52] Università degli Studi di Urbino "Carlo Bo," I-61029 Urbino, Italy
[53] INFN, Sezione di Firenze, I-50019 Sesto Fiorentino, Firenze, Italy
[54] LIGO Livingston Observatory, Livingston, LA 70754, USA

[55] INFN, Sezione di Roma, I-00185 Roma, Italy
[56] Université catholique de Louvain, B-1348 Louvain-la-Neuve, Belgium
[57] King's College London, University of London, London WC2R 2LS, UK
[58] Korea Institute of Science and Technology Information, Daejeon 34141, Republic of Korea
[59] National Institute for Mathematical Sciences, Daejeon 34047, Republic of Korea
[60] Kenyon College, Gambier, OH 43022, USA
[61] School of High Energy Accelerator Science, The Graduate University for Advanced Studies (SOKENDAI), Tsukuba City, Ibaraki 305-0801, Japan
[62] Institute for Gravitational and Subatomic Physics (GRASP), Utrecht University, 3584 CC Utrecht, The Netherlands
[63] University of Oregon, Eugene, OR 97403, USA
[64] Syracuse University, Syracuse, NY 13244, USA
[65] Université de Liège, B-4000 Liège, Belgium
[66] Northwestern University, Evanston, IL 60208, USA
[67] LIGO Hanford Observatory, Richland, WA 99352, USA
[68] Dipartimento di Medicina, Chirurgia e Odontoiatria "Scuola Medica Salernitana,"Università di Salerno, I-84081 Baronissi, Salerno, Italy
[69] LIGO Laboratory, Massachusetts Institute of Technology, Cambridge, MA 02139, USA
[70] Wigner RCP, RMKI, H-1121 Budapest, Hungary
[71] University of Florida, Gainesville, FL 32611, USA
[72] Stanford University, Stanford, CA 94305, USA
[73] Università di Pisa, I-56127 Pisa, Italy
[74] Università di Perugia, I-06123 Perugia, Italy
[75] Università di Padova, Dipartimento di Fisica e Astronomia, I-35131 Padova, Italy
[76] INFN, Sezione di Padova, I-35131 Padova, Italy
[77] Montana State University, Bozeman, MT 59717, USA
[78] Institute for Plasma Research, Bhat, Gandhinagar 382428, India
[79] Universiteit Gent, B-9000 Gent, Belgium
[80] Nicolaus Copernicus Astronomical Center, Polish Academy of Sciences, 00-716, Warsaw, Poland
[81] Dipartimento di Ingegneria, Università del Sannio, I-82100 Benevento, Italy
[82] OzGrav, University of Adelaide, Adelaide, South Australia 5005, Australia
[83] University of Minnesota, Minneapolis, MN 55455, USA
[84] Universität Hamburg, D-22761 Hamburg, Germany
[85] SUPA, University of Strathclyde, Glasgow G1 1XQ, UK
[86] IAC3–IEEC, Universitat de les Illes Balears, E-07122 Palma de Mallorca, Spain
[87] Departamento de Matemáticas, Universitat Autònoma de Barcelona, 08193 Bellaterra (Barcelona), Spain
[88] INFN, Sezione di Genova, I-16146 Genova, Italy
[89] OzGrav, University of Western Australia, Crawley, Western Australia 6009, Australia
[90] RRCAT, Indore, Madhya Pradesh 452013, India
[91] Missouri University of Science and Technology, Rolla, MO 65409, USA
[92] Department of Physics and Astronomy, Vrije Universiteit Amsterdam, 1081 HV Amsterdam, The Netherlands
[93] Lomonosov Moscow State University, Moscow 119991, Russia
[94] Center for Theoretical Physics, Polish Academy of Sciences, 02-668, Warsaw, Poland
[95] Università di Trento, Dipartimento di Fisica, I-38123 Povo, Trento, Italy
[96] INFN, Trento Institute for Fundamental Physics and Applications, I-38123 Povo, Trento, Italy
[97] Bar-Ilan University, Ramat Gan, 5290002, Israel
[98] Dipartimento di Fisica "E.R. Caianiello,"Università di Salerno, I-84084 Fisciano, Salerno, Italy
[99] INFN, Sezione di Napoli, Gruppo Collegato di Salerno, I-80126 Napoli, Italy
[100] Università di Roma "La Sapienza," I-00185 Roma, Italy
[101] Université de Rennes, CNRS, Institut FOTON—UMR 6082, F-3500 Rennes, France
[102] Indian Institute of Technology Bombay, Powai, Mumbai 400 076, India
[103] INFN, Laboratori Nazionali del Gran Sasso, I-67100 Assergi, Italy
[104] Laboratoire Kastler Brossel, Sorbonne Université, CNRS, ENS-Université PSL, Collège de France, F-75005 Paris, France
[105] Christopher Newport University, Newport News, VA 23606, USA
[106] University of Birmingham, Birmingham B15 2TT, UK
[107] Astronomical Observatory Warsaw University, 00-478 Warsaw, Poland
[108] University of Maryland, College Park, MD 20742, USA
[109] Max Planck Institute for Gravitational Physics (Albert Einstein Institute), D-14476 Potsdam, Germany
[110] Università degli Studi di Milano-Bicocca, I-20126 Milano, Italy
[111] INFN, Sezione di Milano-Bicocca, I-20126 Milano, Italy
[112] L2IT, Laboratoire des 2 Infinis—Toulouse, Université de Toulouse, CNRS/IN2P3, UPS, F-31062 Toulouse Cedex 9, France
[113] University of Portsmouth, Portsmouth, PO1 3FX, UK
[114] Université de Lyon, Université Claude Bernard Lyon 1, CNRS, Institut Lumière Matière, F-69622 Villeurbanne, France
[115] IGFAE, Universidade de Santiago de Compostela, 15782 Spain
[116] Stony Brook University, Stony Brook, NY 11794, USA
[117] Center for Computational Astrophysics, Flatiron Institute, New York, NY 10010, USA
[118] NASA Goddard Space Flight Center, Greenbelt, MD 20771, USA
[119] Dipartimento di Fisica, Università degli Studi di Genova, I-16146 Genova, Italy
[120] Department of Astronomy, Beijing Normal University, Beijing 100875, People's Republic of China
[121] Texas A&M University, College Station, TX 77843, USA
[122] OzGrav, University of Melbourne, Parkville, Victoria 3010, Australia
[123] Università degli Studi di Sassari, I-07100 Sassari, Italy
[124] INFN, Laboratori Nazionali del Sud, I-95125 Catania, Italy
[125] Università di Roma Tor Vergata, I-00133 Roma, Italy
[126] INFN, Sezione di Roma Tor Vergata, I-00133 Roma, Italy
[127] University of Sannio at Benevento, I-82100 Benevento, Italy and INFN, Sezione di Napoli, I-80100 Napoli, Italy
[128] Departamento de Astronomía y Astrofísica, Universitat de València, E-46100 Burjassot, València, Spain
[129] Rochester Institute of Technology, Rochester, NY 14623, USA
[130] National Tsing Hua University, Hsinchu City, 30013 Taiwan, Republic of China

[131] The Chinese University of Hong Kong, Shatin, NT, Hong Kong

[132] Department of Applied Physics, Fukuoka University, Jonan, Fukuoka City, Fukuoka 814-0180, Japan

[133] OzGrav, Charles Sturt University, Wagga Wagga, New South Wales 2678, Australia

[134] Department of Physics, Tamkang University, Danshui Dist., New Taipei City 25137, Taiwan

[135] Department of Physics, Center for High Energy and High Field Physics, National Central University, Zhongli District, Taoyuan City 32001, Taiwan

[136] CaRT, California Institute of Technology, Pasadena, CA 91125, USA

[137] Dipartimento di Ingegneria Industriale (DIIN), Università di Salerno, I-84084 Fisciano, Salerno, Italy

[138] Institute of Physics, Academia Sinica, Nankang, Taipei 11529, Taiwan

[139] Université Lyon, Université Claude Bernard Lyon 1, CNRS, IP2I Lyon / IN2P3, UMR 5822, F-69622 Villeurbanne, France

[140] INAF, Osservatorio Astronomico di Padova, I-35122 Padova, Italy

[141] OzGrav, Swinburne University of Technology, Hawthorn VIC 3122, Australia

[142] Université libre de Bruxelles, 1050 Bruxelles, Belgium

[143] Departamento de Matemáticas, Universitat de València, E-46100 Burjassot, València, Spain

[144] Texas Tech University, Lubbock, TX 79409, USA

[145] University of British Columbia, Vancouver, BC V6T 1Z4, Canada

[146] Columbia University, New York, NY 10027, USA

[147] University of Rhode Island, Kingston, RI 02881, USA

[148] The University of Texas Rio Grande Valley, Brownsville, TX 78520, USA

[149] Bellevue College, Bellevue, WA 98007, USA

[150] Scuola Normale Superiore, I-56126 Pisa, Italy

[151] Eötvös University, Budapest 1117, Hungary

[152] Chennai Mathematical Institute, Chennai 603103, India

[153] Villanova University, Villanova, PA 19085, USA

[154] The University of Sheffield, Sheffield S10 2TN, UK

[155] Université Lyon, Université Claude Bernard Lyon 1, CNRS, Laboratoire des Matériaux Avancés (LMA), IP2I Lyon / IN2P3, UMR 5822, F-69622 Villeurbanne, France

[156] Dipartimento di Scienze Matematiche, Fisiche e Informatiche, Università di Parma, I-43124 Parma, Italy

[157] INFN, Sezione di Milano Bicocca, Gruppo Collegato di Parma, I-43124 Parma, Italy

[158] The University of Utah, Salt Lake City, UT 84112, USA

[159] Carleton College, Northfield, MN 55057, USA

[160] National Center for Nuclear Research, 05-400 Świerk-Otwock, Poland

[161] Institut d'Astrophysique de Paris, Sorbonne Université, CNRS, UMR 7095, 75014 Paris, France

[162] University of Zurich, Winterthurerstrasse 190, 8057 Zurich, Switzerland

[163] Perimeter Institute, Waterloo, ON N2L 2Y5, Canada

[164] Université de Strasbourg, CNRS, IPHC UMR 7178, F-67000 Strasbourg, France

[165] University of Chicago, Chicago, IL 60637, USA

[166] Montclair State University, Montclair, NJ 07043, USA

[167] Colorado State University, Fort Collins, CO 80523, USA

[168] Institute for Nuclear Research, H-4026 Debrecen, Hungary

[169] University of Texas, Austin, TX 78712, USA

[170] CNR-SPIN, I-84084 Fisciano, Salerno, Italy

[171] Scuola di Ingegneria, Università della Basilicata, I-85100 Potenza, Italy

[172] Observatori Astronòmic, Universitat de València, E-46980 Paterna, València, Spain

[173] Centro de Física das Universidades do Minho e do Porto, Universidade do Minho, PT-4710-057 Braga, Portugal

[174] Department of Astronomy, The University of Tokyo, Mitaka City, Tokyo 181-8588, Japan

[175] Faculty of Engineering, Niigata University, Nishi-ku, Niigata City, Niigata 950-2181, Japan

[176] Department of Physics, Graduate School of Science, Osaka City University, Sumiyoshi-ku, Osaka City, Osaka 558-8585, Japan

[177] Vanderbilt University, Nashville, TN 37235, USA

[178] State Key Laboratory of Magnetic Resonance and Atomic and Molecular Physics, Innovation Academy for Precision Measurement Science and Technology (APM), Chinese Academy of Sciences, Xiao Hong Shan, Wuhan 430071, People's Republic of China

[179] SUPA, University of the West of Scotland, Paisley PA1 2BE, UK

[180] University of Szeged, Dóm tér 9, Szeged 6720, Hungary

[181] INAF, Osservatorio Astronomico di Capodimonte, I-80131 Napoli, Italy

[182] Queen Mary, University of London, London E1 4NS, UK

[183] Université de Normandie, ENSICAEN, UNICAEN, CNRS/IN2P3, LPC Caen, F-14000 Caen, France

[184] The University of Mississippi, University, MS 38677, USA

[185] University of Michigan, Ann Arbor, MI 48109, USA

[186] Ulsan National Institute of Science and Technology, Ulsan 44919, Republic of Korea

[187] Shanghai Astronomical Observatory, Chinese Academy of Sciences, Shanghai 200030, People's Republic of China

[188] University of Tokyo, Tokyo, 113-0033, Japan

[189] Institute for Cosmic Ray Research (ICRR), KAGRA Observatory, The University of Tokyo, Kashiwa City, Chiba 277-8582, Japan

[190] Faculty of Science, University of Toyama, Toyama City, Toyama 930-8555, Japan

[191] Institute for Cosmic Ray Research (ICRR), KAGRA Observatory, The University of Tokyo, Kamioka-cho, Hida City, Gifu 506-1205, Japan

[192] University of California, Berkeley, CA 94720, USA

[193] California State University, Los Angeles, Los Angeles, CA 90032, USA

[194] Lancaster University, Lancaster LA1 4YW, UK

[195] College of Industrial Technology, Nihon University, Narashino City, Chiba 275-8575, Japan

[196] Rutherford Appleton Laboratory, Didcot OX11 0DE, UK

[197] Department of Astronomy & Space Science, Chungnam National University, Yuseong-gu, Daejeon 34134, Republic of Korea

[198] Department of Physical Sciences, Aoyama Gakuin University, Sagamihara City, Kanagawa 252-5258, Japan

[199] Kavli Institute for Astronomy and Astrophysics, Peking University, Haidian District, Beijing 100871, People's Republic of China

[200] Department of Physics, Aristotle University of Thessaloniki, 54124 Thessaloniki, Greece

[201] Graduate School of Science and Engineering, University of Toyama, Toyama City, Toyama 930-8555, Japan

[202] Nambu Yoichiro Institute of Theoretical and Experimental Physics (NITEP), Osaka City University, Sumiyoshi-ku, Osaka City, Osaka 558-8585, Japan

[203] Directorate of Construction, Services & Estate Management, Mumbai 400094, India

[204] Universiteit Antwerpen, 2000 Antwerpen, Belgium

[205] University of Białystok, 15-424 Białystok, Poland

[206] Ewha Womans University, Seoul 03760, Republic of Korea

[207] National Astronomical Observatories, Chinese Academic of Sciences, Chaoyang District, Beijing, People's Republic of China

[208] School of Astronomy and Space Science, University of Chinese Academy of Sciences, Chaoyang District, Beijing, People's Republic of China

[209] University of Southampton, Southampton SO17 1BJ, UK

[210] Institute for High-Energy Physics, University of Amsterdam, 1098 XH Amsterdam, The Netherlands

[211] Chung-Ang University, Seoul 06974, Republic of Korea

[212] University of Washington Bothell, Bothell, WA 98011, USA

[213] Institute of Applied Physics, Nizhny Novgorod, 603950, Russia

[214] Inje University Gimhae, South Gyeongsang 50834, Republic of Korea

[215] Department of Physics, Myongji University, Yongin 17058, Republic of Korea

[216] Sungkyunkwan University, Seoul 03063, Republic of Korea

[217] Bard College, Annandale-On-Hudson, NY 12504, USA

[218] Institute of Particle and Nuclear Studies (IPNS), High Energy Accelerator Research Organization (KEK), Tsukuba City, Ibaraki 305-0801, Japan

[219] Institute of Mathematics, Polish Academy of Sciences, 00656 Warsaw, Poland

[220] Instituto de Fisica Teorica, 28049 Madrid, Spain

[221] Department of Physics, Nagoya University, Chikusa-ku, Nagoya, Aichi 464-8602, Japan

[222] Université de Montréal/Polytechnique, Montreal, Quebec H3T 1J4, Canada

[223] Laboratoire Lagrange, Université Côte d'Azur, Observatoire Côte d'Azur, CNRS, F-06304 Nice, France

[224] Seoul National University, Seoul 08826, Republic of Korea

[225] NAVIER, École des Ponts, Université Gustave Eiffel, CNRS, Marne-la-Vallée, France

[226] Università di Firenze, Sesto Fiorentino I-50019, Italy

[227] Department of Physics, National Cheng Kung University, Tainan City 701, Taiwan

[228] School of Physics and Technology, Wuhan University, Wuhan, Hubei, 430072, People's Republic of China

[229] National Center for High-performance computing, National Applied Research Laboratories, Hsinchu Science Park, Hsinchu City 30076, Taiwan

[230] Department of Physics, National Taiwan Normal University, sec. 4, Taipei 116, Taiwan

[231] NASA Marshall Space Flight Center, Huntsville, AL 35811, USA

[232] INFN, Sezione di Roma Tre, I-00146 Roma, Italy

[233] ESPCI, CNRS, F-75005 Paris, France

[234] West Virginia University, Morgantown, WV 26506, USA

[235] School of Physics Science and Engineering, Tongji University, Shanghai 200092, People's Republic of China

[236] Tsinghua University, Beijing 100084, People's Republic of China

[237] Dipartimento di Fisica, Università di Trieste, I-34127 Trieste, Italy

[238] Institute for Photon Science and Technology, The University of Tokyo, Bunkyo-ku, Tokyo 113-8656, Japan

[239] Indian Institute of Technology Madras, Chennai 600036, India

[240] Institute of Space and Astronautical Science (JAXA), Chuo-ku, Sagamihara City, Kanagawa 252-0222, Japan

[241] Institut des Hautes Etudes Scientifiques, F-91440 Bures-sur-Yvette, France

[242] Faculty of Law, Ryukoku University, Fushimi-ku, Kyoto City, Kyoto 612-8577, Japan

[243] Indian Institute of Science Education and Research, Kolkata, Mohanpur, West Bengal 741252, India

[244] Université de Paris, 75006 Paris, France

[245] Department of Physics, University of Notre Dame, Notre Dame, IN 46556, USA

[246] Centre national de la recherche scientifique, 75016 Paris, France

[247] Laboratoire Univers et Théories, Observatoire de Paris, 92190 Meudon, France

[248] Observatoire de Paris, 75014 Paris, France

[249] Université PSL, 75006 Paris, France

[250] Institute of Physics of the Czech Academy of Sciences, 182 00 Praha 8, Czechia

[251] Graduate School of Science and Technology, Niigata University, Nishi-ku, Niigata City, Niigata 950-2181, Japan

[252] Cornell University, Ithaca, NY 14850, USA

[253] Consiglio Nazionale delle Ricerche—Istituto dei Sistemi Complessi, I-00185 Roma, Italy

[254] Korea Astronomy and Space Science Institute (KASI), Yuseong-gu, Daejeon 34055, Republic of Korea

[255] Hobart and William Smith Colleges, Geneva, NY 14456, USA

[256] International Institute of Physics, Universidade Federal do Rio Grande do Norte, Natal RN 59078-970, Brazil

[257] Museo Storico della Fisica e Centro Studi e Ricerche "Enrico Fermi," I-00184 Roma, Italy

[258] Dipartimento di Matematica e Fisica, Università degli Studi Roma Tre, I-00146 Roma, Italy

[259] Università di Trento, Dipartimento di Matematica, I-38123 Povo, Trento, Italy

[260] University of California Riverside, Riverside, CA 92521, USA

[261] University of Washington, Seattle, WA 98195, USA

[262] Department of Electronic Control Engineering, National Institute of Technology, Nagaoka College, Nagaoka City, Niigata 940-8532, Japan

[263] Departamento de Matemática, Universidade de Aveiro, Centre for Research and Development in Mathematics and Applications, 3810-183 Aveiro, Portugal

[264] Marquette University, Milwaukee, WI 53233, USA

[265] Faculty of Science, Toho University, Funabashi City, Chiba 274-8510, Japan

[266] Indian Institute of Technology, Palaj, Gandhinagar, Gujarat 382355, India

[267] Graduate School of Science and Technology, Gunma University, Maebashi, Gunma 371-8510, Japan

[268] Institute for Quantum Studies, Chapman University, Orange, CA 92866, USA

[269] Accelerator Laboratory, High Energy Accelerator Research Organization (KEK), Tsukuba City, Ibaraki 305-0801, Japan

[270] Faculty of Information Science and Technology, Osaka Institute of Technology, Hirakata City, Osaka 573-0196, Japan

[271] INAF, Osservatorio Astrofisico di Arcetri, I-50125 Firenze, Italy

[272] Indian Institute of Technology Hyderabad, Sangareddy, Khandi, Telangana 502285, India

[273] Indian Institute of Science Education and Research, Pune, Maharashtra 411008, India

[274] Istituto di Astrofisica e Planetologia Spaziali di Roma, 00133 Roma, Italy

[275] Department of Space and Astronautical Science, The Graduate University for Advanced Studies (SOKENDAI), Sagamihara City, Kanagawa 252-5210, Japan

[276] Andrews University, Berrien Springs, MI 49104, USA

[277] Research Center for Space Science, Advanced Research Laboratories, Tokyo City University, Setagaya, Tokyo 158-0082, Japan

[278] Institute for Cosmic Ray Research (ICRR), Research Center for Cosmic Neutrinos (RCCN), The University of Tokyo, Kashiwa City, Chiba 277-8582, Japan

[279] Department of Physics, Kyoto University, Sakyou-ku, Kyoto City, Kyoto 606-8502, Japan

[280] Yukawa Institute for Theoretical Physics (YITP), Kyoto University, Sakyou-ku, Kyoto City, Kyoto 606-8502, Japan

[281] Dipartimento di Scienze Aziendali—Management and Innovation Systems (DISA-MIS), Università di Salerno, I-84084 Fisciano, Salerno, Italy
[282] Van Swinderen Institute for Particle Physics and Gravity, University of Groningen, 9747 AG Groningen, The Netherlands
[283] Faculty of Science, Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong
[284] Vrije Universiteit Brussel, 1050 Brussel, Belgium
[285] Applied Research Laboratory, High Energy Accelerator Research Organization (KEK), Tsukuba City, Ibaraki 305-0801, Japan
[286] Department of Communications Engineering, National Defense Academy of Japan, Yokosuka City, Kanagawa 239-8686, Japan
[287] Department of Physics, University of Florida, Gainesville, FL 32611, USA
[288] Department of Information and Management Systems Engineering, Nagaoka University of Technology, Nagaoka City, Niigata 940-2188, Japan
[289] Tata Institute of Fundamental Research, Mumbai 400005, India
[290] Eindhoven University of Technology, 5600 MB Eindhoven, The Netherlands
[291] Department of Physics and Astronomy, Sejong University, Gwangjin-gu, Seoul 143-747, Republic of Korea
[292] Concordia University Wisconsin, Mequon, WI 53097, USA
[293] Department of Electrophysics, National Yang Ming Chiao Tung University, Hsinchu, Taiwan
[294] Department of Physics, Rikkyo University, Toshima-ku, Tokyo 171-8501, Japan

Abstract

Gravitational lensing by massive objects along the line of sight to the source causes distortions to gravitational wave (GW) signals; such distortions may reveal information about fundamental physics, cosmology, and astrophysics. In this work, we have extended the search for lensing signatures to all binary black hole events from the third observing run of the LIGO-Virgo network. We search for repeated signals from strong lensing by (1) performing targeted searches for subthreshold signals, (2) calculating the degree of overlap among the intrinsic parameters and sky location of pairs of signals, (3) comparing the similarities of the spectrograms among pairs of signals, and (4) performing dual-signal Bayesian analysis that takes into account selection effects and astrophysical knowledge. We also search for distortions to the gravitational waveform caused by (1) frequency-independent phase shifts in strongly lensed images, and (2) frequency-dependent modulation of the amplitude and phase due to point masses. None of these searches yields significant evidence for lensing. Finally, we use the nondetection of GW lensing to constrain the lensing rate based on the latest merger-rate estimates and the fraction of dark matter composed of compact objects.

Unified Astronomy Thesaurus concepts: Astrophysical black holes (98); Gravitational waves (678); Gravitational lensing (670)

1. Introduction

Gravitational lensing occurs when a massive object bends spacetime in a way that alters the path or properties of a propagating wave. Gravitational lensing is expected to affect gravitational waves (GWs), resulting, for example, in repeated signals, (de-)magnification of the amplitude, phase shifts, and beating patterns (Ohanian 1974; Thorne 1982; Deguchi & Watson 1986; Wang et al. 1996; Nakamura 1998; Takahashi & Nakamura 2003). The exact alteration of the gravitational waveform depends on the nature of the lens system.

For massive lenses, gravitational lensing changes the GW amplitude without affecting the frequency evolution (Wang et al. 1996; Dai & Venumadhav 2017; Ezquiaga et al. 2021). Moreover, such systems may also produce multiple signals observed as repeated events separated by a time delay of minutes to months for galaxies (Li et al. 2018a; Ng et al. 2018; Oguri 2018), and up to years for galaxy clusters (Smith et al. 2018a, 2018b, 2019; Robertson et al. 2020; Ryczanowski et al. 2020). The current-generation GW detector network has a realistic chance of detecting the first lensed signal within its operation period (Li et al. 2018a; Ng et al. 2018; Oguri 2018).

For low-mass lenses, such as stars or compact objects, microlensing introduces beating patterns in the waveform

(Deguchi & Watson 1986; Nakamura 1998; Takahashi & Nakamura 2003; Cao et al. 2014; Christian et al. 2018; Dai et al. 2018; Lai et al. 2018; Jung & Shin 2019; Diego 2020). More generally, a field of light lenses may produce even more complex patterns on the gravitational waveform (Diego et al. 2019; Pagano et al. 2020; Cheung et al. 2021). Under the right conditions and with sufficient knowledge about the lens, these beating patterns may be observable with current-generation GW detectors.

The detection of lensed GWs paves the way for numerous scientific pursuits, including source localization (Hannuksela et al. 2020) and characterization (Lai et al. 2018; Diego 2020; Oguri & Takahashi 2020), precision cosmology (Sereno et al. 2011; Liao et al. 2017; Cao et al. 2019; Li et al. 2019; Hannuksela et al. 2020), and tests of general relativity (Baker & Trodden 2017; Collett & Bacon 2017; Fan et al. 2017; Ezquiaga & Zumalacárregui 2020; Goyal et al. 2021a). Indeed, the prospects for fundamental physics and astrophysics have sparked a wide interest in searching for lensed GWs. Previous work from the LIGO-Virgo Collaboration has considered a range of strong and microlensing signatures for events in the first half of the third observing run (O3a; Abbott et al. 2021a). Nevertheless, these studies have yielded no confident evidence for GW lensing.

In this work, we search for a variety of lensing signatures in the third LIGO Scientific, Virgo, and KAGRA (LVK) Collaboration Gravitational-Wave Transient Catalog (GWTC-3; Abbott et al. 2023a) and study its implications for GW lensing. In particular, we expand on the lensing results presented for the first half of the third observing run of the LIGO-Virgo network (O3a;

---

[295] Deceased, December 2021.

Abbott et al. 2021a) by including the signals found in the second half of the third observing run (O3b) and by including additional analyses to further test the lensing hypothesis and interpret their outcomes. First, we search for the effects of strong lensing by studying the similarity and lensing evidence for pairs of binary black hole (BBH) mergers. We consider both pairs of detected mergers (super-threshold) and pairs formed by detected mergers and candidates that nominally fall below the detection threshold (subthreshold) with consistent waveform morphologies. Second, we search for evidence of microlensing induced by point-mass lenses. Finally, we constrain the expected rate of lensed signals, black hole (BH) merger rate density, and the fraction of dark matter composed of compact objects. Detailed follow-up analyses of this data set are presented in Janquart et al. (2023).

It is important to note that GWTC-3 is a cumulative catalog describing all the GW transients found in all observing runs to date: O1, O2, O3a, and O3b. O1 made observations between 2015 September 12 00:00 UTC and 2016 January 19 16:00 UTC, O2 between 2016 November 30 16:00 UTC and 2017 August 25 22:00 UTC, O3a between 2019 April 1 15:00 UTC and 2019 October 1 15:00 UTC, and O3b between 2019 November 1 15:00 UTC and 2020 March 27 17:00 UTC.

The results of all analyses in this paper and associated data products can be found at doi:10.5281/zenodo.10841987. GW strain data (GWOSC 2021) and posterior samples (Abbott et al. 2021b) for all events from GWTC-3 are available from the Zenodo platform or the Gravitational Wave Open Science Center (Abbott et al. 2021c).

2. Data and Events

The analyses presented here expand on the lensing results from the first half of O3 (also referred to as O3a) by documenting new results from the second half of O3 (also referred to as O3b) using GWTC-3 (Abbott et al. 2023a). The O3a lensing results paper (Abbott et al. 2021a) used the GWTC-2 catalog (Abbott et al. 2021d). Since then, GWTC-2.1 (Abbott et al. 2024) has reclassified two of the candidates used in the O3a lensing paper as having a probability of astrophysical origin of less than 0.5 and are not included in the results described here, specifically GW190424_180648 and GW190909_114149. GWTC-3 also includes five events that were identified by the O3a lensing subthreshold counterpart image search, namely, GW190925_233845, GW190426_190642, GW190725_184728, GW190805_211137, and GW190916_200658.

Various instrumental upgrades have led to more sensitive data in O3b, with a median binary neutron star (BNS) inspiral range (Finn & Chernoff 1993; Allen et al. 2012) of 115 Mpc in O3b compared to 108 Mpc in O3a for LIGO Hanford, 133 Mpc in O3b compared to 135 Mpc O3a for LIGO Livingston, and 51 Mpc in O3b compared to 45 Mpc in O3a for Virgo (Abbott et al. 2023a). The duty factor for at least one detector being online was 96.6%; for any two detectors being online at the same time, it was 85.3%; and for all three detectors together, it was 51%. Further details regarding instrument performance and data quality for O3b are available in Davis et al. (2021), Abbott et al. (2023a), and Acernese et al. (2022a).

The LIGO and Virgo detectors used a photon recoil-based calibration (Karki et al. 2016; Cahillane et al. 2017; Viets et al. 2018), resulting in a complex-valued, frequency-dependent detector response. Previous studies have documented the systematic error and uncertainty bounds for O3b strain calibration in LIGO (Sun et al. 2020, 2021) and Virgo (Acernese et al. 2022b).

Transient noise sources, referred to as glitches, contaminate the data and can affect the confidence of candidate detections. Times affected by glitches and other data quality issues are identified so that searches for GW events can exclude (veto) these periods of poor data quality (Abbott et al. 2016a, 2020a; Fiori et al. 2020; Davis et al. 2021; Nguyen et al. 2021). In addition, several known persistent noise sources are subtracted from the data using information from witness auxiliary sensors (Davis et al. 2019; Driggers et al. 2019).

Candidate events, including those reported in Abbott et al. (2023a) and the new candidates found by the search for subthreshold counterpart images in Section 3.1 of this paper, have undergone a validation process to evaluate if instrumental artifacts could affect the analysis; this process is described in detail in Section 5.5 of Davis et al. (2021). This process can also identify data quality issues that need further mitigation for individual events, such as the subtraction of glitches (Cornish et al. 2021; Davis et al. 2022) and nonstationary noise couplings (Vajente et al. 2020), before executing parameter estimation (PE) algorithms. See Table 10IV of Abbott et al. (2023a) for the list of events requiring such mitigation.

The GWTC-3 catalog (Abbott et al. 2023a) contains 35 events from O3b in addition to the 55 previous events from previous observing runs (Abbott et al. 2024) with a false-alarm rate (FAR) below 2 per yr, and an expected rate of contamination from detector noise less than 10%–15% (Abbott et al. 2023a). We neglect the potential contamination in this analysis. These events were identified by four search pipelines: one minimally modeled transient search cWB (Klimenko et al. 2004, 2005, 2006, 2011, 2016) and three matched-filter searches GstLAL (Messick et al. 2017; Sachdev et al. 2019; Hanna et al. 2020), Multi-Band Template Analysis (Adams et al. 2016; Aubin et al. 2021), and PyCBC (Allen 2005; Allen et al. 2012; Dal Canton et al. 2014; Usman et al. 2016; Nitz et al. 2017). Their parameters were estimated through Bayesian inference using the Bilby (Ashton et al. 2019; Romero-Shaw et al. 2020; Smith et al. 2020) and RIFT (Pankow et al. 2015; Lange et al. 2017; Wysocki et al. 2019) packages. Both the matched-filter searches and PE use a variety of BBH waveform models, which generally combine knowledge from post-Newtonian theory, the effective-one-body formalism, and numerical relativity (for general introductions to these approaches, see Blanchet 2014; Damour & Nagar 2016; Palenzuela 2020; Schmidt 2020, and references therein). The analyses in this paper rely on the same methods, and the specific waveform models and analysis packages used are described in each section.

Of the 35 events from O3b, 31 are likely BBHs, while four have component masses consistent with being below $3\,M_\odot$ (Abbott et al. 2021e, 2023a), thus potentially containing a neutron star. We consider these 35 events in the analyses documented in this paper. Specifically, we use the following input data sets for each analysis. The searches for subthreshold counterpart images in Section 3.1 cover the whole O3 strain data set, using the same data quality veto choices as in Abbott et al. (2023a) but a strain data set consistent with the PE analyses: the final calibration version of LIGO data (Sun et al. 2021) with additional noise subtraction (Vajente et al. 2020).

The posterior overlap analysis in Section 3.2 starts from the posterior samples released with GWTC-3 (GWOSC 2021). The joint PE analyses in Section 3.3 and microlensing analysis in Section 4 reanalyze the strain data in short segments around the event times, available from the same data release, with data selection and noise mitigation choices matching those of the PE analyses in Abbott et al. (2023a).

3. Strong Lensing

If a GW travels close enough to a massive lens, it will produce multiple images, with the number of images depending on the lens profile and source lens geometry. This regime is known as the strong-lensing limit. Each of these lensed images $h_j^{\rm L}$ will have a change in its amplitude, arrival time, and phase compared to the emitted signal h (Schneider et al. 1992):

$$h_j^{\rm L}(f) = \sqrt{|\mu_j|} \exp\left[i2\pi f \Delta t_j - i\,{\rm sign}(f)n_j\pi\right]h(f) \qquad (1)$$

for $n_j = 0,\ 1/2,\ 1$ for type I, II, and III images, which correspond to different minima of the lensing potential. While the magnification μ_j and time delay Δt_j do not affect the waveform morphology (they are completely degenerate with the luminosity distance and coalescence time), the frequency-independent lensing phase shift $n_j\pi$ could induce distortions when the signal has multiple frequency components (Dai & Venumadhav 2017; Ezquiaga et al. 2021). In particular, this occurs for type II images since type I does not have a phase shift, and type III only flips the overall sign, which is degenerate with shifting the polarization angle by $\pi/2$. The sign(f) term is only there to ensure that the time domain waveform is real.

Making a distinction between effects that do and do not change the waveform morphology, we divide our search into two parts. First, we search for pairs of events consistent with the strong-lensing hypothesis. Some of these pairs will have sufficiently strong amplitudes that can be identified as confident detections (super-threshold) by the search pipelines used in Abbott et al. (2021d, 2023a, 2024), while others may have not been identified as signals (subthreshold) because of the relative demagnification. Our searches will include both sub- and super-threshold pairs. A pair is the minimum association, but higher multiplicities are also possible. Then, we search for strong lensing focusing on the distortion of type II images.

3.1. Subthreshold Search

In this section, we describe the search for possible subthreshold counterparts of super-threshold detections from O3. We perform searches over all O3 strain data following the rules for data selection described in Abbott et al. (2024) and Abbott et al. (2023a). A general search for GWs uses a large template bank covering a broad parameter space as we have no prior information about the signal subspace, resulting in a high trial factor and hence incurring a high noise background. Subthreshold (lensed) GWs with smaller amplitudes will therefore be easily buried in the noise without being identified as detections as they cannot pass the usual detection threshold.

To uncover these subthreshold (lensed) signals, we have to effectively reduce the noise background while keeping the targeted foreground (i.e., the signals) constant (Li et al. 2023; Dai et al. 2020; McIsaac et al. 2020). The strong-lensing hypothesis asserts that lensed GWs, super-threshold or

subthreshold, coming from the same origin have identical waveforms apart from an overall scaling factor and a Morse phase factor as described in Equation (1), and hence, should have consistent inferred intrinsic masses and spins.[296] Therefore, we can construct a reduced template bank with only templates that have masses and spins similar to those of a target super-threshold detection. Using the reduced bank lowers the trial factors and noise background and effectively searches for previously unidentified possible subthreshold lensed counterparts to the target detection. For each known candidate from O3 with a probability of astrophysical origin $p_{\rm astro} > 0.5$, we create a reduced template bank using their respective public posterior mass and spin samples released with GWTC-3 (GWOSC 2021), ensuring that the templates will match well with their respective target events while improving the ranking statistics of the search for similar events, and hence, potentially returning new candidates that previously did not reach the threshold $p_{\rm astro} > 0.5$ in GWTC-3. Details of how the reduced banks are constructed can be found in Li et al. (2023).

Given these template banks, we proceed with configurations and procedures as outlined in Abbott et al. (2021a) to produce a priority list of potential lensed candidates matching each target event, using GstLAL (Messick et al. 2017; Sachdev et al. 2019) as the search pipeline. The list of candidates obtained is again further vetted using a sky location consistency check detailed in Abbott et al. (2021a), Wong et al. (2021) to ensure the candidates have consistent sky location with the target event. To avoid false dismissal at this step, we only veto candidates with an overlap in 90% credible region of the sky location $O_{90\%{\rm CR}} = 0$. All candidates with nonvanishing localization overlap are kept for further follow-up with data quality checks, as discussed in Section 2.

In Table 1, we list the top five candidates from the *individual* targeted searches for counterparts of the detections reported in O3. As in the O3a lensing paper (Abbott et al. 2021a), we do not assess in detail the probability of astrophysical origin for each of these. It is also important to note that the reported FARs do not indicate how likely each trigger is a lensed counterpart of the target event, but only how likely noise produces a trigger with a ranking statistic higher or equal to that of the candidate under consideration using these reduced template banks. Similar to Abbott et al. (2021a), we account for the fact that we have analyzed $\sim$332 days of data multiple times for a total of 76 events, and set the FAR threshold to be 1 in 69 yr (i.e., 4.59×10^{-10} Hz). We followed up on the top two candidates listed that passed the FAR threshold through GOLUM's joint PE analysis (Janquart et al. 2021, discussed in Section 3.3). The results are included in Table 1. Since both pairs of candidates have mildly *negative* $\log_{10}$ coherence ratios, showing that there is no evidence supporting the lensing hypothesis for either of these pairs, we did not further follow them up with the more computationally intensive HANABI analysis (Lo & Magaña Hernandez 2021, discussed in Section 3.3).

3.2. Preliminary Identification of Lensed Pair Candidates

Multiple, nonoverlapping images produced by strongly lensed GW signals have identical phase evolution, and therefore, their intrinsic parameters (as well as their orbit's

---

[296] The Morse phase factor for different image types has not been considered in the search described here. Should a GW include detectable higher-order multipole moments, then the Morse phase factor will cause complicated changes to the waveforms, inducing a loss in the search sensitivity.

Table 1
Top Five Candidates from Individual Subthreshold Searches for Strongly Lensed Counterpart Images of O3 Events from GWTC-3

Target Event	Lensed Candidate (UTC) (yy:mm:dd hh:mm:ss)	Δt (days)	$(1+z)\mathcal{M}(M_\odot)$	$(1+z)\mathcal{M}^{\text{target}}(M_\odot)$	FAR (yr^{-1}) (yr^{-1})	$O_{90\%\text{CR}}$ (%)	$\log_{10}(\mathcal{C}_U^L)$
GW190930_133541	19-08-05 13:43:48	−56.0	10.2	9.86	0.002	61.00%	−6.4
GW191204_171526	19-08-05 13:43:48	−121.1	10.2	9.66	0.006	25.40%	−12.2
GW190828_065509	19-11-12 12:13:18	76.2	45.5	17.3	0.023	18.00%	⋯
GW190725_174728	19-08-05 13:43:48	10.8	10.2	8.88	0.038	39.50%	⋯
GW190828_065509	20-02-06 07:24:59	162.0	15.1	17.3	0.154	36.00%	⋯

Note. The first column lists the target event from O3. The second column shows the time (yy-mm-dd hh:mm:ss) in UTC of the found subthreshold candidate. The third column shows the time difference (in days) between the candidate and the target event. The fourth column shows the redshifted chirp mass of the template that found the trigger. The fifth column shows the redshifted chirp mass of the target event. The sixth column shows the FARs from the individual search for the new candidate from the second column. The seventh column shows the percentage overlap of the 90% sky localization regions between the candidate and the target event. The eighth column shows the $\log_{10}$ coherence ratio obtained from GOLUM's joint PE analysis.

inclination with respect to the line of sight) are expected to have overlapping posteriors. In addition, the angular separations of images (produced by galaxies or galaxy clusters) are several orders of magnitude smaller than the uncertainties associated with their GW sky location. As a result, their sky localizations will also overlap. (As in the previous section, the Morse phase for different image types is not considered here.)

Under these assumptions, a Bayes factor statistic (B_U^L) that assesses the consistency between a lensed candidate pair's posterior distributions of intrinsic parameters, sky location, and inclination angle (and thus acts as a discriminator between the lensed and unlensed hypotheses) can be constructed (Haris et al. 2018). To convert this statistic to a false-positive probability (FPP),[297] a background distribution of unlensed B_U^L needs to be estimated.

To that end, we conduct an injection campaign involving BBHs only, in which we sample component masses $m_{1,2}$ from a power-law distribution (Abbott et al. 2016b) in the range (10–50 $M_\odot$). We assume that the redshift distribution of BBHs is similar to population synthesis simulations of isolated binary evolution (Belczynski et al. 2008, 2010; Dominik et al. 2013; Eldridge et al. 2019; Bouffanais et al. 2021; Zevin et al. 2021). All other parameters are sampled from uninformative prior distributions (Haris et al. 2018). We inject the simulated signals into Gaussian noise with O3a representative power spectral density (PSD) for a LIGO-Virgo detector network. We compute B_U^L for all possible pairs in this injection set, and following Abbott et al. (2021a), we assign an FPP to a candidate pair using its B_U^L. Candidate lensed pairs involving BNS or neutron star-black hole (NSBH) events are not analyzed and ranked.

We additionally employ a machine-learning (ML)-based binary classification scheme to rapidly provide a probability of class membership (lensed or unlensed) for a given candidate BBH pair (Goyal et al. 2021b). Such an analysis not only serves as an independent method to rank candidate pairs but also provides a quantitative significance to pairs for which source-parameter inference samples are unavailable.

Q-transform-based (Chatterji et al. 2004) time–frequency maps of strongly lensed BBHs are expected to have similar shapes, although the signal energy in each time-frequency tile

will differ between images. Furthermore, as mentioned earlier, their sky localizations will overlap. Exploiting these facts, ML models that take Q-transforms and BAYESTAR (Singer & Price 2016) sky localizations as inputs, are built. These models use a DenseNet (Huang et al. 2016) architecture (with several layers pretrained on the ImageNet data set; Deng et al. 2009), and XGBoost (Chen & Guestrin 2016) algorithms, trained on lensed and unlensed BBH signals injected in Gaussian noise (for details on the ML training set, see Goyal et al. 2021b) The outputs of the individual models are then combined to provide a probability that a candidate pair is lensed or unlensed.

To convert this probability to an FPP, we construct a background distribution of ML probabilities using a population of unlensed BBH events injected in Gaussian noise characterized by the O3a representative PSD—the same as was used for the posterior overlap statistic. This PSD is found to be sufficiently similar to the averaged O3 PSD for the estimation of the background distribution so as not to change the preliminary selection of candidate pairs. The BBH population is identical to the one used by the posterior overlap statistic analysis to construct its corresponding background distribution. Furthermore, the sky localizations used to rank candidate pairs come from the same PE analysis used to estimate the posterior overlap statistic.[298]

A plot comparing the FPPs assigned by the posterior overlap and ML analyses is shown in Figure 1. Candidates that have either a posterior overlap-assigned FPP or an ML-assigned FPP (or both), that are smaller than 1%, are selected for more comprehensive Bayesian analyses.

3.3. Joint PE

Similar to the analysis of O3a data (Abbott et al. 2021a), we perform a joint PE analysis for the most relevant candidate lensing pairs. We follow up on the pairs that display low FPP in their posterior overlap or ML classification scheme. These are pairs within the whole of O3, but we only consider here those with at least one event in O3b since pairs in O3a were studied in Abbott et al. (2021a). We use two complementary pipelines: GOLUM (Janquart et al. 2021) and HANABI (Lo & Magaña Hernandez 2021). Both pipelines use the nested sampling algorithm dynesty (Speagle 2020), and implement the joint PE with the help of Bilby (Ashton et al. 2019; Romero-Shaw et al. 2020).

---

[297] FAR and FPP, while conceptually similar, pertain to different contexts in this work. In particular, we use FPP exclusively for significances associated with candidate lensed pairs to discriminate them from unlensed pairs. On the other hand, a FAR is associated with the significance assigned to individual candidate GW signal events.

[298] Note that BAYESTAR, which is used to assign ML probabilities to real event candidate pairs, is expected to provide sky localizations that are similar to those provided by this PE analysis.

Figure 1. The FPPs of each lensed candidate pair constructed from the set of GW events that exceed an astrophysical probability (Farr et al. 2015; Kapadia et al. 2020) threshold of 0.5, as evaluated using the B_U^L and ML classification statistics. Orange-dashed lines that correspond to an FPP threshold of 10^{-2} are also placed. Pairs whose B_U^L-based or ML-based FPPs fall below this threshold are selected for additional joint PE analyses. $B_U^L < 10^{-6}$ has been mapped to an FPP of 1, which is reflected in the gap along the vertical axis between 0.4 and 1.

GOLUM (Janquart et al. 2021) is a joint PE tool where the workload is reduced by analyzing the two images, under the lensed hypothesis, in two successive stages. The first image is characterized by the same parameters of the unlensed case (where the time of coalescence and the luminosity distance are the observed ones) with an additional Morse factor. The second image is then analyzed using (samples of) the posterior from the first image as the prior and linking the parameters modified by lensing through three lensing parameters: a time difference, a relative magnification, and a Morse factor difference. The final coherence ratio $\mathcal{C}_U^L$ is the ratio of the product of the evidence for the two runs under the lensed hypothesis and the product of evidence for the two images analyzed under the unlensed hypothesis.

HANABI (Lo & Magaña Hernandez 2021) first performs a joint inference on a signal pair by constructing a joint likelihood function that is a product of the likelihood function for each individual event, with a joint prior distribution. The latter is defined for a set of joint parameters that can simultaneously describe both signals if they are truly lensed, for example, the masses and the spins, as well as a set of parameters that are different for each of the signals, such as the time of arrival, the apparent luminosity distance, and the Morse phase factor associated with each of the lensed signals. The joint parameter space is explored with the package hanabi.inference (Lo & Magaña Hernandez 2021). The inference result is then reweighted with an astrophysically motivated prior distribution; for example, the astrophysical prior distribution for the redshifted component masses would be dependent on both the population model for the intrinsic BBH masses and the redshift distribution of the sources. However, the true source redshift cannot be determined from GW observations

alone since the true source redshift is degenerate with the magnification from strong lensing. To compute the Bayes factor $\mathcal{B}_U^L$, the source redshift, which serves as a hyperparameter for the signal pair, must be marginalized over. Selection effects enter as a normalization constant to the marginal data likelihood. This procedure is implemented in hanabi.hierarchical with the help of GWPopulation (Talbot et al. 2019). The ratio of unnormalized evidence calculated under the lensed hypothesis and the unlensed hypothesis using this astrophysical prior is referred to as the population-weighted coherence ratio $\mathcal{C}_U^L|_{\mathrm{pop}}$, while the ratio of normalized evidence that accounts for both population prior and selection effects is referred to as the Bayes factor $\mathcal{B}_U^L$ in this analysis. We follow our fiducial singular isothermal sphere (SIS) lensing model when computing the magnification prior (Abbott et al. 2021a). This analysis however, does not impose any informative prior on the time delay or the image types from the lensing model.

Both pipelines use IMRPhenomXPHM (Pratten et al. 2021) as the waveform model, with an additional Morse phase applied to each of the waveform polarizations in the frequency domain. Other inputs, such as the PSD estimates and the calibration envelopes, are chosen to match the analyses done in the GWTC-3 catalog paper (Abbott et al. 2023a). Following the same prescriptions of the other analyses, we fix the BBH population model to the Power-law + Peak model for the primary masses and the merger rate history to the Madau–Dickinson star formation rate (Madau & Dickinson 2014) normalized by the median GWTC-3 rate (Abbott et al. 2023b).

Taking advantage of GOLUM's rapid joint PE, we analyze the 75 pairs of candidates highlighted by posterior overlap and ML. For each of them, we compute the coherence ratio, which accounts for the probability ratio of the lensed and unlensed hypotheses without including selection effects and population priors. We find that there is a wide range of $\log_{10}(\mathcal{C}_U^L)$ values, with a peak slightly above zero. This comes from the fact that this analysis considers only triggers already flagged by the posterior overlap and ML analyses. As a consequence, the analysis is biased toward the higher values. Nevertheless, a significant proportion of events flagged with the ML pipeline and the posterior overlap pipeline are disfavored, having $\log_{10}(\mathcal{C}_U^L) < 0$. When comparing the highest coherence ratio found in the data, $\log_{10}(\mathcal{C}_U^L) = 2.5$, with a background of unlensed events, we find that it is well within the expected values, with 1% of the background events having larger $\mathcal{C}_U^L$. This background is computed for a population of compact binaries that follows the mass, spin, and redshift distribution of GWTC-3 (Abbott et al. 2023b). This large number of positive $\log_{10}(\mathcal{C}_U^L)$ is consistent with the high number of expected false alarms (Wierda et al. 2021; Calıskan et al. 2023a). For those pairs with the highest coherence ratio, we follow up with the HANABI pipeline for a total of 17 pairs. Our main results are presented in Figure 2, where the left column indicates the event pairs and the horizontal axis their $\mathcal{B}_U^L$. There, we can observe that none of the event pairs shows support for the lensing hypothesis, i.e., all $\mathcal{B}_U^L < 1$. The pair with the highest $\mathcal{B}_U^L$ is GW190620_030421–GW200216_220804, for evidence against lensing of ~1/100 with the fiducial merger rate density model following the Madau–Dickinson star formation rate. As a robustness check of how using different merger rate density models would change the results, we repeat the calculations using two more models, namely, $R_{\min}(z)$ and $R_{\max}(z)$ from our previous O3a analysis (Abbott et al. 2021a) that minimally and

Figure 2. Bayes factors $\mathcal{B}_U^L$ from HANABI for the highest-ranked multiple-image candidate pairs. As a check on the robustness of our results, we show the Bayes factors calculated using three different merger rate density models, namely, the fiducial model tracking the Madau–Dickinson star formation rate (Madau & Dickinson 2014), and also the $R_{min}(z)$ and $R_{max}(z)$ model introduced in Abbott et al. (2021a). The color for each marker represents the value of p_{astro}^{pair} for each pair, which is the probability that both of the signals from a pair are of astrophysical origins and not from terrestrial sources.

maximally bracket many existing population synthesis results (Belczynski et al. 2008, 2010; Dominik et al. 2013; Eldridge et al. 2019). We see that while the exact values for the Bayes factor change with the use of different merger rate density models, the conclusion remains that there is no support for the lensing hypothesis in any of the event pairs analyzed. To further assess the significance of these pairs, we also include a color code to indicate the probability of having an astrophysical origin p_{astro}^{pair}, defined as the product of the highest p_{astro} of each event reported in the GWTC-3 catalog paper (Abbott et al. 2023a) by different pipelines. In conclusion, we find no evidence of multiply imaged events.

3.4. Type II Image Search

In addition to the search for strong lensing identifying multiple images, we also look for the distortions that lensing introduces in type II images (Ezquiaga et al. 2021). This is because the frequency-independent phase shift that each image acquires becomes a frequency-dependent time delay for different frequency components. Therefore, for signals containing different measurable spherical harmonic modes, as recently detected in GW190412 (Abbott et al. 2020c), GW190814 (Abbott et al. 2020d), and other events (Abbott et al. 2023a), the overall lensed waveform can be distorted. The extent of the distortion is subject to the power in modes beyond the quadrupole radiation. As a consequence, we do not expect to see these distortions in the majority of the lensed events with current sensitivities. However, if not searched for, they might be mistaken for deviations from general relativity (Ezquiaga et al. 2022).

To look for these distortions, we use GOLUM (Janquart et al. 2021). Within GWTC-3, we identify 10 events whose posterior has some information about the Morse phase, either by favoring or disfavoring the distortions of the type II image by more than 4% with respect to normality, i.e., the probability of each image type $p(n_j)$ is $p(n_j) > 0.37$ or $p(n_j) < 0.29$. We summarize the evidence of one image type versus another in Figure 3. Since only type II images display waveform distortions, we only compute the Bayes factors of the type II versus type I and the type II versus type III hypotheses. As can be seen in Figure 3, only a few events display a preference for one image type versus the other one. This is expected given the signal-to-noise ratio (SNR) of these events and their power in

Figure 3. Distribution of Bayes factors comparing different image type hypotheses for the 10 most relevant events. We compare the probability of being type II vs. type I (solid blue histogram) and of being type II vs. type III (orange-dashed histogram). Only type II images display waveform distortions, and for that reason, we do not compare type III vs. type I.

higher multipole moments. However, GW190412 and GW200129_065458 present higher evidence for type II images. For GW190412, we find a $\log_{10}$ Bayes factor for type II versus I of 0.60 ± 0.16 and for type II versus III of 0.22 ± 0.16. For GW200129_065458, we find 0.38 ± 0.14 and 0.24 ± 0.14 for type II versus I and type II versus III, respectively. These events have possible super-threshold counterparts but those were discarded by the GOLUM analysis. In addition, we have also searched for subthreshold triggers associated with these events, but found none.

To assess the significance of the type II images, we follow up on GW190412 and GW200129_065458, performing a simulation campaign of type I and type II images. GW190412 simulations show that, indeed, this event has enough power in higher multipole moments to favor the type II hypothesis so that it could meaningfully test that hypothesis and would favor it if it were true. For GW200129_065458, however, that is not the case. Moreover, GW200129_065458 might have a significant glitch under subtraction (Payne et al. 2022). The preference of GW190412 for a type II image could be just a systematic effect due to the waveform modeling, especially since this event falls in challenging parts of the parameter space (Abbott et al. 2020c; Colleoni et al. 2021; Hannam et al. 2021). For this reason, we repeat the

analysis with different waveform families from our fiducial `IMRPhenomXPHM` model (Pratten et al. 2021). We find that the preference for a type II image remains when using `SEOBNRv4PHM` (Ossokine et al. 2020) or `IMRPhenomPv3HM` (Khan et al. 2020). The same conclusion holds when using different noise realizations for the simulations. Details on these simulation campaigns can be found in Appendix A.

Although we find a mild preference for the type II image hypothesis in GW190412, we find that this analysis cannot provide conclusive evidence of strong lensing. However, our techniques and pipeline will be relevant for future observing runs when high-SNR events display stronger evidence of higher-order modes.

4. Microlensing Effects

When the characteristic wavelengths of GWs are comparable to the Schwarzschild radius of a lens ($\lambda_{GW} \sim R_{Sch}^{lens}$), we may observe frequency-dependent magnification of the waveform that can inform us about the lens model (Takahashi & Nakamura 2003; Cao et al. 2014; Christian et al. 2018; Dai et al. 2018; Lai et al. 2018; Diego et al. 2019; Diego 2020; Jung & Shin 2019; Pagano et al. 2020; Cheung et al. 2021; Cremonese et al. 2021; Calıskan et al. 2023b; Tambalo et al. 2023). Since the GWs of sources, such as BBHs, sweep through a wide range of frequencies, these beating patterns can reveal the presence of intervening microlenses. In the sensitive range of ground-based detectors, these effects are expected for objects up to $\sim 10^5 M_\odot$, which includes stellar-mass objects and intermediate-mass BHs.

Objects that can cause these microlensing effects are predominantly found in larger structures. Therefore, we expect that realistic microlensing due to a field of microlenses embedded in an external macromodel potential, such as galaxies and galaxy clusters, causes complex effects on the unlensed waveforms (Diego et al. 2019). While the effects of these systems on GW signals have been studied (Diego 2020; Cheung et al. 2021; Mishra et al. 2021; Yeung et al. 2023), the resulting waveforms are computationally costly to evaluate. Nevertheless, in the absence of specific knowledge of the matter distribution along the travel path and to keep the problem computationally tractable, we assume that the beating patterns are caused by isolated point masses as a first approximation. In this case, the microlensed waveform h^{Micro} can be related to the unlensed waveform h^U according to

$$h^{micro}(f; \theta, M_L^z, y) = h^U(f; \theta)\, F(f; M_L^z, y), \qquad (2)$$

where θ represents the set of parameters defining an unlensed GW signal, $M_L^z = M_L(1 + z_l)$ is the redshifted lens mass, y is the dimensionless impact parameter, and $F(f; M_L^z, y)$ is the frequency-dependent lensing magnification factor (e.g., Takahashi & Nakamura 2003).

Similar to Abbott et al. (2021a), we perform Bayesian inference on all events from O3b using the unlensed signal model h^U and the microlensing signal model h^{Micro}. In particular, we use `Bilby` (Ashton et al. 2019; Romero-Shaw et al. 2020) and the nested sampling algorithm `dynesty` (Speagle 2020). Data products such as strain data and PSDs are the same as for GWTC-3 and between the two signal models (Abbott et al. 2023a) For the GW parameters, we use the same priors as GWTC-3, while the prior on the lens mass M_L^z is log uniform in the range $[1–10^5 M_\odot]$ and the prior on the impact parameter is $p(y) \propto y$ between [0.1, 3]. All events were analyzed using `IMRPhenomXPHM` (Pratten et al. 2021).

Figure 4. Distribution of microlensing $\log_{10}$ Bayes factors $\mathcal{B}_U^{Micro}$ for all events in O3 (solid blue line) and simulated unlensed signals (orange-dashed line) from Abbott et al. (2021a).

The process yields posterior probability distributions of θ or $\{\theta, M_L^z, y\}$ for the unlensed and lensed signal models, respectively. Moreover, we compute the evidence ratio between the microlensed and unlensed signal models, better known as the Bayes factor $\mathcal{B}_U^{Micro}$. Figure 4 shows the distribution of $\log_{10} \mathcal{B}_U^{Micro}$ for all the events in O3 and simulated unlensed signals from Abbott et al. (2021a). The distribution of $\log_{10} \mathcal{B}_U^{Micro}$ is primarily clustered around 0 and the distribution for O3 events does not extend to significantly higher values than the distribution for simulated signals. The marginalized posteriors of the microlensing parameters are shown in Appendix B. We conclude that there is no compelling evidence for the presence of microlensing signatures.

5. Implications

In this section, we consider some of the implications that derive from the search for lensing signatures. We first forecast the number of detectable strongly lensed events based on the latest knowledge on the merger rate density (Section 5.1). Next, we infer upper limits on the strong-lensing rate using the nondetection of resolvable strongly lensed BBH events (Section 5.2). Finally, we use the nondetection of microlensing to infer the compact dark matter fraction in the Universe (Section 5.3).

5.1. Strong-lensing Rate

We predict the rate of lensing using the standard methods outlined in the literature (Li et al. 2018a; Ng et al. 2018; Oguri 2018; Mukherjee et al. 2021a; Wierda et al. 2021; Xu et al. 2022), at galaxy and galaxy-cluster lens mass scales. To model the lens population, we need to choose a density profile and a mass function. We adopt the SIS density profile for both galaxies and galaxy clusters. Moreover, we use the velocity dispersion function from the Sloan Digital Sky Survey (Choi et al. 2007) for galaxies and the halo mass function from Tinker et al. (2008) for clusters that have also been used in other lensing studies (e.g., Oguri & Marshall 2010; Robertson et al. 2020). The SIS profile can accurately describe lensing by galaxies, but the mass distribution of clusters tends to be more complicated. Nevertheless, Robertson et al. (2020) have demonstrated that the SIS model can reproduce the lensing rate predictions from a study of numerically simulated cluster

Table 2
Expected Fractional Rates of Observable Lensed Double Events at Current
LIGO-Virgo Sensitivity

Merger Rate Density Model	Galaxies		Galaxy Clusters	
	R_{D}	R_{S}	R_{D}	R_{S}
GWTC-3 +stochastic	$1.9-11.0$ $\times10^{-4}$	$5.0-19.5$ $\times10^{-4}$	$0.8-4.4$ $\times10^{-4}$	$2.0-7.6$ $\times10^{-4}$

Note. This table lists the relative rates of lensed double events expected to be observed by LIGO-Virgo at the current sensitivity where both of the lensed events are detected (R_{D}) and only one of the lensed events is detected (R_{S}) above the SNR threshold. The rates encompass a 90% credible interval. We show the rate of lensing by galaxies ($\sigma_{\mathrm{vd}} = 10-300$ km s^{-1}) and galaxy clusters ($\log_{10}(M_{\mathrm{halo}}/M_{\odot}) \sim 14-16$) separately.

lenses. Thus, we adopt the same model for both galaxies and galaxy clusters.

Under the SIS model, we obtain two images with different magnifications and arrival times. The rate of strong lensing is given by

$$\mathcal{R}_{\mathrm{lens}} = \int \frac{dN(M_{\mathrm{h}}, z_{\mathrm{l}})}{dM_{\mathrm{h}}} \frac{dD_{\mathrm{c}}}{dz_{\mathrm{l}}} \frac{\mathcal{R}_{\mathrm{m}}(z_{\mathrm{m}})}{1 + z_{\mathrm{m}}} \frac{dV_{\mathrm{c}}}{dz_{\mathrm{m}}} \sigma(M_{\mathrm{h}}, z_{\mathrm{l}}, z_{\mathrm{m}}, \rho, \rho_{\mathrm{c}})$$
$$\times p(\rho|z_{\mathrm{m}})\, d\rho\, dz_{\mathrm{m}}\, dz_{\mathrm{l}}\, dM_{\mathrm{h}},$$

$$(3)$$

where $dN(M_{\mathrm{h}}, z_{\mathrm{l}})/dM_{\mathrm{h}}$ is the differential comoving number density of lensing halos in a halo mass shell at lens redshift z_{l}, D_{c} and V_{c} are the comoving distance and volume, respectively, at a given redshift, $\mathcal{R}_{\mathrm{m}}(z_{\mathrm{m}})$ is the total comoving merger rate density at redshift z_{m}, $(1+z_{\mathrm{m}})$ accounts for the cosmological time dilation, $p(\rho|z_{\mathrm{m}})$ is the distribution of the SNR at a given redshift, ρ_{c} is the network SNR threshold, and σ is the lensing cross section, which indicates, as a function of its various arguments, how efficiently strong lensing will occur. We model the mass distribution of BBHs following the results for the Power-law + Peak model of Abbott et al. (2023b). We consider a merger rate density model that assumes the Madau–Dickinson ansatz (Madau & Dickinson 2014) that is consistent with recent results from GWTC-3. Moreover, we make use of the absence of a detected stochastic gravitational-wave background (SGWB) to further constrain the merger rate density (Abbott et al. 2023b). For consistency with previous analyses (e.g., Abbott et al. 2021j), we take the Hubble constant from Planck 2015 observations to be $H_0 = 67.9$ km s^{-1} Mpc^{-1} (Ade et al. 2016). Furthermore, we choose $\rho_{\mathrm{c}} = 8$ as a point estimator of the detectability of GW signals. We find this choice to be consistent with the search results in Abbott et al. (2021d) and Section 3.1, and we estimate its impact to be subdominant compared to other sources of uncertainty.

In Table 2, we show our estimates for the relative rate of lensing expected to be observed by the LIGO-Virgo network of detectors. The results are shown separately for galaxy-scale and cluster-scale lenses. Furthermore, these rates are calculated for events that are doubly lensed and for two cases: when only a single event (i.e., the brighter one) is detected (S), and when both of the doubly lensed events are detected (D). The expected fractional rate of lensing (i.e., the lensed to unlensed rate) spans the range $\mathcal{O}(10^{-4}-10^{-3})$, depending on the merger rate density

Figure 5. Merger rate density as a function of redshift based on the GWTC-3 results without lensing constraints (gray) and with lensing constraints (cross-hatching) included. For clarity, we show only the results for galaxy-scale lenses. Because lensed detections may occur at higher redshifts than unlensed events, their non-observation can be used to constrain the rate of mergers at higher redshifts. The "No lensing" results shown here do not include constraints derived from the absence of an SGWB. The latter constraints are shown separately by the solid black curves.

assumed. We estimate the fractional rate of observed double (single) events for galaxy-scale lenses to lie in the range of $1.9 -11.0 \times10^{-4} (5.0-19.5 \times10^{-4})$. Similarly, for cluster-scale lenses, the fractional rate is estimated to be in the range of $0.8 -4.4 \times10^{-4} (2.0-7.6 \times10^{-4})$, typically lower than the rates on galaxy scales. These estimates suggest that observing a lensed double image is unlikely at the current sensitivity of the LIGO-Virgo network of detectors. Nevertheless, at design sensitivity and with future upgrades, standard forecasts suggest that the possibility of observing such events might become significant (Li et al. 2018a; Ng et al. 2018; Oguri 2018; Mukherjee et al. 2021a; Wierda et al. 2021; Xu et al. 2022). Compared with other lens models, our lensing rates are consistent with those predicted for singular isothermal ellipsoid (SIE) models (e.g., Oguri 2018; Wierda et al. 2021; Xu et al. 2022).

5.2. Implications from the Non-observation of Strongly Lensed Events

The absence of any detections of strongly lensed GW events before and during O3 provides a complementary way to constrain the merger rates of compact objects at high redshift. The detection of individual GW events has enabled measurement of the low-redshift ($z < 1$) merger rate (Abbott et al. 2023b). However, the high-redshift merger rate of GW sources is not yet measured directly, and we have only been able to place an upper limit on it from the absence of a detection of the SGWB (Abbott et al. 2021f). The absence of such a detection naturally leads to a bound on the lensing rate expected from GWTC-3 (Buscicchio et al. 2020; Mukherjee et al. 2021b).

By using the same power-law form for the merger rate as that used in Section 5.1, but extended up to $z = 2$, we obtain limits on the merger rate at redshift $z > 1$ from the absence of detections of strongly lensed events. The corresponding constraints (90% credible intervals) are shown in Figure 5 as the cross-hatched region bounded by the dashed–dotted curves. The changes in the upper bound of the merger rates are driven by the absence of detected lensing events, whereas the lower bound is driven by the low-redshift constraints on the merger rate. For comparison, the current limits on the merger rate from

GWTC-3 up to redshift $z = 1$ (Abbott et al. 2023b), with the bounding curves extrapolated to higher redshifts $z > 1$, are shown as the gray-shaded region bounded by the dotted curves. For further comparison, we have also plotted the solid black curves, which show the current constraints from the absence of detection of the SGWB (Abbott et al. 2021f). The upper bounds on the merger rate from lensing are more stringent than the bounds from GWTC-3 at high redshift (Abbott et al. 2023b), and are also comparable with the bounds from the SGWB for redshifts $z < 1.2$. The slight difference between the constraints on the merger rates at low redshift derived from the SGWB (Abbott et al. 2021f) and from GWTC-3 (Abbott et al. 2023b) arises because the bounds from the SGWB are obtained here using the previous constraints on the merger rate at low redshift derived using GWTC-2 (Abbott et al. 2021g).

5.3. Constraints on Compact Dark Matter from GW Microlensing

BHs and other compact objects have sizes comparable to their gravitational radius, and may cause microlensing effects on GW signals. Although their abundance is heavily constrained by several astronomical observations (Carr & Kuhnel 2020; Carr et al. 2021), the possibility of their contributing to dark matter cannot be ruled out in several mass windows.

Here, we use the non-observation of microlensing effects on the GW signals detected by LIGO and Virgo to constrain the fraction of dark matter contributed by compact objects in the mass range of $\sim 10^2$–$10^5 \, M_\odot$ (Jung & Shin 2019; Basak et al. 2022; Urrutia & Vaskonen 2022). The essential idea is that if a significant fraction of dark matter is in the form of compact objects, they would introduce detectable microlensing signatures on the GW signals that we observe.

Assuming that lensed and unlensed events occur as Poisson processes, we compute the posterior distribution on the lensing fraction ($u \equiv \Lambda_\ell / \Lambda$), defined as the ratio of Poisson means of lensed events to the total number of detected events. This is then used to compute the posterior of the fraction of compact dark matter ($f_{\rm DM} \equiv \Omega_{\rm CO} / \Omega_{\rm DM}$) (Basak et al. 2022). We take that a total of $N = 67$ BBH mergers are detected during the O3 run,[299] and none of them is lensed (i.e., $N_\ell = 0$). We then estimate the posterior distribution of the lensing fraction u. Finally, the posterior of $f_{\rm DM}$ can be computed as

$$p(f_{\rm DM} | \{N_\ell = 0, N\}) = p(u | \{N_\ell = 0, N\}) \left| \frac{du}{df_{\rm DM}} \right|, \quad (4)$$

where $du/df_{\rm DM}$ is the Jacobian that relates the observed fraction u of lensed events to the compact dark matter fraction $f_{\rm DM}$ in the Universe.

We determine this Jacobian by simulating astrophysical populations of BBH mergers lensed by point-mass lenses (Basak et al. 2022).[300] The constraints we obtain depend upon the assumed distributions of the component masses, spins, and the redshifts of the mergers, which have considerable uncertainties. We assume that the masses are distributed according to the Power-law + Peak model of Abbott et al. (2023b),

---

[299] These are the events cataloged in GWTC-3 that do not contain a neutron star component.
[300] The simulations are done assuming the O3b representative PSD and Gaussian noise. The Jacobian is not expected to change significantly if real noise is used instead.

Figure 6. The spread in the 90% upper limits on $f_{\rm DM}$ obtained from the O3 events using five different redshift distribution models for BBH mergers: Dominik et al. (2013), Madau & Dickinson (2014), Belczynski et al. (2016), and Abbott et al. (2023b) and uniform in comoving four-volume, assuming a monochromatic mass spectrum for the compact objects forming dark matter. The lens mass is shown on the horizontal axis. The gray (black) shaded regions correspond to the spread in $f_{\rm DM}$ upper bounds computed assuming flat (Jeffreys) prior on Λ and Λ_ℓ. The upper and lower curves bounding the spreads correspond to the most pessimistic (weakest) and optimistic (strongest) upper limits, as determined from the set of assumed redshift distributions, in each mass bin. The current $f_{\rm DM}$ constraints are weaker relative to other corresponding EM constraints. We refer the reader to Carr & Kuhnel (2020), Carr et al. (2021), and Connor & Ravi (2023) for comparison. Nevertheless, these constraints are expected to improve significantly with the increased detection of unlensed BBHs in forthcoming LVK observing runs.

while spins are assumed to be aligned/antialigned with the orbital angular momentum with magnitudes distributed uniformly in (0, 0.99). We use the approximant `IMRPhenomD` (Khan et al. 2016) to produce the waveforms. We consider different redshift distributions of the mergers: uniform distribution in comoving volume, the power-law model of Abbott et al. (2023b), the Madau–Dickinson model (Madau & Dickinson 2014), as well as some representative population synthesis models given by Dominik et al. (2013) and Belczynski et al. (2016). In our simulations, compact objects are approximated by point-mass lenses and distributed uniformly in comoving volume. Binaries producing a network SNR of 8 or above in the LIGO-Virgo detectors are deemed detectable. In order to reduce the computational cost of performing the simulations, we estimate $\mathcal{B}_{\rm U}^{\rm Micro}$ using an approximation to the Bayes factor that is expected to be accurate in the high-SNR regime (Cornish et al. 2011; Vallisneri 2012). We then compute the fraction of detected events that produce a $\mathcal{B}_{\rm U}^{\rm Micro}$ larger than the highest $\mathcal{B}_{\rm U}^{\rm Micro}$ obtained from real LIGO-Virgo events. This lensing fraction is computed as a function of the $f_{\rm DM}$, which is used to compute the Jacobian $du/df_{\rm DM}$.

The largest value of the microlensing likelihood ratio obtained from GWTC-3 events is $\log_{10} \mathcal{B}_{\rm U}^{\rm Micro} = 0.799$. We compute the fraction of simulated events with $\log_{10} \mathcal{B}_{\rm U}^{\rm Micro} \geqslant 0.799$, for different lens masses. This allows us to compute the Jacobian $du/df_{\rm DM}$ and thus the posterior on $f_{\rm DM}$. The 90% upper limits are shown as a function of the lens mass (assuming a monochromatic spectrum) in Figure 6. A number of bounds on $f_{\rm DM}$, for masses comparable to the mass

range considered in this analysis, have been estimated, notably from electromagnetic (EM) searches for microlensed events. These include constraints from searches for lensed fast radio bursts (Muñoz et al. 2016; Li et al. 2018b; Connor & Ravi 2023), gamma-ray bursts (Hurley et al. 2019; Paynter et al. 2021; Lin et al. 2022), radio emissions from active galaxies (Vedantham et al. 2017); from searches in archival EROS-2 and MACHO photometric data for Galactic microlenses (Blaineau et al. 2022); and from searches for microlensed quasars (Esteban-Gutiérrez et al. 2022) and supernovae (Garcia-Bellido et al. 2018; Zumalacarregui & Seljak 2018). The bounds we obtain are weaker than several of these constraints, some of which are well below 1%, as compared to the $\mathcal{O}(10\%)$ constraints obtained from our analysis. Nevertheless, GWs are a fundamentally different messenger than EM waves, and do not suffer from the same uncertainties and systematics. Thus, acquiring constraints from the nondetection of GW microlensing is a worthwhile exercise, even though presently they are modest.

The weak constraints can be attributed to an insufficient number of BBH detections. Indeed, the GW lensing bounds will improve significantly in the next few years as the sensitivity of GW detectors improves (Abbott et al. 2018), resulting in a sizeable increase in observed BBHs. Assuming ~300 BBH detections in O4 and $\mathcal{O}(1000)$ detections in O5, the constraints on f_{DM} will improve to $\sim10^{-1}$ and $\sim10^{-2}$, respectively.

6. Concluding Remarks

We have extended the search for lensing signatures to all BBH candidates with a probability of astrophysical origin higher than 0.5 from O3b (Abbott et al. 2023a). While we have not observed any significant candidates for strongly lensed events, as expected at the current number of detections, we updated the constraints on the rate of such events from several different analyses. First, we searched for subthreshold repeated signals associated with super-threshold events using reduced template banks produced from the posterior probability distributions of the super-threshold events. Interesting subthreshold/super-threshold pairs and pairs formed from two super-threshold events were further analyzed for their probability of being from a single, strongly lensed source. For super-threshold/super-threshold pairs, we calculated the degree of overlap between the posteriors of the intrinsic parameters and sky location, which were obtained from Bayesian inference. Moreover, we analyzed these pairs using a new analysis based on the comparison of spectrograms through ML. Finally, pairs with false-positive probability from either analysis smaller than 10^{-2} were further studied by conducting full joint Bayesian inference analyses that take population priors and selection effects into account. We found no pairs that show significant evidence for strong lensing.

The events from O3b were also analyzed for distortions caused by the lens on the gravitational waveform. First, we searched for the distortions that lensing introduces on type II signals, which are in the form of a frequency-independent phase shift (Morse phase). The Bayes factors for all events show no evidence for type II signal distortions. Similarly, we searched for the frequency-dependent distortions caused by point masses. None of the computed Bayes factors show any significant signs of microlensing. For both analyses, some events show interesting features in the posteriors for the Morse

phase or lens mass. However, follow-up analyses using simulated signals show no further signs of the lensing nature of these features. Altogether, we found no significant evidence for distortions of the gravitational waveforms that can be attributed to lensing. The lack of evidence for lensing is then used to infer properties of the lensing rates and to set constraints on the dark matter fraction of (dark) compact objects. Detailed follow-up analyses of this data set are presented in Janquart et al. (2023).

Finally, we note that our conclusions are based on estimates and assumptions that are in line with other analyses from the LVK Collaboration (Abbott et al. 2023a, 2023b). It is possible to arrive at different conclusions and interpretations if assumptions are chosen differently. Examples include claims that almost all detections are strongly lensed if one assumes that heavy BHs do not exist (Broadhurst et al. 2018, 2020a, 2020b). Data from the upcoming observing runs are expected to further expand the catalog of GW detections that can further shed light on the lensing of GWs (Abbott et al. 2020b). Moreover, multimessenger astronomy may provide significant input in confirming and interpreting possible lensed GW signals (Wempe et al. 2024).

Appendix A
Type II Simulation Campaigns

Given the mild evidence of GW190412 and GW200129_065458 toward being a type II strongly lensed image presented in Section 3.4, we follow up on these events by doing an injection campaign where we simulate type I and type II images similar to the events, and verify whether the posteriors recovered are compatible with the distribution observed for the real events. These injections are performed in different noise realizations and with different waveform models. The observed feature could be caused by two main other effects than a type II image: noise artifacts or systematic effects in the waveform modeling. In the former, non-Gaussianities in the noise could be such that they lead to the observation of spurious features, while in the latter case, the specific combination of observed parameters could lead to

Figure 7. Posterior distribution of the Morse phase for GW200129_065458. We compare the real event posterior (solid blue line) with an injection campaign of type I (orange-dashed line) and type II (green-dotted line) images. Type II images correspond to $n_1 = 1/2$. For this event, the differences between the distribution are small and make it difficult to learn anything additional about the event. The Kolmogorov–Smirnov statistic is 0.07 for type I vs. real, and 0.08 for type II vs. real.

Figure 8. Posterior distribution of the Morse phase for GW190412. We compare the real event posterior (solid blue line) with an injection campaign of type I (orange-dashed line) and type II (green-dotted line) images. Type II images correspond to $n_1 = 1/2$. For this event, the peak seen in the real data and the one seen for the type II image are compatible, hinting at a possible type II image. In this case, the Kolmogorov–Smirnov statistic is 0.20 for type I vs. real, and 0.13 for type II vs. real.

some systematic issues in fitting with the waveform model. Waveform systematics might be especially important for these events since they lie in challenging parts of the parameter space (Abbott et al. 2020c; Colleoni et al. 2021; Hannam et al. 2021). Moreover, for GW200129_065458, Payne et al. (2022) report that there could be a significant glitch under subtraction.

To test for the noise-related features, we generate colored Gaussian noise from the PSD around the time of the candidate and then inject the maximum likelihood parameters coming from the PE and take the Morse factor to be either the value for a type I or a type II image. In the first step, we do this for only one noise realization for each event to see whether we can reproduce similar features or not. For GW200129_065458, the injection shows that the effect is too weak to be distinguishable from one image type to the other, as can be seen in the uninformative posteriors of Figure 7. As a consequence, no further investigation is done into this event. On the other hand, for GW190412, the feature seen in the real data is compatible with the one seen in the injection (see Figure 8).

Figure 9. Comparison of the Morse factor distribution for the real event (solid purple line) with the recovered posterior distribution for an injection made with `IMRPhenomPv3HM` for a type I image (blue-dashed line) and a type II image (orange-dotted line), and with an injection made with `SEOBNRv4PHM` for a type I image (green-dashed line) and a type II image (red-dotted line). In all the cases, the posterior distributions agree with the injected data, with the real event resembling a type II image.

Given that the real data results are compatible with the type II injection for GW190412, we investigate further the noise hypothesis. For this purpose, we take the maximum likelihood parameters and a Morse factor of 0 or $1/2$ and inject the signal generated with the `IMRPhenomXPHM` (Pratten et al. 2021) model in 10 different noise realizations. We then repeat the analysis in the same way as for the real signal and verify if we retrieve the same preference for a type II image. For all the noise realizations used here, we see the same behavior as in Figure 8.

We perform an extra test by injecting the maximum likelihood parameters with a given image type in the generated noise for different waveform models. We use the `IMRPhenomPv3HM` (Khan et al. 2020) and the `SEOBNRv4PHM` (Ossokine et al. 2020) model to generate the signal and use the `IMRPhenomXPHM` (Pratten et al. 2021) model to recover it. This enables us to combine the two possible sources of systematics. This way, we can verify whether a different noise combined with a different model also leads to a preference for type II images. For all the noise realizations and the two models used for the injections, we find that the injections always recover the correct hypothesis, and the fact that the real event supports type II is unlikely to be a result of noise or waveform artifacts, as shown in Figure 9.

Although these tests do not discard the type II image hypothesis, they cannot conclusively confirm it. To confirm the presence of lensing for this event with a mild preference for a type II image, we would need additional evidence. Therefore, we search for possible subthreshold counterparts with the methodology explained in Section 3.1. However, we find only marginal triggers.

In the end, these additional searches did not enable us to find any extra evidence for lensing, while still not ruling out the possibility that GW190412 to be a type II image.

Appendix B
Marginalized Posteriors of Microlensing Parameters

As a supplement to the distribution of $\log_{10}$ Bayes factors $\mathcal{B}_U^{Micro}$ shown in Figure 4, we show the individual marginalized posterior distributions of the redshifted lens mass M_L^z and $\log_{10} \mathcal{B}_U^{Micro}$ (right vertical axis) in Figure 10. The Bayes factors

Figure 10. Marginalized posterior distributions of the redshifted lens mass M_L^z and $\log_{10} \mathcal{B}_U^{Micro}$ between microlensed and unlensed hypotheses.

Figure 11. The time domain waveform corresponding to the maximum posterior of GW200208_130117, with and without the microlensing hypothesis.

individually do not show clear evidence for microlensing by point-mass lenses. However, several events show a narrow posterior distribution of the redshifted lens mass. An example is GW200208_130117 (with $\log_{10} \mathcal{B}_U^{Micro} = 0.8$), for which the waveform corresponding to the maximum posterior for this event, with and without lensing, is shown in Figure 11. The beating pattern introduced by the point-mass lens is most visible as a reduction of the amplitude for two cycles in the middle of the signal and an increase in the amplitude before and after this reduction. We hypothesize that short-duration noise fluctuations may have caused an apparent dip in the signal, which in turn may have led to a distortion similar to a point-mass lens beating pattern. This is corroborated by a low Bayes factor $\mathcal{B}_U^{Micro}$, which concludes the data is inconclusive about the microlensing hypothesis.

ORCID iDs

K. Ackley ⓘ https://orcid.org/0000-0002-8648-0767
N. Adhikari ⓘ https://orcid.org/0000-0002-4559-8427
R. X. Adhikari ⓘ https://orcid.org/0000-0002-5731-5076
M. Agathos ⓘ https://orcid.org/0000-0002-9072-1121
O. D. Aguiar ⓘ https://orcid.org/0000-0002-2139-4390
L. Aiello ⓘ https://orcid.org/0000-0003-2771-8816
P. Ajith ⓘ https://orcid.org/0000-0001-7519-2439
T. Akutsu ⓘ https://orcid.org/0000-0003-0733-7530
A. Allocca ⓘ https://orcid.org/0000-0002-5288-1351
P. A. Altin ⓘ https://orcid.org/0000-0001-8193-5825
A. Amato ⓘ https://orcid.org/0000-0001-9557-651X
S. B. Anderson ⓘ https://orcid.org/0000-0003-2219-9383
W. G. Anderson ⓘ https://orcid.org/0000-0003-0482-5942
N. Andres ⓘ https://orcid.org/0000-0002-5360-943X
M. Andrés-Carcasona ⓘ https://orcid.org/0000-0002-8738-1672
T. Andrić ⓘ https://orcid.org/0000-0002-9277-9773
J. M. Antelis ⓘ https://orcid.org/0000-0003-3377-0813
S. Antier ⓘ https://orcid.org/0000-0002-7686-3334
K. Arai ⓘ https://orcid.org/0000-0001-8916-8915
A. Araya ⓘ https://orcid.org/0000-0002-6884-2875
M. C. Araya ⓘ https://orcid.org/0000-0002-6018-6447
J. S. Areeda ⓘ https://orcid.org/0000-0003-0266-7936
N. Aritomi ⓘ https://orcid.org/0000-0003-4424-7657
N. Arnaud ⓘ https://orcid.org/0000-0001-6589-8673
H. Asada ⓘ https://orcid.org/0000-0001-9442-6050
G. Ashton ⓘ https://orcid.org/0000-0001-7288-2231
Y. Aso ⓘ https://orcid.org/0000-0002-1902-6695
P. Astone ⓘ https://orcid.org/0000-0003-4981-4120
F. Aubin ⓘ https://orcid.org/0000-0003-1613-3142
K. AultONeal ⓘ https://orcid.org/0000-0002-6645-4473
S. Babak ⓘ https://orcid.org/0000-0001-7469-4250
F. Badaracco ⓘ https://orcid.org/0000-0001-8553-7904
S. Bagnasco ⓘ https://orcid.org/0000-0001-6062-6505
R. Bajpai ⓘ https://orcid.org/0000-0003-0495-5720
G. Baltus ⓘ https://orcid.org/0000-0002-0304-8152
S. Banagiri ⓘ https://orcid.org/0000-0001-7852-7484
B. Banerjee ⓘ https://orcid.org/0000-0002-8008-2485
D. Bankar ⓘ https://orcid.org/0000-0002-6068-2993
P. Barneo ⓘ https://orcid.org/0000-0002-8883-7280
F. Barone ⓘ https://orcid.org/0000-0002-8069-8490
B. Barr ⓘ https://orcid.org/0000-0002-5232-2736
L. Barsotti ⓘ https://orcid.org/0000-0001-9819-2562
M. Barsuglia ⓘ https://orcid.org/0000-0002-1180-4050
D. Barta ⓘ https://orcid.org/0000-0001-6841-550X
M. A. Barton ⓘ https://orcid.org/0000-0002-9948-306X
R. Bassiri ⓘ https://orcid.org/0000-0001-8171-6833
M. Bawaj ⓘ https://orcid.org/0000-0003-3611-3042
J. C. Bayley ⓘ https://orcid.org/0000-0003-2306-4106
B. Bécsy ⓘ https://orcid.org/0000-0003-0909-5563
F. Beirnaert ⓘ https://orcid.org/0000-0002-4003-7233
M. Bejger ⓘ https://orcid.org/0000-0002-4991-8213
A. S. Bell ⓘ https://orcid.org/0000-0003-1523-0821
W. Benoit ⓘ https://orcid.org/0000-0003-4750-9413
J. D. Bentley ⓘ https://orcid.org/0000-0002-4736-7403
M. Berbel ⓘ https://orcid.org/0000-0001-6345-1798
B. K. Berger ⓘ https://orcid.org/0000-0002-4845-8737
S. Bernuzzi ⓘ https://orcid.org/0000-0002-2334-0935
M. Beroiz ⓘ https://orcid.org/0000-0001-6486-9897
C. P. L. Berry ⓘ https://orcid.org/0000-0003-3870-7215
D. Bersanetti ⓘ https://orcid.org/0000-0002-7377-415X
J. Betzwieser ⓘ https://orcid.org/0000-0003-1533-9229

D. Beveridge ⓘ https://orcid.org/0000-0002-1481-1993
U. Bhardwaj ⓘ https://orcid.org/0000-0003-1233-4174
D. Bhattacharjee ⓘ https://orcid.org/0000-0001-6623-9506
S. Bhaumik ⓘ https://orcid.org/0000-0001-8492-2202
M. Bilicki ⓘ https://orcid.org/0000-0002-3910-5809
G. Billingsley ⓘ https://orcid.org/0000-0002-4141-2744
O. Birnholtz ⓘ https://orcid.org/0000-0002-7562-9263
S. Biscoveanu ⓘ https://orcid.org/0000-0001-7616-7366
B. Biswas ⓘ https://orcid.org/0000-0003-2131-1476
M.-A. Bizouard ⓘ https://orcid.org/0000-0002-4618-1674
J. K. Blackburn ⓘ https://orcid.org/0000-0002-3838-2986
N. Bode ⓘ https://orcid.org/0000-0002-7101-9396
G. N. Bolingbroke ⓘ https://orcid.org/0000-0002-7350-5291
R. Bondarescu ⓘ https://orcid.org/0000-0003-0330-2736
E. Bonilla ⓘ https://orcid.org/0000-0002-6284-9769
R. Bonnand ⓘ https://orcid.org/0000-0001-5013-5913
V. Boschi ⓘ https://orcid.org/0000-0001-8665-2293
V. Boudart ⓘ https://orcid.org/0000-0001-9923-4154
P. R. Brady ⓘ https://orcid.org/0000-0002-4611-9387
M. Branchesi ⓘ https://orcid.org/0000-0003-1643-0526
J. E. Brau ⓘ https://orcid.org/0000-0003-1292-9725
M. Breschi ⓘ https://orcid.org/0000-0002-3327-3676
T. Briant ⓘ https://orcid.org/0000-0002-6013-1729
A. F. Brooks ⓘ https://orcid.org/0000-0003-4295-792X
R. Bruntz ⓘ https://orcid.org/0000-0002-0840-8567
A. Buonanno ⓘ https://orcid.org/0000-0002-5433-1409
R. Buscicchio ⓘ https://orcid.org/0000-0002-7387-6754
C. Buy ⓘ https://orcid.org/0000-0003-2872-8186
G. S. Cabourn Davies ⓘ https://orcid.org/0000-0002-4289-3439
G. Cabras ⓘ https://orcid.org/0000-0002-6852-6856
R. Cabrita ⓘ https://orcid.org/0000-0003-0133-1306
L. Cadonati ⓘ https://orcid.org/0000-0002-9846-166X
G. Cagnoli ⓘ https://orcid.org/0000-0002-7086-6550
G. Caneva ⓘ https://orcid.org/0000-0002-2935-1600
K. C. Cannon ⓘ https://orcid.org/0000-0003-4068-6572
Z. Cao ⓘ https://orcid.org/0000-0002-1932-7295
E. Capocasa ⓘ https://orcid.org/0000-0003-3762-6958
J. B. Carlin ⓘ https://orcid.org/0000-0001-5694-0809
J. J. Carter ⓘ https://orcid.org/0000-0001-8845-0900
G. Carullo ⓘ https://orcid.org/0000-0001-9090-1862
M. Cavaglià ⓘ https://orcid.org/0000-0002-3835-6729
F. Cavalier ⓘ https://orcid.org/0000-0002-3658-7240
R. Cavalieri ⓘ https://orcid.org/0000-0001-6064-0569
G. Cella ⓘ https://orcid.org/0000-0002-0752-0338
E. Cesarini ⓘ https://orcid.org/0000-0001-9127-3167
S. Chalathadka Subrahmanya ⓘ https://orcid.org/0000-0002-9207-4669
E. Champion ⓘ https://orcid.org/0000-0002-7901-4100
C. L. Chan ⓘ https://orcid.org/0000-0002-3377-4737
P. Chanial ⓘ https://orcid.org/0000-0003-1753-524X
C. Chapman-Bird ⓘ https://orcid.org/0000-0002-2728-9612
P. Charlton ⓘ https://orcid.org/0000-0002-4263-2706
E. Chassande-Mottin ⓘ https://orcid.org/0000-0003-3768-9908
C. Chatterjee ⓘ https://orcid.org/0000-0001-8700-3455
Debarati Chatterjee ⓘ https://orcid.org/0000-0002-0995-2329
Deep Chatterjee ⓘ https://orcid.org/0000-0003-0038-5468
S. Chaty ⓘ https://orcid.org/0000-0002-5769-8601
K. Chatziioannou ⓘ https://orcid.org/0000-0002-5833-413X
C. Chen ⓘ https://orcid.org/0000-0002-3354-0105
D. Chen ⓘ https://orcid.org/0000-0003-1433-0716
H. Y. Chen ⓘ https://orcid.org/0000-0001-5403-3762
J. Chen ⓘ https://orcid.org/0000-0001-5550-6592

P. Chessa https://orcid.org/0000-0001-9092-3965
F. Chiadini https://orcid.org/0000-0002-9339-8622
A. Chincarini https://orcid.org/0000-0003-4094-9942
A. Chiummo https://orcid.org/0000-0003-2165-2967
S. Choudhary https://orcid.org/0000-0003-0949-7298
N. Christensen https://orcid.org/0000-0002-6870-4202
S. S. Y. Chua https://orcid.org/0000-0001-8026-7597
G. Ciani https://orcid.org/0000-0003-4258-9338
M. Cieślar https://orcid.org/0000-0001-8912-5587
R. Ciolfi https://orcid.org/0000-0003-3140-8933
J. A. Clark https://orcid.org/0000-0003-3243-1393
E. Codazzo https://orcid.org/0000-0001-7170-8733
P.-F. Cohadon https://orcid.org/0000-0003-3452-9415
D. E. Cohen https://orcid.org/0000-0002-0583-9919
M. Colleoni https://orcid.org/0000-0002-7214-9088
A. Colombo https://orcid.org/0000-0002-7439-4773
L. Conti https://orcid.org/0000-0003-2731-2656
T. R. Corbitt https://orcid.org/0000-0002-5520-8541
I. Cordero-Carrión https://orcid.org/0000-0002-1985-1361
N. J. Cornish https://orcid.org/0000-0002-7435-0869
A. Corsi https://orcid.org/0000-0001-8104-3536
S. Cortese https://orcid.org/0000-0002-6504-0973
M. W. Coughlin https://orcid.org/0000-0002-8262-2924
B. Cousins https://orcid.org/0000-0002-7026-1340
P. Couvares https://orcid.org/0000-0002-2823-3127
D. C. Coyne https://orcid.org/0000-0002-6427-3222
R. Coyne https://orcid.org/0000-0002-5243-5917
J. D. E. Creighton https://orcid.org/0000-0003-3600-2406
A. W. Criswell https://orcid.org/0000-0002-9225-7756
M. Croquette https://orcid.org/0000-0002-8581-5393
J. R. Cudell https://orcid.org/0000-0002-2003-4238
R. Cummings https://orcid.org/0000-0002-8042-9047
T. Dal Canton https://orcid.org/0000-0001-5078-9044
S. Dall'Osso https://orcid.org/0000-0003-4366-8265
G. Dálya https://orcid.org/0000-0003-3258-5763
B. D'Angelo https://orcid.org/0000-0001-9143-8427
S. Danilishin https://orcid.org/0000-0001-7758-7493
C. Darsow-Fromm https://orcid.org/0000-0001-9602-0388
Sayantani Datta https://orcid.org/0000-0001-9200-8867
D. Davis https://orcid.org/0000-0001-5620-6751
M. C. Davis https://orcid.org/0000-0001-7663-0808
E. J. Daw https://orcid.org/0000-0002-3780-5430
M. Dax https://orcid.org/0000-0001-8798-0627
J. Degallaix https://orcid.org/0000-0002-1019-6911
S. Deléglise https://orcid.org/0000-0002-8680-5170
V. Del Favero https://orcid.org/0000-0001-7099-765X
F. De Lillo https://orcid.org/0000-0003-4977-0789
D. Dell'Aquila https://orcid.org/0000-0001-5895-0664
T. Dent https://orcid.org/0000-0003-1354-7809
A. Depasse https://orcid.org/0000-0003-1014-8394
R. De Pietri https://orcid.org/0000-0003-1556-8304
R. De Rosa https://orcid.org/0000-0002-4004-947X
R. DeSalvo https://orcid.org/0000-0002-4818-0296
M. C. Díaz https://orcid.org/0000-0002-7555-8856
T. Dietrich https://orcid.org/0000-0003-2374-307X
C. Di Giorgio https://orcid.org/0000-0003-2127-3991
F. Di Giovanni https://orcid.org/0000-0001-8568-9334
T. Di Girolamo https://orcid.org/0000-0003-2339-4471
A. Di Lieto https://orcid.org/0000-0002-4787-0754
A. Di Michele https://orcid.org/0000-0002-0357-2608
S. Di Pace https://orcid.org/0000-0001-6759-5676
I. Di Palma https://orcid.org/0000-0003-1544-8943

F. Di Renzo https://orcid.org/0000-0002-5447-3810
A. Dmitriev https://orcid.org/0000-0002-0314-956X
Z. Doctor https://orcid.org/0000-0002-2077-4914
L. D'Onofrio https://orcid.org/0000-0001-9546-5959
S. Doravari https://orcid.org/0000-0001-8750-8330
M. Drago https://orcid.org/0000-0002-3738-2431
J. C. Driggers https://orcid.org/0000-0002-6134-7628
L. Dunn https://orcid.org/0000-0002-1769-6097
D. D'Urso https://orcid.org/0000-0002-8215-4542
T. Eckhardt https://orcid.org/0000-0002-1224-4681
G. Eddolls https://orcid.org/0000-0002-5895-4523
B. Edelman https://orcid.org/0000-0001-7648-1689
O. Edy https://orcid.org/0000-0001-9617-8724
A. Effler https://orcid.org/0000-0001-8242-3944
S. Eguchi https://orcid.org/0000-0003-2814-9336
J. Eichholz https://orcid.org/0000-0002-2643-163X
A. Ejlli https://orcid.org/0000-0002-4149-4532
Y. Enomoto https://orcid.org/0000-0001-6426-7079
R. C. Essick https://orcid.org/0000-0001-8196-9267
D. Estevez https://orcid.org/0000-0002-3021-5964
M. Evans https://orcid.org/0000-0001-8459-4499
F. Fabrizi https://orcid.org/0000-0002-3809-065X
V. Fafone https://orcid.org/0000-0003-1314-1622
P. C. Fan https://orcid.org/0000-0003-3988-9022
A. M. Farah https://orcid.org/0000-0002-6121-0285
B. Farr https://orcid.org/0000-0002-2916-9200
W. M. Farr https://orcid.org/0000-0003-1540-8562
G. Favaro https://orcid.org/0000-0002-0351-6833
M. Favata https://orcid.org/0000-0001-8270-9512
M. Fays https://orcid.org/0000-0002-4390-9746
E. Fenyvesi https://orcid.org/0000-0003-2777-3719
D. L. Ferguson https://orcid.org/0000-0002-4406-591X
A. Fernandez-Galiana https://orcid.org/0000-0002-8940-9261
I. Ferrante https://orcid.org/0000-0002-0083-7228
F. Fidecaro https://orcid.org/0000-0002-6189-3311
P. Figura https://orcid.org/0000-0002-8925-0393
A. Fiori https://orcid.org/0000-0003-3174-0688
I. Fiori https://orcid.org/0000-0002-0210-516X
M. Fishbach https://orcid.org/0000-0002-1980-5293
J. A. Font https://orcid.org/0000-0001-6650-2634
B. Fornal https://orcid.org/0000-0003-3271-2080
F. Frasconi https://orcid.org/0000-0003-4204-6587
Z. Frei https://orcid.org/0000-0002-0181-8491
A. Freise https://orcid.org/0000-0001-6586-9901
R. Frey https://orcid.org/0000-0003-0341-2636
G. G. Fronzé https://orcid.org/0000-0003-0966-4279
B. U. Gadre https://orcid.org/0000-0002-1534-9761
J. R. Gair https://orcid.org/0000-0002-1671-3668
D. Ganapathy https://orcid.org/0000-0003-3028-4174
A. Ganguly https://orcid.org/0000-0001-7394-0755
D.-F. Gao https://orcid.org/0000-0002-1697-7153
B. Garaventa https://orcid.org/0000-0003-2490-404X
F. Garufi https://orcid.org/0000-0003-1391-6168
C. Gasbarra https://orcid.org/0000-0001-8335-9614
V. Gayathri https://orcid.org/0000-0002-7167-9888
G.-G. Ge https://orcid.org/0000-0003-2601-6484
G. Gemme https://orcid.org/0000-0002-1127-7406
A. Gennai https://orcid.org/0000-0003-0149-2089
O. Gerberding https://orcid.org/0000-0001-7740-2698
L. Gergely https://orcid.org/0000-0003-3146-6201
S. Ghonge https://orcid.org/0000-0002-5476-938X

Abhirup Ghosh ⓞ https://orcid.org/0000-0002-2112-8578
Archisman Ghosh ⓞ https://orcid.org/0000-0003-0423-3533
Shaon Ghosh ⓞ https://orcid.org/0000-0001-9901-6253
Tathagata Ghosh ⓞ https://orcid.org/0000-0001-9848-9905
J. A. Giaime ⓞ https://orcid.org/0000-0002-3531-817X
P. Giri ⓞ https://orcid.org/0000-0002-4628-2432
S. Gkaitatzis ⓞ https://orcid.org/0000-0001-9420-7499
E. Goetz ⓞ https://orcid.org/0000-0003-2666-721X
R. Goetz ⓞ https://orcid.org/0000-0002-9617-5520
B. Goncharov ⓞ https://orcid.org/0000-0003-3189-5807
G. González ⓞ https://orcid.org/0000-0003-0199-3158
R. Gouaty ⓞ https://orcid.org/0000-0001-5372-7084
A. Grado ⓞ https://orcid.org/0000-0002-0501-8256
M. Granata ⓞ https://orcid.org/0000-0003-3275-1186
V. Granata ⓞ https://orcid.org/0000-0003-2246-6963
R. Gray ⓞ https://orcid.org/0000-0002-5556-9873
A. C. Green ⓞ https://orcid.org/0000-0002-6287-8746
W. L. Griffiths ⓞ https://orcid.org/0000-0001-8366-0108
H. L. Griggs ⓞ https://orcid.org/0000-0001-5018-7908
A. Grimaldi ⓞ https://orcid.org/0000-0002-6956-4301
H. Grote ⓞ https://orcid.org/0000-0002-0797-3943
D. Guerra ⓞ https://orcid.org/0000-0003-0029-5390
G. M. Guidi ⓞ https://orcid.org/0000-0002-3061-9870
H.-K. Guo ⓞ https://orcid.org/0000-0002-3777-3117
Anuradha Gupta ⓞ https://orcid.org/0000-0002-5441-9013
F. Guzman ⓞ https://orcid.org/0000-0001-9136-929X
L. Haegel ⓞ https://orcid.org/0000-0002-3680-5519
O. Halim ⓞ https://orcid.org/0000-0003-1326-5481
E. D. Hall ⓞ https://orcid.org/0000-0001-9018-666X
W.-B. Han ⓞ https://orcid.org/0000-0002-2039-0726
M. Haney ⓞ https://orcid.org/0000-0001-7554-3665
J. Harms ⓞ https://orcid.org/0000-0002-7332-9806
G. M. Harry ⓞ https://orcid.org/0000-0002-8905-7622
I. W. Harry ⓞ https://orcid.org/0000-0002-5304-9372
D. Hartwig ⓞ https://orcid.org/0000-0002-9742-0794
C.-J. Haster ⓞ https://orcid.org/0000-0001-8040-9807
K. Haughian ⓞ https://orcid.org/0000-0002-1223-7342
J. Healy ⓞ https://orcid.org/0000-0002-5233-3320
A. Heidmann ⓞ https://orcid.org/0000-0002-0784-5175
J. Heinze ⓞ https://orcid.org/0000-0001-8692-2724
H. Heitmann ⓞ https://orcid.org/0000-0003-0625-5461
F. Hellman ⓞ https://orcid.org/0000-0002-9135-6330
A. F. Helmling-Cornell ⓞ https://orcid.org/0000-0002-7709-8638
G. Hemming ⓞ https://orcid.org/0000-0001-5268-4465
M. Hendry ⓞ https://orcid.org/0000-0001-8322-5405
E. Hennes ⓞ https://orcid.org/0000-0002-2246-5496
M. Heurs ⓞ https://orcid.org/0000-0002-5577-2273
A. L. Hewitt ⓞ https://orcid.org/0000-0002-1255-3492
D. G. Holcomb ⓞ https://orcid.org/0000-0001-5987-769X
I. J. Hollows ⓞ https://orcid.org/0000-0002-3404-6459
Z. J. Holmes ⓞ https://orcid.org/0000-0003-1311-4691
D. E. Holz ⓞ https://orcid.org/0000-0002-0175-5064
E. J. Howell ⓞ https://orcid.org/0000-0001-7891-2817
C. G. Hoy ⓞ https://orcid.org/0000-0002-8843-6719
H-F. Hsieh ⓞ https://orcid.org/0000-0002-8947-723X
H-Y. Huang ⓞ https://orcid.org/0000-0002-1665-2383
P. Huang ⓞ https://orcid.org/0000-0002-3812-2180
Y-C. Huang ⓞ https://orcid.org/0000-0001-8786-7026
Y.-J. Huang ⓞ https://orcid.org/0000-0002-2952-8429
M. T. Hübner ⓞ https://orcid.org/0000-0002-9642-3029
D. C. Y. Hui ⓞ https://orcid.org/0000-0003-1753-1660

V. Hui ⓞ https://orcid.org/0000-0002-0233-2346
J. Hyland ⓞ https://orcid.org/0000-0003-3428-0090
B. Idzkowski ⓞ https://orcid.org/0000-0001-5869-2714
A. Iess ⓞ https://orcid.org/0000-0001-9658-6752
K. Inayoshi ⓞ https://orcid.org/0000-0001-9840-4959
P. Iosif ⓞ https://orcid.org/0000-0003-1621-7709
J. Irwin ⓞ https://orcid.org/0000-0002-2364-2191
Ish Gupta ⓞ https://orcid.org/0000-0001-6932-8715
M. Isi ⓞ https://orcid.org/0000-0001-8830-8672
Y. Itoh ⓞ https://orcid.org/0000-0003-2694-8935
B. R. Iyer ⓞ https://orcid.org/0000-0002-4141-5179
V. JaberianHamedan ⓞ https://orcid.org/0000-0003-3605-4169
T. Jacqmin ⓞ https://orcid.org/0000-0002-0693-4838
P.-E. Jacquet ⓞ https://orcid.org/0000-0001-9552-0057
S. P. Jadhav ⓞ https://orcid.org/0000-0003-0554-0084
A. L. James ⓞ https://orcid.org/0000-0001-9165-0807
A. Z. Jan ⓞ https://orcid.org/0000-0003-2050-7231
K. Jani ⓞ https://orcid.org/0000-0003-1007-8912
K. Janssens ⓞ https://orcid.org/0000-0001-8760-4429
P. Jaranowski ⓞ https://orcid.org/0000-0001-8085-3414
R. Jaume ⓞ https://orcid.org/0000-0001-8691-3166
A. C. Jenkins ⓞ https://orcid.org/0000-0003-1785-5841
J. Jiang ⓞ https://orcid.org/0000-0002-0154-3854
H.-B. Jin ⓞ https://orcid.org/0000-0002-6217-2428
A. W. Jones ⓞ https://orcid.org/0000-0002-0395-0680
L. Ju ⓞ https://orcid.org/0000-0002-7951-4295
P. Jung ⓞ https://orcid.org/0000-0003-2974-4604
J. Junker ⓞ https://orcid.org/0000-0002-3051-4374
T. Kajita ⓞ https://orcid.org/0000-0003-1207-6638
M. Kakizaki ⓞ https://orcid.org/0000-0003-1430-3339
V. Kalogera ⓞ https://orcid.org/0000-0001-9236-5469
M. Kamiizumi ⓞ https://orcid.org/0000-0001-7216-1784
N. Kanda ⓞ https://orcid.org/0000-0001-6291-0227
S. Kandhasamy ⓞ https://orcid.org/0000-0002-4825-6764
D. P. Kapasi ⓞ https://orcid.org/0000-0001-8189-4920
C. Karathanasis ⓞ https://orcid.org/0000-0002-0642-5507
S. Karki ⓞ https://orcid.org/0000-0001-9982-3661
M. Kasprzack ⓞ https://orcid.org/0000-0003-4618-5939
S. Katsanevas ⓞ https://orcid.org/0000-0003-0324-0758
K. Kawaguchi ⓞ https://orcid.org/0000-0003-4443-6984
D. Keitel ⓞ https://orcid.org/0000-0002-2824-626X
J. S. Key ⓞ https://orcid.org/0000-0003-0123-7600
F. Y. Khalili ⓞ https://orcid.org/0000-0001-7068-2332
S. Khan ⓞ https://orcid.org/0000-0003-4953-5754
N. Kijbunchoo ⓞ https://orcid.org/0000-0002-2874-1228
C. Kim ⓞ https://orcid.org/0000-0003-3040-8456
J. Kim ⓞ https://orcid.org/0000-0001-9145-0530
K. Kim ⓞ https://orcid.org/0000-0003-1653-3795
Y.-M. Kim ⓞ https://orcid.org/0000-0001-8720-6113
M. Kinley-Hanlon ⓞ https://orcid.org/0000-0002-7367-8002
R. Kirchhoff ⓞ https://orcid.org/0000-0003-0224-8600
J. S. Kissel ⓞ https://orcid.org/0000-0002-1702-9577
A. M. Knee ⓞ https://orcid.org/0000-0003-0703-947X
S. M. Koehlenbeck ⓞ https://orcid.org/0000-0002-3842-9051
K. Kokeyama ⓞ https://orcid.org/0000-0002-2896-1992
S. Koley ⓞ https://orcid.org/0000-0002-5793-6665
P. Kolitsidou ⓞ https://orcid.org/0000-0002-6719-8686
M. Kolstein ⓞ https://orcid.org/0000-0002-5482-6743
A. K. H. Kong ⓞ https://orcid.org/0000-0002-5105-344X
A. Kontos ⓞ https://orcid.org/0000-0002-1347-0680
M. Korobko ⓞ https://orcid.org/0000-0002-3839-3909

C. Kozakai https://orcid.org/0000-0003-2853-869X
N. V. Krishnendu https://orcid.org/0000-0002-3483-7517
A. Królak https://orcid.org/0000-0003-4514-7690
P. Kuijer https://orcid.org/0000-0002-6987-2048
S. Kulkarni https://orcid.org/0000-0001-8057-0203
Praveen Kumar https://orcid.org/0000-0002-2288-4252
Prayush Kumar https://orcid.org/0000-0001-5523-4603
K. Kuns https://orcid.org/0000-0003-0630-3902
S. Kuroyanagi https://orcid.org/0000-0001-6538-1447
K. Kwak https://orcid.org/0000-0002-2304-7798
D. Laghi https://orcid.org/0000-0001-7462-3794
R. N. Lang https://orcid.org/0000-0002-4804-5537
B. Lantz https://orcid.org/0000-0002-7404-4845
A. Lartaux-Vollard https://orcid.org/0000-0003-1714-365X
P. D. Lasky https://orcid.org/0000-0003-3763-1386
M. Laxen https://orcid.org/0000-0001-7515-9639
A. Lazzarini https://orcid.org/0000-0002-5993-8808
P. Leaci https://orcid.org/0000-0002-3997-5046
S. Leavey https://orcid.org/0000-0001-8253-0272
Y. K. Lecoeuche https://orcid.org/0000-0002-9186-7034
H. M. Lee https://orcid.org/0000-0003-4412-7161
K. Lee https://orcid.org/0000-0003-0470-3718
R. Lee https://orcid.org/0000-0002-7171-7274
M. Lenti https://orcid.org/0000-0002-2765-3955
M. Leonardi https://orcid.org/0000-0002-7641-0060
E. Leonova https://orcid.org/0000-0002-5757-4334
N. Leroy https://orcid.org/0000-0002-2321-1017
K. L. Li https://orcid.org/0000-0001-8229-2024
X. Li https://orcid.org/0000-0002-3780-7735
C-Y. Lin https://orcid.org/0000-0002-7489-7418
E. T. Lin https://orcid.org/0000-0002-0030-8051
F-L. Lin https://orcid.org/0000-0002-4277-7219
H. L. Lin https://orcid.org/0000-0002-3528-5726
L. C.-C. Lin https://orcid.org/0000-0003-4083-9567
G. C. Liu https://orcid.org/0000-0001-5663-3016
J. Liu https://orcid.org/0000-0001-6726-3268
R. K. L. Lo https://orcid.org/0000-0003-1561-6716
A. Longo https://orcid.org/0000-0003-4254-8579
M. Lorenzini https://orcid.org/0000-0002-2765-7905
G. Losurdo https://orcid.org/0000-0003-0452-746X
J. D. Lough https://orcid.org/0000-0002-5160-0239
C. O. Lousto https://orcid.org/0000-0002-6400-9640
D. Lumaca https://orcid.org/0000-0002-3628-1591
L.-W. Luo https://orcid.org/0000-0002-2761-8877
A. W. Lussier https://orcid.org/0000-0002-4507-1123
R. Macas https://orcid.org/0000-0002-6096-8297
D. M. Macleod https://orcid.org/0000-0002-1395-8694
I. A. O. MacMillan https://orcid.org/0000-0002-6927-1031
A. Macquet https://orcid.org/0000-0001-5955-6415
C. Magazzù https://orcid.org/0000-0002-9913-381X
R. M. Magee https://orcid.org/0000-0001-9769-531X
R. Maggiore https://orcid.org/0000-0001-5140-779X
M. Magnozzi https://orcid.org/0000-0003-4512-8430
V. Mandic https://orcid.org/0000-0001-6333-8621
V. Mangano https://orcid.org/0000-0001-7902-8505
G. L. Mansell https://orcid.org/0000-0003-4736-6678
M. Manske https://orcid.org/0000-0002-7778-1189
M. Mantovani https://orcid.org/0000-0002-4424-5726
M. Mapelli https://orcid.org/0000-0001-8799-2548
D. Marín Pina https://orcid.org/0000-0001-6482-1842
F. Marion https://orcid.org/0000-0002-8184-1017
S. Márka https://orcid.org/0000-0002-3957-1324

Z. Márka https://orcid.org/0000-0003-1306-5260
C. Markakis https://orcid.org/0000-0002-5524-0410
S. Marsat https://orcid.org/0000-0001-9449-1071
I. W. Martin https://orcid.org/0000-0001-7300-9151
V. Martinez https://orcid.org/0000-0001-5852-2301
H. Masalehdan https://orcid.org/0000-0002-4589-0815
M. Masso-Reid https://orcid.org/0000-0001-6177-8105
S. Mastrogiovanni https://orcid.org/0000-0003-1606-4183
M. Mateu-Lucena https://orcid.org/0000-0003-4817-6913
M. Matiushechkina https://orcid.org/0000-0002-9957-8720
N. Mavalvala https://orcid.org/0000-0003-0219-9706
D. E. McClelland https://orcid.org/0000-0001-6210-5842
L. McCuller https://orcid.org/0000-0003-0851-0593
J. McIver https://orcid.org/0000-0003-0316-1355
A. McLeod https://orcid.org/0000-0001-5424-8368
D. Meacher https://orcid.org/0000-0001-5882-0368
M. Mehmet https://orcid.org/0000-0001-9432-7108
A. Menendez-Vazquez https://orcid.org/0000-0002-0828-8219
C. S. Menoni https://orcid.org/0000-0001-9185-2572
R. A. Mercer https://orcid.org/0000-0001-8372-3914
C. Messenger https://orcid.org/0000-0001-7488-5022
P. M. Meyers https://orcid.org/0000-0002-2689-0190
F. Meylahn https://orcid.org/0000-0002-9556-142X
A. Miani https://orcid.org/0000-0001-7737-3129
I. Michaloliakos https://orcid.org/0000-0003-2980-358X
C. Michel https://orcid.org/0000-0003-0606-725X
Y. Michimura https://orcid.org/0000-0002-2218-4002
H. Middleton https://orcid.org/0000-0001-5532-3622
D. P. Mihaylov https://orcid.org/0000-0002-8820-407X
E. Milotti https://orcid.org/0000-0001-7348-9765
M. Miravet-Tenés https://orcid.org/0000-0002-8766-1156
T. Mishra https://orcid.org/0000-0002-7881-1677
S. Mitra https://orcid.org/0000-0002-0800-4626
V. P. Mitrofanov https://orcid.org/0000-0002-6983-4981
G. Mitselmakher https://orcid.org/0000-0001-5745-3658
O. Miyakawa https://orcid.org/0000-0002-9085-7600
K. Miyo https://orcid.org/0000-0001-6976-1252
S. Miyoki https://orcid.org/0000-0002-1213-8416
Geoffrey Mo https://orcid.org/0000-0001-6331-112X
L. M. Modafferi https://orcid.org/0000-0002-3422-6986
S. R. Mohite https://orcid.org/0000-0003-1356-7156
M. Molina-Ruiz https://orcid.org/0000-0003-4892-3042
J. Moragues https://orcid.org/0000-0003-2361-2811
A. More https://orcid.org/0000-0001-7714-7076
S. More https://orcid.org/0000-0002-2986-2371
C. Moreno https://orcid.org/0000-0002-0496-032X
S. Morisaki https://orcid.org/0000-0002-8445-6747
B. Mours https://orcid.org/0000-0002-6444-6402
C. M. Mow-Lowry https://orcid.org/0000-0002-0351-4555
S. Mozzon https://orcid.org/0000-0002-8855-2509
D. Mukherjee https://orcid.org/0000-0001-7335-9418
Suvodip Mukherjee https://orcid.org/0000-0002-3373-5236
N. Mukund https://orcid.org/0000-0002-8666-9156
E. A. Muñiz https://orcid.org/0000-0001-8844-421X
P. G. Murray https://orcid.org/0000-0002-8218-2404
K. Nagano https://orcid.org/0000-0001-6686-1637
K. Nakamura https://orcid.org/0000-0001-6148-4289
H. Nakano https://orcid.org/0000-0001-7665-0796
I. Nardecchia https://orcid.org/0000-0001-5558-2595
L. Naticchioni https://orcid.org/0000-0003-2918-0730
R. K. Nayak https://orcid.org/0000-0002-6814-7792

S. W. S. Ng https://orcid.org/0000-0001-5843-1434
C. Nguyen https://orcid.org/0000-0001-8623-0306
L. Nguyen Quynh https://orcid.org/0000-0002-1828-3702
W.-T. Ni https://orcid.org/0000-0001-6792-4708
A. Nishizawa https://orcid.org/0000-0003-3562-0990
E. Nitoglia https://orcid.org/0000-0001-8906-9159
J. Novak https://orcid.org/0000-0002-6029-4712
L. K. Nuttall https://orcid.org/0000-0002-8599-8791
Y. Obayashi https://orcid.org/0000-0001-8791-2608
E. Oelker https://orcid.org/0000-0002-3916-1595
M. Oertel https://orcid.org/0000-0002-1884-8654
J. J. Oh https://orcid.org/0000-0001-5417-862X
K. Oh https://orcid.org/0000-0002-9672-3742
S. H. Oh https://orcid.org/0000-0003-1184-7453
M. Ohashi https://orcid.org/0000-0001-8072-0304
M. Ohkawa https://orcid.org/0000-0002-1380-1419
F. Ohme https://orcid.org/0000-0003-0493-5607
R. Oliveri https://orcid.org/0000-0002-7497-871X
K. Oohara https://orcid.org/0000-0002-7518-6677
B. O'Reilly https://orcid.org/0000-0002-3874-8335
M. Orselli https://orcid.org/0000-0003-3563-8576
R. O'Shaughnessy https://orcid.org/0000-0001-5832-8517
E. O'Shea https://orcid.org/0000-0002-0230-9533
S. Oshino https://orcid.org/0000-0002-2794-6029
S. Ossokine https://orcid.org/0000-0002-2579-1246
D. J. Ottaway https://orcid.org/0000-0001-6794-1591
C. Palomba https://orcid.org/0000-0002-4450-9883
K.-C. Pan https://orcid.org/0000-0002-1473-9880
F. Pannarale https://orcid.org/0000-0002-7537-3210
F. Paoletti https://orcid.org/0000-0001-8898-1963
A. Parisi https://orcid.org/0000-0003-0251-8914
J. Park https://orcid.org/0000-0002-7510-0079
W. Parker https://orcid.org/0000-0002-7711-4423
D. Pascucci https://orcid.org/0000-0003-1907-0175
R. Passaquieti https://orcid.org/0000-0003-4753-9428
B. Patricelli https://orcid.org/0000-0001-6709-0969
S. Paul https://orcid.org/0000-0002-4449-1732
E. Payne https://orcid.org/0000-0003-4507-8373
R. Pegna https://orcid.org/0000-0002-6532-671X
F. E. Peña Arellano https://orcid.org/0000-0002-8516-5159
S. Penn https://orcid.org/0000-0003-4956-0853
T. Pereira https://orcid.org/0000-0003-1856-6881
C. Périgois https://orcid.org/0000-0002-9779-2838
A. Perreca https://orcid.org/0000-0002-6269-2490
J. Petermann https://orcid.org/0000-0002-8949-3803
H. P. Pfeiffer https://orcid.org/0000-0001-9288-519X
K. A. Pham https://orcid.org/0000-0002-7650-1034
K. S. Phukon https://orcid.org/0000-0003-1561-0760
O. J. Piccinni https://orcid.org/0000-0001-5478-3950
M. Pichot https://orcid.org/0000-0002-4439-8968
L. Pierini https://orcid.org/0000-0003-0945-2196
V. Pierro https://orcid.org/0000-0002-6020-5521
F. Pilo https://orcid.org/0000-0003-4967-7090
I. M. Pinto https://orcid.org/0000-0002-2679-4457
M. D. Pitkin https://orcid.org/0000-0003-4548-526X
A. Placidi https://orcid.org/0000-0001-8032-4416
M. L. Planas https://orcid.org/0000-0001-8278-7406
W. Plastino https://orcid.org/0000-0002-5737-6346
R. Poggiani https://orcid.org/0000-0002-9968-2464
E. Polini https://orcid.org/0000-0003-4059-0765
R. Poulton https://orcid.org/0000-0003-2049-520X
G. Pratten https://orcid.org/0000-0003-4984-0775
G. A. Prodi https://orcid.org/0000-0001-5256-915X
M. Punturo https://orcid.org/0000-0001-8722-4485
M. Pürrer https://orcid.org/0000-0002-3329-9788
H. Qi https://orcid.org/0000-0001-6339-1537
P. Raffai https://orcid.org/0000-0001-7576-0141
K. E. Ramirez https://orcid.org/0000-0003-2194-7669
A. Ramos-Buades https://orcid.org/0000-0002-6874-7421
A. Ray https://orcid.org/0000-0002-7322-4748
V. Raymond https://orcid.org/0000-0003-0066-0095
N. Raza https://orcid.org/0000-0002-8549-9124
M. Razzano https://orcid.org/0000-0003-4825-1629
L. Rei https://orcid.org/0000-0002-8690-9180
P. Relton https://orcid.org/0000-0003-2756-3391
P. Rettegno https://orcid.org/0000-0001-8088-3517
B. Revenu https://orcid.org/0000-0002-7629-4805
J. W. Richardson https://orcid.org/0000-0002-1472-4806
K. Riles https://orcid.org/0000-0002-6418-5812
S. Rinaldi https://orcid.org/0000-0001-5799-4155
A. Rocchi https://orcid.org/0000-0002-1382-9016
L. Rolland https://orcid.org/0000-0003-0589-9687
J. G. Rollins https://orcid.org/0000-0002-9388-2799
A. Romero https://orcid.org/0000-0003-2275-4164
S. Ronchini https://orcid.org/0000-0003-0020-687X
T. J. Roocke https://orcid.org/0000-0003-2640-9683
M. P. Ross https://orcid.org/0000-0002-8955-5269
D. Rozza https://orcid.org/0000-0002-7378-6353
S. Sachdev https://orcid.org/0000-0002-0525-2317
J. Sadiq https://orcid.org/0000-0001-5931-3624
S. Saha https://orcid.org/0000-0002-3333-8070
M. Sakellariadou https://orcid.org/0000-0002-2715-1517
F. Salces-Carcoba https://orcid.org/0000-0001-7049-4438
M. Saleem https://orcid.org/0000-0002-3836-7751
F. Salemi https://orcid.org/0000-0002-9511-3846
M. Sallé https://orcid.org/0000-0002-6620-6672
A. Samajdar https://orcid.org/0000-0002-0857-6018
N. Sanchis-Gual https://orcid.org/0000-0001-5375-7494
A. Sanuy https://orcid.org/0000-0002-5767-3623
A. Sasli https://orcid.org/0000-0001-7357-0889
B. S. Sathyaprakash https://orcid.org/0000-0003-3845-7586
O. Sauter https://orcid.org/0000-0003-2293-1554
R. L. Savage https://orcid.org/0000-0003-3317-1036
V. Savant https://orcid.org/0000-0002-4117-2269
T. Sawada https://orcid.org/0000-0001-5726-7150
M. G. Schiworski https://orcid.org/0000-0001-9298-004X
P. Schmidt https://orcid.org/0000-0003-1542-1791
R. Schnabel https://orcid.org/0000-0003-2896-4218
E. Schwartz https://orcid.org/0000-0001-8922-7794
J. Scott https://orcid.org/0000-0001-6701-6515
S. M. Scott https://orcid.org/0000-0002-9875-7700
M. Seglar-Arroyo https://orcid.org/0000-0001-8654-409X
Y. Sekiguchi https://orcid.org/0000-0002-2648-3835
Y. Setyawati https://orcid.org/0000-0003-3718-4491
M. S. Shahriar https://orcid.org/0000-0002-7981-954X
M. A. Shaikh https://orcid.org/0000-0003-0826-6164
L. Shao https://orcid.org/0000-0002-1334-8853
P. Shawhan https://orcid.org/0000-0002-8249-8070
N. S. Shcheblanov https://orcid.org/0000-0001-8696-2435
Y. Shikano https://orcid.org/0000-0003-2107-7536
H. Shimizu https://orcid.org/0000-0002-4221-0300
K. Shimode https://orcid.org/0000-0002-5682-8750
H. Shinkai https://orcid.org/0000-0003-1082-2844

A. Shoda https://orcid.org/0000-0002-0236-4735
D. H. Shoemaker https://orcid.org/0000-0002-4147-2560
D. M. Shoemaker https://orcid.org/0000-0002-9899-6357
D. Sigg https://orcid.org/0000-0003-4606-6526
L. Silenzi https://orcid.org/0000-0001-7316-3239
L. P. Singer https://orcid.org/0000-0001-9898-5597
D. Singh https://orcid.org/0000-0001-9675-4584
M. K. Singh https://orcid.org/0000-0001-8081-4888
N. Singh https://orcid.org/0000-0002-1135-3456
A. Singha https://orcid.org/0000-0002-9944-5573
A. M. Sintes https://orcid.org/0000-0001-9050-7515
B. J. J. Slagmolen https://orcid.org/0000-0002-2471-3828
J. R. Smith https://orcid.org/0000-0003-0638-9670
R. J. E. Smith https://orcid.org/0000-0001-8516-3324
J. Soldateschi https://orcid.org/0000-0002-5458-5206
S. N. Somala https://orcid.org/0000-0003-2663-3351
K. Somiya https://orcid.org/0000-0003-2601-2264
I. Song https://orcid.org/0000-0002-4301-8281
K. Soni https://orcid.org/0000-0001-8051-7883
S. Soni https://orcid.org/0000-0003-3856-8534
N. Sorrentino https://orcid.org/0000-0002-1855-5966
A. P. Spencer https://orcid.org/0000-0003-4418-3366
M. Spera https://orcid.org/0000-0003-0930-6930
D. A. Steer https://orcid.org/0000-0002-8781-1273
S. Steinlechner https://orcid.org/0000-0003-4710-8548
K. A. Strain https://orcid.org/0000-0002-2066-5355
G. Stratta https://orcid.org/0000-0003-1055-7980
A. L. Stuver https://orcid.org/0000-0003-0324-5735
S. Sudhagar https://orcid.org/0000-0001-8578-4665
R. Sugimoto https://orcid.org/0000-0001-6705-3658
H. G. Suh https://orcid.org/0000-0003-2662-3903
A. G. Sullivan https://orcid.org/0000-0002-9545-7286
T. Z. Summerscales https://orcid.org/0000-0002-4522-5591
L. Sun https://orcid.org/0000-0001-7959-892X
A. Sur https://orcid.org/0000-0001-6635-5080
J. Suresh https://orcid.org/0000-0003-2389-6666
P. J. Sutton https://orcid.org/0000-0003-1614-3922
Takamasa Suzuki https://orcid.org/0000-0003-3030-6599
B. L. Swinkels https://orcid.org/0000-0002-3066-3601
M. J. Szczepańczyk https://orcid.org/0000-0002-6167-6149
P. Szewczyk https://orcid.org/0000-0002-1339-9167
M. Tacca https://orcid.org/0000-0003-1353-0441
S. C. Tait https://orcid.org/0000-0003-0327-953X
H. Takahashi https://orcid.org/0000-0003-0596-4397
R. Takahashi https://orcid.org/0000-0003-1367-5149
H. Takeda https://orcid.org/0000-0001-9937-2557
N. Tamanini https://orcid.org/0000-0001-8760-5421
Takahiro Tanaka https://orcid.org/0000-0001-8406-5183
S. Tanioka https://orcid.org/0000-0003-3321-1018
L. Tao https://orcid.org/0000-0003-4382-5507
E. N. Tapia San Martín https://orcid.org/0000-0002-4817-5606
A. Taruya https://orcid.org/0000-0002-4016-1955
J. D. Tasson https://orcid.org/0000-0002-4777-5087
R. Tenorio https://orcid.org/0000-0002-3582-2587
J. E. S. Terhune https://orcid.org/0000-0001-9078-4993
L. Terkowski https://orcid.org/0000-0003-4622-1215
J. E. Thompson https://orcid.org/0000-0002-0419-5517
Shubhanshu Tiwari https://orcid.org/0000-0003-1611-6625
Srishti Tiwari https://orcid.org/0000-0002-3284-6110
V. Tiwari https://orcid.org/0000-0002-1602-4176
A. E. Tolley https://orcid.org/0000-0001-9841-943X

T. Tomaru https://orcid.org/0000-0002-8927-9014
T. Tomura https://orcid.org/0000-0002-7504-8258
A. Torres-Forné https://orcid.org/0000-0001-8709-5118
I. Tosta e Melo https://orcid.org/0000-0001-5833-4052
E. Tournefier https://orcid.org/0000-0002-5465-9607
A. Trapananti https://orcid.org/0000-0001-7763-5758
F. Travasso https://orcid.org/0000-0002-4653-6156
J. Trenado https://orcid.org/0000-0002-0714-108X
M. C. Tringali https://orcid.org/0000-0001-5087-189X
A. Tripathee https://orcid.org/0000-0002-6976-5576
A. Trovato https://orcid.org/0000-0002-9714-1904
L. Trozzo https://orcid.org/0000-0002-8803-6715
T. Tsang https://orcid.org/0000-0003-3666-686X
M. Tse https://orcid.org/0000-0003-1510-4921
T. Tsutsui https://orcid.org/0000-0002-2909-0471
K. Turbang https://orcid.org/0000-0002-9296-8603
D. Tuyenbayev https://orcid.org/0000-0002-4378-5835
H. Ubach https://orcid.org/0000-0002-0679-9074
A. S. Ubhi https://orcid.org/0000-0002-3240-6000
T. Uchiyama https://orcid.org/0000-0003-2148-1694
R. P. Udall https://orcid.org/0000-0001-6877-3278
T. Uehara https://orcid.org/0000-0003-4375-098X
K. Ueno https://orcid.org/0000-0003-3227-6055
T. Ushiba https://orcid.org/0000-0002-5059-4033
A. Utina https://orcid.org/0000-0003-2975-9208
H. Vahlbruch https://orcid.org/0000-0003-2357-2338
N. Vaidya https://orcid.org/0000-0003-1843-7545
G. Vajente https://orcid.org/0000-0002-7656-6882
G. Valdes https://orcid.org/0000-0001-5411-380X
M. Valentini https://orcid.org/0000-0003-1215-4552
V. Valsan https://orcid.org/0000-0003-0315-4091
M. van Beuzekom https://orcid.org/0000-0002-0500-1286
M. van Dael https://orcid.org/0000-0002-6061-8131
J. F. J. van den Brand https://orcid.org/0000-0003-4434-5353
H. van Haevermaet https://orcid.org/0000-0003-2386-957X
J. V. van Heijningen https://orcid.org/0000-0002-8391-7513
Z. van Ranst https://orcid.org/0000-0002-0460-6224
N. van Remortel https://orcid.org/0000-0003-4180-8199
V. Varma https://orcid.org/0000-0002-9994-1761
M. Vasúth https://orcid.org/0000-0003-4573-8781
A. Vecchio https://orcid.org/0000-0002-6254-1617
J. Veitch https://orcid.org/0000-0002-6508-0713
P. J. Veitch https://orcid.org/0000-0002-2597-435X
J. Venneberg https://orcid.org/0000-0002-2508-2044
G. Venugopalan https://orcid.org/0000-0003-4414-9918
P. Verdier https://orcid.org/0000-0003-3090-2948
D. Verkindt https://orcid.org/0000-0003-4344-7227
Y. Verma https://orcid.org/0000-0003-4147-3173
S. M. Vermeulen https://orcid.org/0000-0003-4227-8214
D. Veske https://orcid.org/0000-0003-4225-0895
A. Viceré https://orcid.org/0000-0003-0624-6231
A. D. Viets https://orcid.org/0000-0002-4241-1428
A. Vijaykumar https://orcid.org/0000-0002-4103-0666
V. Villa-Ortega https://orcid.org/0000-0001-7983-1963
S. Vitale https://orcid.org/0000-0003-2700-0767
C. Vorvick https://orcid.org/0000-0003-1591-3358
S. P. Vyatchanin https://orcid.org/0000-0002-6823-911X
M. Wade https://orcid.org/0000-0002-5703-4469
K. J. Wagner https://orcid.org/0000-0002-7255-4251
J. Wang https://orcid.org/0000-0002-1830-8527

M. Was ⓘ https://orcid.org/0000-0002-1890-1128
T. Washimi ⓘ https://orcid.org/0000-0001-5792-4907
J. Watchi ⓘ https://orcid.org/0000-0002-9154-6433
A. J. Weinstein ⓘ https://orcid.org/0000-0002-0928-6784
R. A. Weller ⓘ https://orcid.org/0000-0002-2280-219X
K. Wette ⓘ https://orcid.org/0000-0002-4394-7179
J. T. Whelan ⓘ https://orcid.org/0000-0001-5710-6576
B. F. Whiting ⓘ https://orcid.org/0000-0002-8501-8669
C. Whittle ⓘ https://orcid.org/0000-0002-8833-7438
D. Wilken ⓘ https://orcid.org/0000-0002-7290-9411
D. Williams ⓘ https://orcid.org/0000-0003-3772-198X
M. J. Williams ⓘ https://orcid.org/0000-0003-2198-2974
A. R. Williamson ⓘ https://orcid.org/0000-0002-7627-8688
J. L. Willis ⓘ https://orcid.org/0000-0002-9929-0225
B. Willke ⓘ https://orcid.org/0000-0003-0524-2925
G. Woan ⓘ https://orcid.org/0000-0003-0381-0394
J. K. Wofford ⓘ https://orcid.org/0000-0002-4301-2859
I. C. F. Wong ⓘ https://orcid.org/0000-0003-2166-0027
C. Wu ⓘ https://orcid.org/0000-0003-3191-8845
D. S. Wu ⓘ https://orcid.org/0000-0003-2849-3751
D. M. Wysocki ⓘ https://orcid.org/0000-0001-9138-4078
L. Xiao ⓘ https://orcid.org/0000-0003-2703-449X
T. Yamamoto ⓘ https://orcid.org/0000-0002-0808-4822
F. W. Yang ⓘ https://orcid.org/0000-0001-9873-6259
K. Z. Yang ⓘ https://orcid.org/0000-0001-8083-4037
L. Yang ⓘ https://orcid.org/0000-0002-8868-5977
Y. Yang ⓘ https://orcid.org/0000-0002-3780-1413
A. B. Yelikar ⓘ https://orcid.org/0000-0002-8065-1174
J. Yokoyama ⓘ https://orcid.org/0000-0001-7127-4808
J. Yoo ⓘ https://orcid.org/0000-0002-3251-0924
Hang Yu ⓘ https://orcid.org/0000-0002-6011-6190
Haocun Yu ⓘ https://orcid.org/0000-0002-7597-098X
S. Zeidler ⓘ https://orcid.org/0000-0001-7949-1292
M. Zevin ⓘ https://orcid.org/0000-0002-0147-0835
J. Zhang ⓘ https://orcid.org/0000-0002-3931-3851
R. Zhang ⓘ https://orcid.org/0000-0001-8095-483X
C. Zhao ⓘ https://orcid.org/0000-0001-5825-2401
Y. Zhao ⓘ https://orcid.org/0000-0003-2542-4734
Y. Zheng ⓘ https://orcid.org/0000-0002-5432-1331
X. J. Zhu ⓘ https://orcid.org/0000-0001-7049-6468
Z.-H. Zhu ⓘ https://orcid.org/0000-0002-3567-6743
A. B. Zimmerman ⓘ https://orcid.org/0000-0002-7453-6372
J. Zweizig ⓘ https://orcid.org/0000-0002-1521-3397

References

Abbott, B. P., Abbott, R., Abbott, T. D., et al. 2016a, CQGra, 33, 134001
Abbott, B. P., Abbott, R., Abbott, T. D., et al. 2016b, ApJ, 833, L1
Abbott, B. P., Abbott, R., Abbott, T. D., et al. 2018, LRR, 21, 3
Abbott, B. P., Abbott, R., Abbott, T. D., et al. 2020a, CQGra, 37, 055002
Abbott, B. P., Abbott, R., Abbott, T. D., et al. 2020b, LRR, 23, 3
Abbott, R., Abbott, T. D., Abraham, S., et al. 2020c, PhRvD, 102, 043015
Abbott, R., Abbott, T. D., Abraham, S., et al. 2020d, ApJL, 896, L44
Abbott, R., Abbott, T. D., Abraham, S., et al. 2021a, ApJ, 923, 14
Abbott, R., Abbott, T. D., Abraham, S., et al. 2021c, SoftX, 13, 100658
Abbott, R., Abbott, T. D., Abraham, S., et al. 2021d, PhRvX, 11, 021053
Abbott, R., Abbott, T. D., Abraham, S., et al. 2021e, ApJL, 915, L5
Abbott, R., Abbott, T. D., Abraham, S., et al. 2023b, PhRvX, 13, 011048
Abbott, R., Abbott, T. D., Abraham, S., et al. 2021f, PhRvD, 104, 022004
Abbott, R., Abbott, T. D., Abraham, S., et al. 2021g, ApJL, 913, L7
Abbott, R., Abbott, T. D., Acernese, F., et al. 2021b, GWTC-3: Compact
    Binary Coalescences Observed by LIGO and Virgo During the Second Part
    of the Third Observing Run ? Parameter Estimation Data Release, Zenodo,
    doi:10.5281/zenodo.5546663
Abbott, R., Abbott, T. D., Acernese, F., et al. 2023a, PhRvX, 13, 041039
Abbott, R., Abbott, T. D., Acernese, F., et al. 2024, PhRvD, 109, 022001

Acernese, F., Agathos, M., Ain, A., et al. 2022a, arXiv:2205.01555
Acernese, F., Agathos, M., Ain, A., et al. 2022b, CQGra, 39, 045006
Adams, T., Buskulic, D., Germain, V., et al. 2016, CQGra, 33, 175012
Ade, P. A. R., Aghanim, N., Arnaud, M., et al. 2016, A&A, 594, A13
Allen, B. 2005, PhRvD, 71, 062001
Allen, B., Anderson, W. G., Brady, P. R., Brown, D. A., & Creighton, J. D. E.
    2012, PhRvD, 85, 122006
Ashton, G., Hübner, M., Lasky, P. D., et al. 2019, ApJS, 241, 27
Aubin, F., Brighenti, F., Chierici, R., et al. 2021, CQGra, 38, 095004
Baker, T., & Trodden, M. 2017, PhRvD, 95, 063512
Basak, S., Ganguly, A., Haris, K., et al. 2022, ApJL, 926, L28
Belczynski, K., Dominik, M., Bulik, T., et al. 2010, ApJL, 715, L138
Belczynski, K., Holz, D. E., Bulik, T., & O'Shaughnessy, R. 2016, Natur,
    534, 512
Belczynski, K., Kalogera, V., Rasio, F. A., et al. 2008, ApJS, 174, 223
Blaineau, T., Moniez, M., Afonso, C., et al. 2022, A&A, 664, A106
Blanchet, L. 2014, LRR, 17, 2
Bouffanais, Y., Mapelli, M., Santoliquido, F., et al. 2021, MNRAS, 507, 5224
Broadhurst, T., Diego, J. M., & Smoot, G. 2018, arXiv:1802.05273
Broadhurst, T., Diego, J. M., & Smoot, G. F. 2020a, arXiv:2002.08821
Broadhurst, T., Diego, J. M., & Smoot, G. F. 2020b, arXiv:2006.13219
Buscicchio, R., Moore, C. J., Pratten, G., et al. 2020, PhRvL, 125, 141102
Cahillane, C., Betzwieser, J., Brown, D. A., et al. 2017, PhRvD, 96, 102001
Cannon, K., Cariou, R., Chapman, A., et al. 2012, ApJ, 748, 136
Cao, S., Qi, J., Cao, Z., et al. 2019, NatSR, 9, 11608
Cao, Z., Li, L.-F., & Wang, Y. 2014, PhRvD, 90, 062003
Carr, B., Kohri, K., Sendouda, Y., & Yokoyama, J. 2021, RPPh, 84, 116902
Carr, B., & Kuhnel, F. 2020, ARNPS, 70, 355
Çalışkan, M., Ezquiaga, J. M., Hannuksela, O. A., & Holz, D. E. 2023a,
    PhRvD, 107, 063023
Çalışkan, M., Ji, L., Cotesta, R., et al. 2023b, PhRvD, 107, 043029
Chatterji, S., Blackburn, L., Martin, G., & Katsavounidis, E. 2004, CQGra, 21,
    S1809
Chen, T., & Guestrin, C. 2016, in Proc. ACM SIGKDD Int. Conf. on
    Knowledge Discovery and Data Mining 22, KDD '16 (New York:
    Association for Computing Machinery), 785
Cheung, M. H. Y., Gais, J., Hannuksela, O. A., & Li, T. G. F. 2021, MNRAS,
    503, 3326
Choi, Y.-Y., Park, C., & Vogeley, M. S. 2007, ApJ, 658, 884
Christian, P., Vitale, S., & Loeb, A. 2018, PhRvD, 98, 103022
Colleoni, M., Mateu-Lucena, M., Estellés, H., et al. 2021, PhRvD, 103, 024029
Collett, T. E., & Bacon, D. 2017, PhRvL, 118, 091101
Connor, L., & Ravi, V. 2023, MNRAS, 521, 4024
Cornish, N., Sampson, L., Yunes, N., & Pretorius, F. 2011, PhRvD, 84, 062003
Cornish, N. J., Littenberg, T. B., Bécsy, B., et al. 2021, PhRvD, 103, 044006
Cremonese, P., Ezquiaga, J. M., & Salzano, V. 2021, PhRvD, 104, 023503
Dai, L., Li, S.-S., Zackay, B., Mao, S., & Lu, Y. 2018, PhRvD, 98, 104029
Dai, L., & Venumadhav, T. 2017, arXiv:1702.04724
Dai, L., Zackay, B., Venumadhav, T., Roulet, J., & Zaldarriaga, M. 2020,
    arXiv:2007.12709
Dal Canton, T., Nitz, A. H., Lundgren, A. P., et al. 2014, PhRvD, 90, 082004
Damour, T., & Nagar, A. 2016, Lect. Notes Phys., 905, 273
Davis, D., Areeda, J. S., Berger, B. K., et al. 2021, CQGra, 38, 135014
Davis, D., Littenberg, T. B., Romero-Shaw, I. M., et al. 2022, CQGra, 39,
    245013
Davis, D., Massinger, T. J., Lundgren, A. P., et al. 2019, CQGra, 36, 055011
Deguchi, S., & Watson, W. D. 1986, PhRvD, 34, 1708
Deng, J., Dong, W., Socher, R., et al. 2009, in 2009 IEEE Conf. on Computer
    Vision and Pattern Recognition (Piscataway, NJ: IEEE), 248
Diego, J., Hannuksela, O., Kelly, P., et al. 2019, A&A, 627, A130
Diego, J. M. 2020, PhRvD, 101, 123512
Dominik, M., Belczynski, K., Fryer, C., et al. 2013, ApJ, 779, 72
Driggers, J. C., Vitale, S., Lundgren, A. P., et al. 2019, PhRvD, 99, 042001
Eldridge, J., Stanway, E., & Tang, P. N. 2019, MNRAS, 482, 870
Esteban-Gutiérrez, A., Mediavilla, E., Jiménez-Vicente, J., et al. 2022, ApJ,
    929, 123
Ezquiaga, J. M., Holz, D. E., Hu, W., Lagos, M., & Wald, R. M. 2021, PhRvD,
    103, 6
Ezquiaga, J. M., Hu, W., Lagos, M., Lin, M.-X., & Xu, F. 2022, JCAP,
    2022, 016
Ezquiaga, J. M., & Zumalacárregui, M. 2020, PhRvD, 102, 124048
Fan, X.-L., Liao, K., Biesiada, M., Piorkowska-Kurpas, A., & Zhu, Z.-H. 2017,
    PhRvL, 118, 091102
Farr, W. M., Gair, J. R., Mandel, I., & Cutler, C. 2015, PhRvD, 91, 023005
Finn, L. S., & Chernoff, D. F. 1993, PhRvD, 47, 2198
Fiori, I., Paoletti, F., Tringali, M. C., et al. 2020, Galax, 8, 82

Garcia-Bellido, J., Clesse, S., & Fleury, P. 2018, PDU, 20, 95
Goyal, S., Haris, K., Mehta, A. K., & Ajith, P. 2021a, PhRvD, 103, 024038
Goyal, S. D. H., Kapadia, S. J., & Ajith, P. 2021b, PhRvD, 104, 124057
GWOSC 2021, GWTC-3 Data Release, GWOSC, https://gwosc.org/GWTC-3/
Hanna, C., Caudill, S., Messick, C., et al. 2020, PhRvD, 101, 022003
Hannam, M., Hoy, C., Thompson, J. E., Fairhurst, S., & Raymond, V. 2021, Natur, 610, 652
Hannuksela, O. A., Collett, T. E., Çalışkan, M., & Li, T. G. F. 2020, MNRAS, 498, 3395
Haris, K., Mehta, A. K., Kumar, S., Venumadhav, T., & Ajith, P. 2018, arXiv:1807.07062
Harris, C. R., Millman, K. J., van der Walt, S. J., et al. 2020, Natur, 585, 357
Huang, G., Liu, Z., van der Maaten, L., & Weinberger, K. Q. 2016, arXiv:1608.06993
Hunter, J. D. 2007, CSE, 9, 90
Hurley, K., Tsvetkova, A. E., Svinkin, D. S., et al. 2019, ApJ, 871, 121
Janquart, J., Hannuksela, O. A. K. H., & Van Den Broeck, C. 2021, MNRAS, 506, 5430
Janquart, J., Wright, M., Goyal, S., et al. 2023, MNRAS, 526, 3832
Jung, S., & Shin, C. S. 2019, PhRvL, 122, 041103
Kapadia, S. J., Caudill, S., Creighton, J. D. E., et al. 2020, CQGra, 37, 045007
Karki, S., Tuyenbayev, D., Kandhasamy, S., et al. 2016, RScI, 87, 114503
Khan, S., Husa, S., Hannam, M., et al. 2016, PhRvD, 93, 044007
Khan, S., Ohme, F., Chatziioannou, K., & Hannam, M. 2020, PhRvD, 101, 024056
Klimenko, S., Mohanty, S., Rakhmanov, M., & Mitselmakher, G. 2005, PhRvD, 72, 122002
Klimenko, S., Mohanty, S., Rakhmanov, M., & Mitselmakher, G. 2006, JPhCS, 32, 12
Klimenko, S., Vedovato, G., Drago, M., et al. 2011, PhRvD, 83, 102001
Klimenko, S., Yakushin, I., Rakhmanov, M., & Mitselmakher, G. 2004, CQGra, 21, S1685
Klimenko, S., Vedovato, G., Drago, M., et al. 2016, PhRvD, 93, 042004
Lai, K.-H., Hannuksela, O. A., Herrera-Martín, A., et al. 2018, PhRvD, 98, 083005
Lange, J., O'Shaughnessy, R., Boyle, M., et al. 2017, PhRvD, 96, 104041
Li, A. K., Lo, R. K., Sachdev, S., et al. 2023, PhRvD, 107, 123014
Li, S.-S., Mao, S., Zhao, Y., & Lu, Y. 2018a, MNRAS, 476, 2220
Li, Y., Fan, X., & Gou, L. 2019, ApJ, 873, 37
Li, Z.-X., Gao, H., Ding, X.-H., Wang, G.-J., & Zhang, B. 2018b, NatCo, 9, 3833
Liao, K., Fan, X.-L., Ding, X.-H., Biesiada, M., & Zhu, Z.-H. 2017, NatCo, 8, 1148
LIGO Scientific Collaboration, Virgo Collaboration, KAGRA Collaboration 2018, LALSuite Software, doi:10.7935/GT1W-FZ16
Lin, S.-J., Li, A., Gao, H., et al. 2022, ApJ, 931, 4
Lo, R. K. L., & Magaña Hernandez, I. 2021, arXiv:2104.09339
Madau, P., & Dickinson, M. 2014, ARA&A, 52, 415
McIsaac, C., Keitel, D., Collett, T., et al. 2020, PhRvD, 102, 084031
Messick, C., Blackburn, K., Brady, P., et al. 2017, PhRvD, 95, 042001
Mishra, A., Meena, A. K., More, A., Bose, S., & Bagla, J. S. 2021, MNRAS, 508, 4869
Mukherjee, S., Broadhurst, T., Diego, J. M., Silk, J., & Smoot, G. F. 2021a, MNRAS, 506, 3751
Mukherjee, S., Broadhurst, T., Diego, J. M., Silk, J., & Smoot, G. F. 2021b, MNRAS, 501, 2451
Muñoz, J. B., Kovetz, E. D., Dai, L., & Kamionkowski, M. 2016, PhRvL, 117, 091301
Nakamura, T. T. 1998, PhRvL, 80, 1138
Ng, K. K., Wong, K. W., Broadhurst, T., & Li, T. G. 2018, PhRvD, 97, 023012
Nguyen, P., Schofield, R. M. S., Effler, A., et al. 2021, CQGra, 38, 145001
Nitz, A. H., Dent, T., Dal Canton, T., Fairhurst, S., & Brown, D. A. 2017, ApJ, 849, 118
Oguri, M. 2018, MNRAS, 480, 3842

Oguri, M., & Marshall, P. J. 2010, MNRAS, 405, 2579
Oguri, M., & Takahashi, R. 2020, ApJ, 901, 58
Ohanian, H. 1974, IJTP, 9, 425
Ossokine, S., Buonanno, A., Marsat, S., et al. 2020, PhRvD, 102, 044055
Pagano, G., Hannuksela, O. A., & Li, T. G. F. 2020, A&A, 643, A167
Palenzuela, C. 2020, FrASS, 7, 58
Pankow, C., Brady, P., Ochsner, E., & O'Shaughnessy, R. 2015, PhRvD, 92, 023002
Payne, E., Hourihane, S., Golomb, J., et al. 2022, PhRvD, 106, 104017
Paynter, J., Webster, R., & Thrane, E. 2021, NatAs, 5, 560
Perez, F., & Granger, B. E. 2007, CSE, 9, 21
Pratten, G., García-Quirós, C., Colleoni, M., et al. 2021, PhRvD, 103, 104056
Price-Whelan, A., Sipőcz, B. M., Günther, H. M., et al. 2018, AJ, 156, 123
Robertson, A., Smith, G. P., Massey, R., et al. 2020, MNRAS, 495, 3727
Robitaille, T. P., Tollerud, E. J., Greenfield, P., et al. 2013, A&A, 558, A33
Romero-Shaw, I. M., Talbot, C., Biscoveanu, S., et al. 2020, MNRAS, 499, 3295
Ryczanowski, D., Smith, G. P., Bianconi, M., et al. 2020, MNRAS, 495, 1666
Sachdev, S., Caudill, S., Fong, H., et al. 2019, arXiv:1901.08580
Schmidt, P. 2020, FrASS, 7, 28
Schneider, P., Ehlers, J., & Falco, E. E. 1992, Gravitational Lenses (Berlin: Springer), 112
Sereno, M., Jetzer, P., Sesana, A., & Volonteri, M. 2011, MNRAS, 415, 2773
Singer, L. 2019, ligo.skymap, https://lscsoft.docs.ligo.org/ligo.skymap/
Singer, L. P., & Price, L. R. 2016, PhRv, D93, 024013
Smith, G., Berry, C., Bianconi, M., et al. 2018a, IAUS, 338, 98
Smith, G. P., Jauzac, M., Veitch, J., et al. 2018b, MNRAS, 475, 3823
Smith, G. P., Robertson, A., Bianconi, M., & Jauzac, M. 2019, arXiv:1902.05140
Smith, R. J. E., Ashton, G., Vajpeyi, A., & Talbot, C. 2020, MNRAS, 498, 4492
Speagle, J. S. 2020, MNRAS, 493, 3132
Sun, L., Goetz, E., Kissel, J. S., et al. 2020, CQGra, 37, 225008
Sun, L., Goetz, E., Kissel, J. S., et al. 2021, arXiv:2107.00129
Takahashi, R., & Nakamura, T. 2003, ApJ, 595, 1039
Talbot, C., Smith, R., Thrane, E., & Poole, G. B. 2019, PhRvD, 100, 043030
Tambalo, G., Zumalacárregui, M., Dai, L., & Cheung, M. H.-Y. 2023, PhRvD, 108, 103529
Thorne, K. 1982, in Proc. of the Advanced Study Institute, Gravitational Radiation (Amsterdam: North-Holland), 1
Tinker, J. L., Kravtsov, A. V., Klypin, A., et al. 2008, ApJ, 688, 709
Urrutia, J., & Vaskonen, V. 2022, MNRAS, 509, 1358
Usman, S. A., Nitz, A. H., Harry, I. W., et al. 2016, CQGra, 33, 215004
Vajente, G., Huang, Y., Isi, M., et al. 2020, PhRvD, 101, 042003
Vallisneri, M. 2012, PhRvD, 86, 082001
Vedantham, H. K., Readhead, A. C. S., Hovatta, T., et al. 2017, ApJ, 845, 89
Viets, A., Wade, M., Urban, A. L., et al. 2018, CQGra, 35, 095015
Virtanen, P., Gommers, R., Oliphant, T. E., et al. 2020, NatMe, 17, 261
Wang, Y., Stebbins, A., & Turner, E. L. 1996, PhRvL, 77, 2875
Waskom, M., Botvinnik, O., Ostblom, J., et al. 2020, mwaskom/seaborn: v0.10.1 (April 2020), v0.10.1, Zenodo, doi:10.5281/zenodo.3767070
Wempe, E., Koopmans, L. V. E., Wierda, A. R. A. C., Hannuksela, O. A., & Broeck, C. V. D. 2024, MNRAS, 530, 3368
Wierda, A. R. A. C., Wempe, E., Hannuksela, O. A., Koopmans, L. V. E., & Van Den Broeck, C. 2021, ApJ, 921, 154
Wong, H. W. Y., Chan, L. W. L., Wong, I. C. F., Lo, R. K. L., & Li, T. G. F. 2021, arXiv:2112.05932
Wysocki, D., O'Shaughnessy, R., Lange, J., & Fang, Y.-L. L. 2019, PhRvD, 99, 084026
Xu, F., Ezquiaga, J. M., & Holz, D. E. 2022, ApJ, 929, 9
Yeung, S. M. C., Cheung, M. H. Y., Gais, J. A. J., Hannuksela, O. A., & Li, T. G. F. 2023, MNRAS, 526, 2230
Zevin, M., Bavera, S. S., Berry, C. P. L., et al. 2021, ApJ, 910, 152
Zumalacarregui, M., & Seljak, U. 2018, PhRvL, 121, 141101